

# **T**OXICS TARGETING

## **PHASE I**

# **ENVIRONMENTAL DATABASE REPORT**

**586 UNION AVENUE  
HOLTSVILLE, NY 11742**

JULY 12, 2022

## **LIMITED WARRANTY AND DISCLAIMER OF LIABILITY**

### **Who is Covered**

This limited warranty is extended by Toxics Targeting, Inc. only to the original purchaser of the accompanying Environmental Report ("Report"). It may not be assigned to any other person.

### **What is Warranted**

Toxics Targeting, Inc. warrants that it uses reasonable care to accurately transcribe the information contained in this Report from the sources from which it is obtained. This limited warranty is in lieu of all other express warranties which might otherwise arise with respect to the Report. No one is authorized to change or add to this limited warranty.

### **What We Will Do**

If during the warranty period there is shown to be a material error in the transcription of the information contained in this Report from the sources from which it was obtained, Toxics Targeting, Inc. shall refund to the original purchaser the full purchase price paid for the Report. The remedy stated above is the exclusive remedy extended to the Purchaser by Toxics Targeting, Inc. for any failure of the Report to conform with this Warranty, or otherwise for breach of this Warranty or any other warranty, whether expressed or implied.

### **What We Won't Cover**

Toxics Targeting, Inc. has not and can not verify the accuracy, correctness or completion of the information contained in this Report. Information is obtained from government agencies, site owners, and other sources, and errors are common in such information. Because Toxics Targeting, Inc. can not control the accuracy of the information contained in this Report, or the uses which may be made of the information, TOXICS TARGETING, INC. DISCLAIMS LIABILITY TO ANYONE FOR ANY EVENTS ARISING OUT OF THE USE OF THE INFORMATION. TOXICS TARGETING, INC. SHALL NOT BE LIABLE FOR ANY DAMAGE CAUSED BY THIS REPORT, WHETHER DIRECT OR INDIRECT, AND WHETHER OR NOT TOXICS TARGETING, INC. HAS BEEN ADVISED OF OR HAS KNOWLEDGE OF THE POSSIBILITY OF SUCH DAMAGES. TOXICS TARGETING, INC. EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

### **Period of Warranty**

The period of warranty coverage is ninety days from the date of purchase of this Report. There shall be no warranty after the period of coverage. ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR USE SHALL HAVE NO GREATER DURATION THAN THE PERIOD OF WARRANTY STATED HERE, AND SHALL TERMINATE AUTOMATICALLY UPON THE EXPIRATION OF SUCH PERIOD. Some jurisdictions do not allow limitations on how long an implied warranty lasts, so the above exclusion or limitation may not apply to you.

**PLEASE REFER TO PAGES ONE AND FIVE FOR A DESCRIPTION OF SOME OF THE LIMITATIONS OF THIS ENVIRONMENTAL REPORT.**

# Table of Contents

**Introduction..... 1**

- *The Three Sections of Your Report*
- *How to Use Your Report*
- *Toxic Site Databases Analyzed In Your Report*
- *Limitations Of the Information In Your Report*

**Section One: Your Report Summary..... 6**

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close-up Map*

**Section Two: Toxic Site Profiles**

**Section Three: Appendices**

- *USEPA ERNS Check*
- *Unmappable Sites*
- *Hazardous Waste Codes*
- *How Toxic Sites Are Mapped*
- *Information Source Guide*

## ***Introduction***

*Toxics Targeting* has combined environmental database searches, extensive regulatory analysis and sophisticated mapping techniques to produce your *Environmental Report*. It checks for the presence of 21 categories of government-reported toxic sites and provides detailed, up-to-date information on each identified site. The findings of your report are presented in an easy-to-understand format that:

1. ***Maps*** the approximate locations of selected government-reported toxic sites identified on or near a specified target address.
2. ***Estimates*** the distance and direction between the target address and each identified toxic site.
3. ***Reports*** air and water permit non-compliance and other regulatory violations.
4. ***Profiles*** some aspects of the usage, manufacture, storage, handling, transport or disposal of toxic chemicals at individual sites.
5. ***Summarizes*** some potential health effect information and drinking water standards for selected chemicals reported at individual sites.

## ***The Three Sections Of Your Report***

The first section highlights your report's findings by summarizing identified sites according to: **a)** distance intervals, **b)** direction, **c)** proximity to the target address and **d)** individual site categories. In addition, the locations of all identified toxic sites are illustrated on individual maps for each radius search distance used in your report. A close-up map illustrates the locations of all identified toxic sites, at the shortest radius search distance used in your report. Finally, a map of tax parcels and a table of selected information about those parcels are included.

The second section of your report contains *Toxic Site Profiles* that provide detailed information on each identified toxic site. The information in each *Toxic Site Profile* varies according to its source. Some toxic site categories have extensive information, some have limited information. All the information is updated on a regular basis.

The third section of the report contains appendices that identify: **1)** on-site spills reported to the national Emergency Response Notification System (ERNS), **2)** various toxic sites that cannot be mapped due to incomplete or erroneous addresses or other mapping problems, **3)** codes that characterize hazardous wastes reported at various facilities, **4)** methods used to map toxic sites identified in your report and **5)** information sources used in your report.


## ***How to Use Your Report***

- Check Table One to see the number of identified sites by distance intervals.
- Check Table Two to see identified sites sorted by direction.
- Check Table Three to see identified sites sorted by site categories.
- Check Table Four to see identified sites ranked by proximity to the target address.
- Use Table Five to get info for the subject parcel and every parcel found on the Tax Parcel Map
- Refer to the various maps to see the locations of identified toxic sites. Refer to the *Toxic Site Profile* and *Appendix* sections for additional information.

# *Toxic Site Databases Analyzed In Your Report*


## Search Radius

One-Mile




1) ***National Priority List for Federal Superfund Cleanup***: a listing of sites known to pose environmental or health hazards that are being investigated or cleaned up under the Federal Superfund program.

Half-Mile




2) ***Delisted National Priority List Sites***: a listing of NPL sites that have been removed from the National Priority List.

One-Mile




3) ***New York Inactive Hazardous Waste Disposal Site Registry***: a state listing of sites that can pose environmental or public health hazards requiring investigation or clean up.

One-Mile




4) ***New York Inactive Hazardous Waste Disposal Site Registry Qualifying***: a state listing of sites that qualify for possible inclusion to the NYS DEC Inactive Haz. Waste Disposal Site Registry.

One-Mile




5) ***New York and Federal RCRA Corrective Action Activity (CORRACTS)***: waste facilities with RCRA corrective action activity reported by the USEPA and NYS DEC.

Half-Mile



6) ***CERCLIS*** (Comprehensive Environmental Response, Compensation and Liability Information System): a federal listing of Non-NFRAP sites that can pose environmental or public health hazards requiring investigation or clean up.

Half-Mile



7) ***CERCLIS NFRAP***: a federal listing of CERCLIS sites that have no further remedial action planned.

Half-Mile



8) ***New York State Brownfield Cleanup Sites***: a listing of sites that are abandoned, idled or under-used industrial and commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination.

Half-Mile



9) ***New York Solid Waste Facilities Registry***: active and inactive landfills, incinerators, transfer stations or other solid waste management facilities.

Half-Mile



10) ***New York and Federal Hazardous Waste Treatment, Storage or Disposal Facilities***: sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRIS). Also includes the following database:

- ***RCRA violations***: waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act..

Half-Mile



11) **Toxic Spills: active and inactive or closed** spills reported to state environmental authorities, including *remediated* and *unremediated* leaking underground storage tanks. This database includes the following categories:

- Tank Failures
- Tank Test Failures
- Unknown Spill Cause or Other Spill Causes
- Miscellaneous Spill Causes

Quarter-Mile




12) **New York State Major Oil Storage Facilities:** sites with more than a 400,000-gallon capacity for storing petroleum products.

Quarter-Mile



13) **New York and Local Petroleum Bulk Storage Facilities:** sites with more than a 1,100-gallon capacity for storing petroleum products.

Quarter-Mile



14) **New York and Federal Hazardous Waste Generators and Transporters:** sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRA). Also includes the following database:


- **RCRA violations:** waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act.

Quarter-Mile



15) **New York Chemical Bulk Storage Facilities:** sites storing hazardous substances listed in 6 NYCRR Part 597 in aboveground tanks with capacities of 185 gallons or more and/or underground tanks of any size

Half-Mile



16) **New York Hazardous Substance Disposal Site Draft Study:** a state listing of sites contaminated with toxic substances that can pose environmental or public health hazards. These sites are not eligible for state clean up funding programs.

Quarter-Mile



17) **Federal Toxic Release Inventory Facilities:** discharges of selected toxic chemicals to air, land, water or treatment facilities.

Quarter-Mile



18) **Federal Air Discharges:** Air pollution point sources monitored by U.S. EPA and/or state and local air regulatory agencies.

Quarter-Mile



19) **Federal Permit Compliance System Toxic Wastewater Discharges:** permitted toxic wastewater discharges.

Quarter-Mile



20) **Federal Civil and Administrative Enforcement Docket:** judiciary cases filed on behalf of the U. S. Environmental Protection Agency by the Department of Justice.

Property only



21) ***ERNS: Federal Emergency Response Notification System Spills:*** a listing of federally reported spills.

## *Limitations Of The Information In Your Report*

The information presented in your *Environmental Report* has been obtained from various local, state and federal government agencies. Please be aware that: **1)** additional information on individual sites may be available, **2)** newly discovered sites are continually reported and **3)** all map locations are approximate. As a result, this report is intended to be the **FIRST STEP** in the process of identifying and evaluating possible environmental threats to specific properties and can only serve as a guide for conducting on-site visits or additional, more detailed toxic hazard research.

*Toxics Targeting* tries to ensure that the information in your report is presented accurately and with minimal alteration. The only systematic changes that are made correct obvious address errors in order to allow sites to be mapped. Any address changes that are made are noted in the map information section at the top of each corresponding *Toxic Site Profile*. Since the information presented in your report is not edited, please be aware that it can contain reporting errors or typographical mistakes made by the site owners/operators or government agencies that produced the information. Please be aware of some other limitations of the information in your report:

- The map used by *Toxics Targeting* is the same one used by the U. S. Census. While the map is generally accurate, no map is perfect. In addition, *Toxics Targeting's* mapping methods estimate where toxic site addresses are located if the address is not specifically designated on the Census map. **FOR THESE REASONS, ALL MAP LOCATIONS OF ADDRESSES AND REPORTED TOXIC SITES SHOULD BE CONSIDERED APPROXIMATE AND SHOULD BE VERIFIED BY ON-SITE VISITS;**
- **UNDISCOVERED, UNREPORTED OR UNMAPPABLE TOXIC SITES MIGHT NOT BE IDENTIFIED BY THIS REPORT'S CHECK OF 21 TOXIC SITE CATEGORIES. TOXIC SITES REPORTED IN OTHER GOVERNMENT DATABASES MIGHT ALSO EXIST. FOR THESE REASONS, YOUR REPORT MIGHT NOT IDENTIFY ALL THE TOXIC SITES THAT EXIST IN THE AREA IT SEARCHES;**
- The appendix of your report contains a listing of sites that could not be mapped due to incomplete or erroneous address information or other mapping problems. This listing includes unmappable toxic sites in zip code areas within one mile of the target address as well as toxic sites without zip codes reported in the same county. **IF YOU WOULD LIKE INFORMATION ON ANY OF THE LISTED SITES, PLEASE CONTACT TOXICS TARGETING AND REFER TO THE SITE ID NUMBER.**
- Some toxic sites identified in your report may be classified as **known hazards**. Most of the toxic sites identified in your report involve **potential hazards** related to the on-site use, manufacture, handling, storage, transport or disposal of toxic chemicals. Some of the toxic sites identified in your report may be the addresses of parties responsible for toxic sites located elsewhere. **YOU SHOULD ONLY CONCLUDE THAT TOXIC HAZARDS ACTUALLY EXIST AT A SPECIFIC SITE WHEN GOVERNMENT AUTHORITIES MAKE THAT DETERMINATION OR WHEN THAT CONCLUSION IS FULLY DOCUMENTED BY THE FINDINGS OF AN APPROPRIATE SITE INVESTIGATION UNDERTAKEN BY LICENSED PROFESSIONALS;**
- Compass directions and distances are approximate. Compass directions are calculated from the subject property address to the mapped location of each identified toxic site. The compass direction does not necessarily refer to the closest property boundary of an identified toxic site. The compass direction also can vary substantially for toxic sites that are located very close to the subject property address.
- The information presented in your report is a summary of the information that *Toxics Targeting* obtains from government agencies on reported toxic sites. **YOU MAY BE ABLE TO OBTAIN ADDITIONAL INFORMATION ABOUT REPORTED SITES WITH THE FREEDOM OF INFORMATION REQUEST FORM LETTERS THAT ARE PROVIDED ON THE INSIDE OF THE BACK COVER.**



# Section One:

## Report Summary

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close up Map*

## NUMBER OF IDENTIFIED SITES BY DISTANCE INTERVAL

Database Searched	0 – 100 ft	100 ft – 1/8 mi	1/8 mi – 1/4 mi	1/4 mi – 1/2 mi	1/2 mi – 1 mi	Site Category Totals
<b>ASTM–Required 1 Mile Search</b>						
National Priority List (NPL) Sites	0	0	0	0	0	0
NYS Inactive Hazardous Waste Disposal Site Registry	0	0	0	0	0	0
NYS Inactive Haz Waste Disposal Site Registry Qualifying	0	0	0	0	0	0
RCRA Corrective Action (CORRACTS) Sites	0	0	0	0	0	0
<b>ASTM–Required 1/2 Mile Search</b>						
Delisted National Priority List (NPL) Sites	0	0	0	0	Not searched	0
CERCLIS Superfund Non–NFRAP Sites	0	0	0	0	Not searched	0
CERCLIS Superfund NFRAP Sites	0	0	0	0	Not searched	0
<b>Brownfields Sites</b>						
Voluntary Cleanup Program	0	0	0	0	Not searched	0
Environmental Restoration Program	0	0	0	0	Not searched	0
Brownfield Cleanup Program	0	0	0	0	Not searched	0
NYSDEC Solid Waste Facilities / Landfills	0	0	0	1	Not searched	1
RCRA Hazardous Waste Treatment, Storage, Disposal Sites	0	0	0	0	Not searched	0
<b>NYS Toxic Spills</b>						
Active Tank Failures	0	0	0	0	Not searched	0
Active Tank Test Failures	0	0	0	0	Not searched	0
Active Spills – Unknown / Other Causes	0	0	0	0	Not searched	0
Active Spills – Miscellaneous Causes	0	0	1	0	Not searched	1
Closed Tank Failures	0	0	0	0	Not searched	0
Closed Tank Test Failures	1	0	2	1	Not searched	4
Closed Spills – Unknown / Other Causes	8	2	33	12	Not searched	55
Closed Spills – Miscellaneous Causes	28	1	57	0(21)	Not searched	86(21)
<b>ASTM–Required Property &amp; Adjacent Property (1/4 Mile Search)</b>						
NYS Major Oil Storage Facilities	1	0	0	Not searched	Not searched	1
Local & State Petroleum Bulk Storage Sites	2	0	10	Not searched	Not searched	12
RCRA Hazardous Waste Generators & Transporters	5	0	6	Not searched	Not searched	11
NYS Chemical Bulk Storage Sites	2	0	3	Not searched	Not searched	5
Emergency Response Notification System (ERNS)	2	Not searched	Not searched	Not searched	Not searched	2
Institutional Controls / Engineering Controls (IC/EC)	See databases for NPL, CERCLIS, Inactive Hazardous Waste Disposal Site Registry and Brownfield Sites.					
<b>ASTM–Required Databases Distance Interval Totals</b>	<b>49</b>	<b>3</b>	<b>112</b>	<b>14(21)</b>	<b>0</b>	<b>178(21)</b>

Numbers in ( ) indicate spills not mapped and profiled in this report, and are listed at the end of the active and closed spills sections. See these lists for a description of the parameters involved with identifying these spills.

NOTE: Table continues on next page.

**Non-ASTM Databases 1/2 Mile Search**

Hazardous Substance Waste Disposal Sites	0	0	0	0	Not searched	0
--	---	---	---	---	--------------	---

**Non-ASTM Databases 1/4 Mile Search**

Toxic Release Inventory Sites (TRI)	1	0	3	Not searched	Not searched	4
Permit Compliance System (PCS) Toxic Wastewater Discharges	1	0	2	Not searched	Not searched	3
Air Discharges	2	0	3	Not searched	Not searched	5
Civil & Administrative Enforcement Docket Facilities	0	0	0	Not searched	Not searched	0

---

<b>Non-ASTM Databases Distance Interval Totals</b>	<b>4</b>	<b>0</b>	<b>8</b>	<b>0</b>	<b>Not Searched</b>	<b>12</b>
--	----------	----------	----------	----------	---------------------	-----------

---

<b><i>Distance Interval Totals</i></b>	<b>53</b>	<b>3</b>	<b>120</b>	<b>14(21)</b>	<b>0</b>	<b>190(21)</b>
--	-----------	----------	------------	---------------	----------	----------------

Numbers in ( ) indicate spills not mapped and profiled in this report, and are listed at the end of the active and closed spills sections. See these lists for a description of the parameters involved with identifying these spills.

# Identified Toxic Sites by Direction

586 Union Avenue  
Holtsville, NY 11742

\* Compass directions can vary substantially for sites located very close to the subject property address.

## Sites less than 100 feet from subject property sorted by distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
3	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet	Closed Status Tank Test Failure
7	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
8	NORTHVILLE/TOSCO	UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
9	NORTHVILLE	586 UNION AVE	0 feet	Closed Status Spill (Unk/Other Cause)
10	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
11	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
12	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
13	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
14	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
62	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
63	TOSCO	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
64	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
65	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
66	TOSCO PIPELINE INC	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
67	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
68	TOSCO TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
69	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
70	NORTHVILLE	UNION AVE MOSF	0 feet	Closed Status Spill (Misc. Spill Cause)
71	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
72	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
73	HOLTSVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
74	NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
75	ROADWAY	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
76	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
77	NORTHVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
78	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
79	NORTHVILLE INDUSTRIES CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
80	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
81	HOLTSVILLE TERMINAL NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
82	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
83	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
84	NORTHVILLE HOLDING CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
85	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
86	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
87	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
88	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
89	TOSCO– HOLTSVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
161	TOSCO PIPELINE COMPANY	586 UNION AVE SITE A	0 feet	Hazardous Waste Generator/Transporter
162	TOSCO PIPELINE CO	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
163	NORTHVILLE HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Hazardous Waste Generator/Transporter
164	NORTHVILLE INDUSTRIES CORP	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter

165	LONG ISLAND ELECTRIC UTILITY SERVCO LLC	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
149	NORTHVILLE IND	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
150	NORTHVILLE IND CORP HOLTSVILLE TERM	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
184	NORTHVILLE IND HOLTSVILLE TERM	586 UNION AVENUE	0 feet	Air Discharge Site
185	NORTHVILLE INDUSTRIES TERMINAL	586 UNION AVE	0 feet	Air Discharge Site
148	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Major Oil Storage Facility
172	HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Chemical Bulk Storage Facility
173	NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Chemical Bulk Storage Facility
181	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Wastewater Discharge Facility
177	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Toxic Release Inventory Site

### Sites between 100 ft and 660 ft from the subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
15	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
16	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
90	RESIDENTIAL	606 UNION AVE	538 feet to the ENE	Closed Status Spill (Misc. Spill Cause)

### Sites equal to or greater than 660 ft from subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
166	TOSCO PIPELINE COMPANY	605 UNION AVENUE	680 feet to the N	Hazardous Waste Generator/Transporter
174	HOLTSVILLE LNG PLANT	UNION AVENUE	722 feet to the N	Chemical Bulk Storage Facility
182	KEYSPAN – HOLTSVILLE LIQUID	UNION AVENUE	726 feet to the N	Wastewater Discharge Facility
178	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY	UNION AVE.	731 feet to the N	Toxic Release Inventory Site
154	KEYSPAN HOLTSVILLE	605 UNION AVE	776 feet to the N	Petroleum Bulk Storage Site
20	NY POWER PLANT	LONG ISLAND AVE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
21	HOLTSVILLE L&G PLANT	UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
22	LILCO	UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
23	HOLTSVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
95	HOLTSVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
96	LILCO	HOLTSVILLE LNG PLANT	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
97	SUBSTATION	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
171	LONG ISLAND LIGHTING CO	180 MORRIS AVE	1207 feet to the N	Hazardous Waste Generator/Transporter
187	HOLBROOK GENERATING STATION (LILCO)	W SIDE MORRIS AVE	1248 feet to the N	Air Discharge Site
188	FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT	180A MORRIS AVENUE	1248 feet to the N	Air Discharge Site
176	HOLTSVILLE GAS TURBINE SITE	180 MORRIS AVENUE	1250 feet to the N	Chemical Bulk Storage Facility
180	KEYSPAN ENERGY HOLTSVILLE IC FACILITY	180-A MORRIS AVE.	1250 feet to the N	Toxic Release Inventory Site
5	LILCO HOLTSVILLE STATION	MORRIS AVENUE	1295 feet to the N	Closed Status Tank Test Failure
45	HOLTSVILLE GENERATING PLANT	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)

46	LILCO	GAS TURBINE ON MORRIS AVE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
47	HOLTSVILLE IC SITE	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
48	LILCO	180 MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
49	HOLTSVILLE COMBUSTION	MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
141	HOLTSVILLE GENERATING SITE	180 A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
142	LILCO	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
143	LILCO	HOLTSVILLE GAS TURBINE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
144	LILCO	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
145	HOLTSVILLE COMBUSTION TURBINE SITE	180-A MORRIS AVE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
146	8 KU GAS TURBINE SITE	180 ALPHA MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
147	LIPA-KEYSPAN POWER PLANT	180 A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
159	NATIONAL GRID HOLTSVILLE GT SITE	180A MORRIS AVE	1295 feet to the N	Petroleum Bulk Storage Site
160	LIPA SUBS TEMP HOLTSVILLE CUMMINS	MORRIS AVE	1295 feet to the N	Petroleum Bulk Storage Site
170	NAB/OVER A JOINT VENTURE	607 UNION AVE	1073 feet to the NNE	Hazardous Waste Generator/Transporter
186	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1160 feet to the NNE	Air Discharge Site
175	NEW YORK POWER AUTHORITY-FLYNN	607 UNION AVENUE	1176 feet to the NNE	Chemical Bulk Storage Facility
183	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1191 feet to the NNE	Wastewater Discharge Facility
2	NEW YORK POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE	Active Haz Spill (Misc. Spill Cause)
24	HOLTSVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
25	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
26	NY POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
27	NYPA	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
28	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
29	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
30	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
31	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
32	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
33	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
34	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
35	FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
36	POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
37	POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
38	FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
39	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
40	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
41	NY POWER AUTHORITY	UNION STREET	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
42	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
43	RICHARD M FLYN PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
44	RICHARD M FLYNN POWER STATION	UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
102	LILCO	HOLTSVILLE PLANT	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
103	NYPA	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
104	NY POWER	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
105	NY POWER AUTHORITY PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
106	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
107	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
108	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
109	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
110	COMMERCIAL	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
111	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
112	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
113	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
114	RICH M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)

115	NY POWER AUTH POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
116	NEW YORK POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
117	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
118	RICHARD FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
119	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
120	RICHARD FLYNN PLANT NY POWER AUTH	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
121	POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
122	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
123	NY POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
124	RICHARD M FLYNN POWER STATION	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
125	RICHARD FLYNN POWER STATION	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
126	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
127	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
128	FACILITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
129	NY POWER AUTH/LIPA	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
130	POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
131	NYS POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
132	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
133	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
134	NY POWER AUTHORITY FLYNN FACILITY	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
135	NYPA INDUSTRIAL POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
136	FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
137	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
138	POWER PLANT	UNION STREET	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
139	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
140	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
179	RICHARD M. FLYNN POWER PLANT	607 UNION AVE.	1215 feet to the NNE	Toxic Release Inventory Site
157	NYPA RICHARD M. FLYNN POWER PLANT	607 UNION AVENUE	1225 feet to the NNE	Petroleum Bulk Storage Site
158	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1225 feet to the NNE	Petroleum Bulk Storage Site
61	KALMEYER QUALITY FLEET	178 MORRIS AVENUE	2580 feet to the NE	Closed Status Spill (Unk/Other Cause)
167	GUY PRATT INCORPORATED	608 UNION AVENUE	712 feet to the ENE	Hazardous Waste Generator/Transporter
168	GUY PRATT INC	608 UNION AVE	712 feet to the ENE	Hazardous Waste Generator/Transporter
17	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
18	GUY PRATT	608 UNION AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
19	NY POWER AUTHORITY	608 UNION AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
151	GUY PRATT INC	608 UNION AVE	726 feet to the ENE	Petroleum Bulk Storage Site
156	ACME PRECAST	612 UNION AVE	909 feet to the ENE	Petroleum Bulk Storage Site
169	ALLSTATE & SIGN PLAQUE	614 UNION AVENUE	1027 feet to the ENE	Hazardous Waste Generator/Transporter
101	FERAD CONCRETE	620 UNION AVENUE	1202 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
50	MYSTIC/NORTHVILLE	UNION AVENUE & LONG ISLAND AVENUE	1359 feet to the ENE	Closed Status Spill (Unk/Other Cause)
52	PRIDE SOLVENTS & CHEMICALS	6 LONG ISLAND AVENUE	1548 feet to the E	Closed Status Spill (Unk/Other Cause)
1	PURE RECYCLED PRODUCTS	615 FURROWS ROAD	1734 feet to the ESE	Solid Waste Facility
53	PRIMA ASPHALT	615 FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
54	PAVCO	615 FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
55	PAVCO	FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
57	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2093 feet to the SE	Closed Status Spill (Unk/Other Cause)
58	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2093 feet to the SE	Closed Status Spill (Unk/Other Cause)
51	THE COLONIE (CONDO COMPLEX)	FURROWS ROAD/PATCHOGUE HOLBROOK RD	1480 feet to the SSE	Closed Status Spill (Unk/Other Cause)

56	SPILL NUMBER 9711355	1 CLUBHOUSE ROAD	2074 feet to the SSE	Closed Status Spill (Unk/Other Cause)
99	UNKNOWN	DEAD END CLAREMONT AVENUE	922 feet to the SW	Closed Status Spill (Misc. Spill Cause)
100	UNK	SO END CLAREMONT AVENUE	922 feet to the SW	Closed Status Spill (Misc. Spill Cause)
153	BROOKVILLE PLUMBING & HEATING INC	1 CLAREMONT AVE	752 feet to the WSW	Petroleum Bulk Storage Site
94	EXCEL TRUCKING	1 CLAREMONT AVENUE	772 feet to the WSW	Closed Status Spill (Misc. Spill Cause)
155	H & J BUS	CLAIRMONT	827 feet to the WSW	Petroleum Bulk Storage Site
152	LIDLAW TREE SERVICE (OOB)	9 CLAIRMONT AVE	749 feet to the W	Petroleum Bulk Storage Site
4	LIDLAW TREE SERVICE	9 CLAREMONT AVENUE	762 feet to the W	Closed Status Tank Test Failure
91	RIVER CONTRACTING	9 CLAREMONT AVENUE	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
92	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
93	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
98	DAVID NAVA	UNION & CLAREMONT	834 feet to the W	Closed Status Spill (Misc. Spill Cause)
6	VANE RESIDENCE	40 AVENUE C	2282 feet to the WNW	Closed Status Tank Test Failure
59	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	2334 feet to the NNW	Closed Status Spill (Unk/Other Cause)
60	SYMBOL TECHNOLOGIES INC	1 SYMBOL PLAZA	2334 feet to the NNW	Closed Status Spill (Unk/Other Cause)



# Identified Toxic Sites by Category

586 Union Avenue  
Holtsville, NY 11742

\* Compass directions can vary substantially for sites located very close to the subject property address.

MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
<b>Solid Waste Facilities -- Total Sites -- 1</b>				
1	NY00000003159	PURE RECYCLED PRODUCTS	615 FURROWS ROAD	1734 feet to the ESE
<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>				
<b>Active Haz Spills (Miscellaneous Spill Causes) -- Total Sites -- 1</b>				
2	2202843	NEW YORK POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE
<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>				
<b>Closed Status Tank Test Failures -- Total Sites -- 4</b>				
3	8604808	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet
4	9001991	LIDLAW TREE SERVICE	9 CLAREMONT AVENUE	762 feet to the W
5	8800823	LILCO HOLTSMVILLE STATION	MORRIS AVENUE	1295 feet to the N
6	9912070	VANE RESIDENCE	40 AVENUE C	2282 feet to the WNW
<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>				
<b>Closed Status Spills (Unknown Causes &amp; Other Causes) -- Total Sites -- 55</b>				
7	9809923	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet
8	9505415	NORTHVILLE/TOSCO	UNION AVENUE	0 feet
9	8604710	NORTHVILLE	586 UNION AVE	0 feet
10	0906688	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
11	0610714	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
12	0509871	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet
13	0485193	NORTHVILLE	586 UNION AVENUE	0 feet
14	0409205	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
15	1501146	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N
16	0103374	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N
17	9010383	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	713 feet to the ENE
18	1604695	GUY PRATT	608 UNION AVENUE	713 feet to the ENE
19	1502257	NY POWER AUTHORITY	608 UNION AVENUE	713 feet to the ENE
20	9405031	NY POWER PLANT	LONG ISLAND AVE	784 feet to the N
21	9112183	HOLTSMVILLE L&G PLANT	UNION AVENUE	784 feet to the N
22	9008510	LILCO	UNION AVENUE	784 feet to the N
23	0104352	HOLTSMVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N
24	9310739	HOLTSMVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1209 feet to the NNE
25	2010049	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE
26	2008122	NY POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE
27	2001707	NYPA	607 UNION AVE	1209 feet to the NNE
28	2000930	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE
29	1911519	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
30	1700539	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
31	1610032	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
32	1604399	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
33	1603376	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
34	1305543	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
35	1216769	FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
36	1009876	POWER PLANT	607 UNION AVE	1209 feet to the NNE
37	1009875	POWER PLANT	607 UNION AVE	1209 feet to the NNE



88	0106880	TOSCO PIPELINE	586 UNION AVENUE	0 feet
89	0025017	TOSCO- HOLTSVILLE	586 UNION AVENUE	0 feet
90	2001790	RESIDENTIAL	606 UNION AVE	538 feet to the ENE
91	1206883	RIVER CONTRACTING	9 CLAREMONT AVENUE	762 feet to the W
92	0025299	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	762 feet to the W
93	0025298	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	762 feet to the W
94	9501927	EXCEL TRUCKING	1 CLAREMONT AVENUE	772 feet to the WSW
95	9100962	HOLTSVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N
96	8908529	LILCO	HOLTSVILLE LNG PLANT	784 feet to the N
97	0703085	SUBSTATION	605 UNION AVENUE	784 feet to the N
98	9825044	DAVID NAVA	UNION & CLAREMONT	834 feet to the W
99	9900029	UNKNOWN	DEAD END CLAREMONT AVENUE	922 feet to the SW
100	9212143	UNK	SO END CLAREMONT AVENUE	922 feet to the SW
101	9825215	FERAD CONCRETE	620 UNION AVENUE	1202 feet to the ENE
102	9507224	LILCO	HOLTSVILLE PLANT	1209 feet to the NNE
103	2107783	NYPA	607 UNION AVE	1209 feet to the NNE
104	2004236	NY POWER	607 UNION AVENUE	1209 feet to the NNE
105	2002021	NY POWER AUTHORITY PLANT	607 UNION AVENUE	1209 feet to the NNE
106	1908753	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
107	1903933	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
108	1900351	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
109	1809583	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
110	1711156	COMMERCIAL	607 UNION AVE	1209 feet to the NNE
111	1709536	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
112	1701308	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
113	1700093	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
114	1611559	RICH M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
115	1609852	NY POWER AUTH POWER PLANT	607 UNION AVE	1209 feet to the NNE
116	1607454	NEW YORK POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
117	1605685	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
118	1604163	RICHARD FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
119	1603674	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
120	1602388	RICHARD FLYNN PLANT NY POWER AUTH	607 UNION AVE	1209 feet to the NNE
121	1510052	POWER PLANT	607 UNION AVE	1209 feet to the NNE
122	1509117	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
123	1503198	NY POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE
124	1500277	RICHARD M FLYNN POWER STATION	607 UNION AVE	1209 feet to the NNE
125	1412003	RICHARD FLYNN POWER STATION	607 UNION AVENUE	1209 feet to the NNE
126	1410982	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
127	1405901	POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
128	1405722	FACILITY	607 UNION AVENUE	1209 feet to the NNE
129	1404101	NY POWER AUTH/LIPA	607 UNION AVE	1209 feet to the NNE
130	1401173	POWER PLANT	607 UNION AVE	1209 feet to the NNE
131	1312176	NYS POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
132	1207864	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE
133	1113908	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
134	1103407	NY POWER AUTHORITY FLYNN FACILITY	607 UNION AVE	1209 feet to the NNE
135	1005148	NYPA INDUSTRIAL POWER PLANT	607 UNION AVE	1209 feet to the NNE
136	1000977	FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
137	0908820	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1209 feet to the NNE
138	0902303	POWER PLANT	UNION STREET	1209 feet to the NNE
139	0803322	NY POWER AUTHORITY	607 UNION AVENUE	1209 feet to the NNE
140	0710874	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE

141	9009392	HOLTSVILLE GENERATING SITE	180 A MORRIS AVENUE	1295 feet to the N
142	8704064	LILCO	180A MORRIS AVENUE	1295 feet to the N
143	8702453	LILCO	HOLTSVILLE GAS TURBINE	1295 feet to the N
144	8602274	LILCO	180A MORRIS AVENUE	1295 feet to the N
145	1401645	HOLTSVILLE COMBUSTION TURBINE SITE	180-A MORRIS AVE	1295 feet to the N
146	0204364	8 KU GAS TURBINE SITE	180 ALPHA MORRIS AVENUE	1295 feet to the N
147	0203363	LIPA-KEYSPAN POWER PLANT	180 A MORRIS AVENUE	1295 feet to the N

**Major Oil Storage Facilities -- Total Sites - 1**

MAP ID	FACILITY ID	FACILITY NAME
148	1-2000	HOLTSVILLE TERMINAL

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVENUE	0 feet

**Petroleum Bulk Storage Sites -- Total Sites - 12**

MAP ID	FACILITY ID	FACILITY NAME
149	NYSF04379	NORTHVILLE IND
150	NYSF04555	NORTHVILLE IND CORP HOLTSVILLE TERM
151	NYSF05073	GUY PRATT INC
152	NYSF04485	LIDLAW TREE SERVICE (OOB)
153	NYSF04992	BROOKVILLE PLUMBING & HEATING INC
154	NYSF06467	KEYSPAN HOLTSVILLE
155	NYSF04455	H & J BUS
156	NYSF05995	ACME PRECAST
157	1-000629	NYPA RICHARD M. FLYNN POWER PLANT
158	NYSF04292	RICHARD M FLYNN POWER PLANT
159	NYSF04488	NATIONAL GRID HOLTSVILLE GT SITE
160	NYSF16151	LIPA SUBS TEMP HOLTSVILLE CUMMINS

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE	0 feet
586 UNION AVE	0 feet
608 UNION AVE	726 feet to the ENE
9 CLAIRMONT AVE	749 feet to the W
1 CLAREMONT AVE	752 feet to the WSW
605 UNION AVE	776 feet to the N
CLAIRMONT	827 feet to the WSW
612 UNION AVE	909 feet to the ENE
607 UNION AVENUE	1225 feet to the NNE
607 UNION AVE	1225 feet to the NNE
180A MORRIS AVE	1295 feet to the N
MORRIS AVE	1295 feet to the N

**Hazardous Waste Generators, Transporters -- Total Sites - 11**

MAP ID	FACILITY ID	FACILITY NAME
161	NY0000096123	TOSCO PIPELINE COMPANY
162	NYD000096123	TOSCO PIPELINE CO
163	NYD980646129	NORTHVILLE HOLTSVILLE TERMINAL
164	NYD986912483	NORTHVILLE INDUSTRIES CORP
165	NYP000972141	LONG ISLAND ELECTRIC UTILITY SERVCO LLC
166	NYD980648240	TOSCO PIPELINE COMPANY
167	NYD986951390	GUY PRATT INCORPORATED
168	NYN10001A349	GUY PRATT INC
169	NYD097532907	ALLSTATE & SIGN PLAQUE
170	NYD987034659	NAB/OVER A JOINT VENTURE
171	NYD980648174	LONG ISLAND LIGHTING CO

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE SITE A	0 feet
586 UNION AVE	0 feet
586 UNION AVENUE	0 feet
586 UNION AVE	0 feet
586 UNION AVE	0 feet
605 UNION AVENUE	680 feet to the N
608 UNION AVENUE	712 feet to the ENE
608 UNION AVE	712 feet to the ENE
614 UNION AVENUE	1027 feet to the ENE
607 UNION AVE	1073 feet to the NNE
180 MORRIS AVE	1207 feet to the N

**Chemical Bulk Storage Facilities -- Total Sites - 5**

MAP ID	FACILITY ID	FACILITY NAME
172	1-000202	HOLTSVILLE TERMINAL
173	1-000356	NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL
174	1-000361	HOLTSVILLE LNG PLANT
175	1-000444	NEW YORK POWER AUTHORITY-FLYNN
176	1-000143	HOLTSVILLE GAS TURBINE SITE

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE.	0 feet
586 UNION AVENUE	0 feet
UNION AVENUE	722 feet to the N
607 UNION AVENUE	1176 feet to the NNE
180 MORRIS AVENUE	1250 feet to the N

**Toxic Release Inventory Sites -- Total Sites - 4**

MAP ID	FACILITY ID	FACILITY NAME
177	11747TSCPP586UN	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL
178	11742HLTSVUNION	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE.	0 feet
UNION AVE.	731 feet to the N

179 11742RCHRD607UN RICHARD M. FLYNN POWER PLANT  
180 11742HLTSV180AM KEYSpan ENERGY HOLTSVILLE IC FACILITY

607 UNION AVE.  
180-A MORRIS AVE.

1215 feet to the NNE  
1250 feet to the N

**Wastewater Discharge Facilities -- Total Sites - 3**

MAP ID	FACILITY ID	FACILITY NAME
181	NY0110086	HOLTSVILLE TERMINAL
182	NY0109193	KEYSPAN - HOLTSVILLE LIQUID
183	NY0225746	RICHARD M FLYNN POWER PLANT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET  
586 UNION AVENUE  
UNION AVENUE  
607 UNION AVENUE

DISTANCE & DIRECTION  
0 feet  
726 feet to the N  
1191 feet to the NNE

**Air Discharge Sites -- Total Sites - 5**

MAP ID	FACILITY ID	FACILITY NAME
184	3610300025	NORTHVILLE IND HOLTSVILLE TERM
185	NY0012291	NORTHVILLE INDUSTRIES TERMINAL
186	NY0993855	RICHARD M FLYNN POWER PLANT
187	3610300060	HOLBROOK GENERATING STATION (LILCO)
188	36103E0394	FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET  
586 UNION AVENUE  
586 UNION AVE  
607 UNION AVE  
W SIDE MORRIS AVE  
180A MORRIS AVENUE

DISTANCE & DIRECTION  
0 feet  
0 feet  
1160 feet to the NNE  
1248 feet to the N  
1248 feet to the N

# Identified Toxic Sites by Proximity

586 Union Avenue, Holtsville, NY 11742

\* Compass directions can vary substantially for sites located very close to the subject property address.

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
3	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet	Closed Status Tank Test Failure
7	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
8	NORTHVILLE/TOSCO	UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
9	NORTHVILLE	586 UNION AVE	0 feet	Closed Status Spill (Unk/Other Cause)
10	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
11	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
12	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
13	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
14	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
62	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
63	TOSCO	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
64	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
65	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
66	TOSCO PIPELINE INC	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
67	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
68	TOSCO TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
69	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
70	NORTHVILLE	UNION AVE MOSF	0 feet	Closed Status Spill (Misc. Spill Cause)
71	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
72	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
73	HOLTSVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
74	NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
75	ROADWAY	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
76	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
77	NORTHVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
78	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
79	NORTHVILLE INDUSTRIES CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
80	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
81	HOLTSVILLE TERMINAL NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
82	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
83	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
84	NORTHVILLE HOLDING CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
85	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
86	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
87	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
88	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
89	TOSCO- HOLTSVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
161	TOSCO PIPELINE COMPANY	586 UNION AVE SITE A	0 feet	Hazardous Waste Generator/Transporter
162	TOSCO PIPELINE CO	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
163	NORTHVILLE HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Hazardous Waste Generator/Transporter
164	NORTHVILLE INDUSTRIES CORP	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
165	LONG ISLAND ELECTRIC UTILITY SERVCO LLC	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
149	NORTHVILLE IND	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
150	NORTHVILLE IND CORP HOLTSVILLE TERM	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
184	NORTHVILLE IND HOLTSVILLE TERM	586 UNION AVENUE	0 feet	Air Discharge Site

185	NORTHVILLE INDUSTRIES TERMINAL	586 UNION AVE	0 feet	Air Discharge Site
148	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Major Oil Storage Facility
172	HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Chemical Bulk Storage Facility
173	NORTHVILLE INDUSTRIES CORP.–HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Chemical Bulk Storage Facility
181	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Wastewater Discharge Facility
177	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Toxic Release Inventory Site
15	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
16	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
90	RESIDENTIAL	606 UNION AVE	538 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
166	TOSCO PIPELINE COMPANY	605 UNION AVENUE	680 feet to the N	Hazardous Waste Generator/Transporter
167	GUY PRATT INCORPORATED	608 UNION AVENUE	712 feet to the ENE	Hazardous Waste Generator/Transporter
168	GUY PRATT INC	608 UNION AVE	712 feet to the ENE	Hazardous Waste Generator/Transporter
17	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
18	GUY PRATT	608 UNION AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
19	NY POWER AUTHORITY	608 UNION AVENUE	713 feet to the ENE	Closed Status Spill (Unk/Other Cause)
174	HOLTSVILLE LNG PLANT	UNION AVENUE	722 feet to the N	Chemical Bulk Storage Facility
151	GUY PRATT INC	608 UNION AVE	726 feet to the ENE	Petroleum Bulk Storage Site
182	KEYSPAN – HOLTSVILLE LIQUID	UNION AVENUE	726 feet to the N	Wastewater Discharge Facility
178	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY	UNION AVE.	731 feet to the N	Toxic Release Inventory Site
152	LIDLAW TREE SERVICE (OOB)	9 CLAIRMONT AVE	749 feet to the W	Petroleum Bulk Storage Site
153	BROOKVILLE PLUMBING & HEATING INC	1 CLAREMONT AVE	752 feet to the WSW	Petroleum Bulk Storage Site
4	LIDLAW TREE SERVICE	9 CLAREMONT AVENUE	762 feet to the W	Closed Status Tank Test Failure
91	RIVER CONTRACTING	9 CLAREMONT AVENUE	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
92	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
93	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	762 feet to the W	Closed Status Spill (Misc. Spill Cause)
94	EXCEL TRUCKING	1 CLAREMONT AVENUE	772 feet to the WSW	Closed Status Spill (Misc. Spill Cause)
154	KEYSPAN HOLTSVILLE	605 UNION AVE	776 feet to the N	Petroleum Bulk Storage Site
20	NY POWER PLANT	LONG ISLAND AVE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
21	HOLTSVILLE L&G PLANT	UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
22	LILCO	UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
23	HOLTSVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Unk/Other Cause)
95	HOLTSVILLE LNG PLANT	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
96	LILCO	HOLTSVILLE LNG PLANT	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
97	SUBSTATION	605 UNION AVENUE	784 feet to the N	Closed Status Spill (Misc. Spill Cause)
155	H & J BUS	CLAIRMONT	827 feet to the WSW	Petroleum Bulk Storage Site
98	DAVID NAVA	UNION & CLAREMONT	834 feet to the W	Closed Status Spill (Misc. Spill Cause)
156	ACME PRECAST	612 UNION AVE	909 feet to the ENE	Petroleum Bulk Storage Site
99	UNKNOWN	DEAD END CLAREMONT AVENUE	922 feet to the SW	Closed Status Spill (Misc. Spill Cause)
100	UNK	SO END CLAREMONT AVENUE	922 feet to the SW	Closed Status Spill (Misc. Spill Cause)
169	ALLSTATE & SIGN PLAQUE	614 UNION AVENUE	1027 feet to the ENE	Hazardous Waste Generator/Transporter
170	NAB/OVER A JOINT VENTURE	607 UNION AVE	1073 feet to the NNE	Hazardous Waste Generator/Transporter
186	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1160 feet to the NNE	Air Discharge Site
175	NEW YORK POWER AUTHORITY–FLYNN	607 UNION AVENUE	1176 feet to the NNE	Chemical Bulk Storage Facility
183	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1191 feet to the NNE	Wastewater Discharge Facility
101	FERAD CONCRETE	620 UNION AVENUE	1202 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
171	LONG ISLAND LIGHTING CO	180 MORRIS AVE	1207 feet to the N	Hazardous Waste Generator/Transporter
2	NEW YORK POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE	Active Haz Spill (Misc. Spill Cause)
24	HOLTSVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
25	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
26	NY POWER AUTHORITY	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
27	NYPA	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
28	INDUSTRIAL	607 UNION AVE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)
29	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Unk/Other Cause)







140	FLYNN POWER PLANT	607 UNION AVENUE	1209 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
179	RICHARD M. FLYNN POWER PLANT	607 UNION AVE.	1215 feet to the NNE	Toxic Release Inventory Site
157	NYPA RICHARD M. FLYNN POWER PLANT	607 UNION AVENUE	1225 feet to the NNE	Petroleum Bulk Storage Site
158	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1225 feet to the NNE	Petroleum Bulk Storage Site
187	HOLBROOK GENERATING STATION (LILCO)	W SIDE MORRIS AVE	1248 feet to the N	Air Discharge Site
188	FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT	180A MORRIS AVENUE	1248 feet to the N	Air Discharge Site
176	HOLTSVILLE GAS TURBINE SITE	180 MORRIS AVENUE	1250 feet to the N	Chemical Bulk Storage Facility
180	KEYSPAN ENERGY HOLTSVILLE IC FACILITY	180-A MORRIS AVE.	1250 feet to the N	Toxic Release Inventory Site
5	LILCO HOLTSVILLE STATION	MORRIS AVENUE	1295 feet to the N	Closed Status Tank Test Failure
45	HOLTSVILLE GENERATING PLANT	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
46	LILCO	GAS TURBINE ON MORRIS AVE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
47	HOLTSVILLE IC SITE	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
48	LILCO	180 MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
49	HOLTSVILLE COMBUSTION	MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Unk/Other Cause)
141	HOLTSVILLE GENERATING SITE	180 A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
142	LILCO	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
143	LILCO	HOLTSVILLE GAS TURBINE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
144	LILCO	180A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
145	HOLTSVILLE COMBUSTION TURBINE SITE	180-A MORRIS AVE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
146	8 KU GAS TURBINE SITE	180 ALPHA MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
147	LIPA-KEYSPAN POWER PLANT	180 A MORRIS AVENUE	1295 feet to the N	Closed Status Spill (Misc. Spill Cause)
159	NATIONAL GRID HOLTSVILLE GT SITE	180A MORRIS AVE	1295 feet to the N	Petroleum Bulk Storage Site
160	LIPA SUBS TEMP HOLTSVILLE CUMMINS	MORRIS AVE	1295 feet to the N	Petroleum Bulk Storage Site
50	MYSTIC/NORTHVILLE	UNION AVENUE & LONG ISLAND AVENUE	1359 feet to the ENE	Closed Status Spill (Unk/Other Cause)
51	THE COLONIE (CONDO COMPLEX)	FURROWS ROAD/PATCHOGUE HOLBROOK RD	1480 feet to the SSE	Closed Status Spill (Unk/Other Cause)
52	PRIDE SOLVENTS & CHEMICALS	6 LONG ISLAND AVENUE	1548 feet to the E	Closed Status Spill (Unk/Other Cause)
1	PURE RECYCLED PRODUCTS	615 FURROWS ROAD	1734 feet to the ESE	Solid Waste Facility
53	PRIMA ASPHALT	615 FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
54	PAVCO	615 FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
55	PAVCO	FURROWS ROAD	1736 feet to the ESE	Closed Status Spill (Unk/Other Cause)
56	SPILL NUMBER 9711355	1 CLUBHOUSE ROAD	2074 feet to the SSE	Closed Status Spill (Unk/Other Cause)
57	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2093 feet to the SE	Closed Status Spill (Unk/Other Cause)
58	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2093 feet to the SE	Closed Status Spill (Unk/Other Cause)
6	VANE RESIDENCE	40 AVENUE C	2282 feet to the WNW	Closed Status Tank Test Failure
59	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	2334 feet to the NNW	Closed Status Spill (Unk/Other Cause)
60	SYMBOL TECHNOLOGIES INC	1 SYMBOL PLAZA	2334 feet to the NNW	Closed Status Spill (Unk/Other Cause)
61	KALMEYER QUALITY FLEET	178 MORRIS AVENUE	2580 feet to the NE	Closed Status Spill (Unk/Other Cause)

# Toxics Targeting 1 Mile Radius Map

586 Union Avenue  
Holtsville, NY 11742



Suffolk County



National Priority List (NPL)



Inactive Hazardous Waste Disposal Registry Site



Inact. Haz Waste Disp. Registry Qualifying



RCRA Corrective Action Facility




Site Location



Waterbody



County Border



Railroad Tracks



1 Mile Radius




1/2 Mile Radius



1/4 Mile Radius





1/8 Mile Radius




















# Toxics Targeting 1/2 Mile Radius Map



Excludes Closed Spills  
586 Union Avenue  
Holtsville, NY 11742



Suffolk County

-  Delisted NPL Site
-  CERCLIS Superfund Non-NFRAP Site
-  CERCLIS Superfund NFRAP Site
-  Hazardous Waste Treater, Storer, Disposer
-  Hazardous Substance Waste Disposal Site
-  Solid Waste Facility
-  Brownfields Site
-  Active Spill
-  MTBE Gasoline Additive Spill

-  Site Location
-  Waterbody
-  County Border
-  Railroad Tracks
-  1 Mile Radius
-  1/2 Mile Radius
-  1/4 Mile Radius
-  1/8 Mile Radius




# Toxics Targeting 1/2 Mile Radius Map


Closed Spills only

586 Union Avenue

Holtsville, NY 11742




Suffolk County



- ★ Closed Spill
- ★ (in red circle) MTBE Gasoline Additive Spill



- Site Location
- County Border
- 1 Mile Radius
- 1/4 Mile Radius
- Waterbody
- ++++ Railroad Tracks
- - - 1/2 Mile Radius
- - - 1/8 Mile Radius



Distance in Miles

# Toxics Targeting 1/4 Mile Radius Map

586 Union Avenue  
Holtsville, NY 11742




Suffolk County





- Major Oil Storage Facility
- Enforcement Docket Facility
- Chemical Storage Facility
- Air Release
- Toxic Release
- Wastewater Discharge
- Petroleum Bulk Storage Facility
- Hazardous Waste Generator, Transp.

- Site Location
- Waterbody
- County Border
- Railroad Tracks
- 1/4 Mile Radius
- 1/8 Mile Radius




# Toxics Targeting 1/4 Mile Closeup Map

586 Union Avenue  
Holtsville, NY 11742




Suffolk County



- National Priority List (NPL) \*
- CERCLIS Superfund Non-NFRAP Site \*\*
- Inactive Hazardous Waste Disposal Registry Site \*
- Hazardous Waste Treater, Storer, Disposer \*\*
- Hazardous Substance Waste Disposal Site \*\*
- Major Oil Storage Facility \*\*\*
- Chemical Storage Facility \*\*\*
- Toxic Release \*\*\*
- Wastewater Discharge \*\*\*
- Enforcement Docket Facility \*\*\*
- Delisted NPL Site \*\*
- CERCLIS Superfund NFRAP Site \*\*
- Inact. Haz Waste Disp. Registry Qualifying \*
- RCRA Corrective Action Facility \*
- Solid Waste Facility \*\*
- Brownfields Site \*\*
- Hazardous Material Spill \*\*
- MTBE Gasoline Additive Spill \*\*
- Petroleum Bulk Storage Facility \*\*\*
- Hazardous Waste Generator, Transp. \*\*\*
- Air Release \*\*\*
- Remediation Site Borders

- Site Location
- Waterbody
- County Border
- Railroad Tracks
- 1/4 Mile Radius
- 1/8 Mile Radius

\* 1 Mile Search Radius  
\*\* 1/2 Mile Search Radius  
\*\*\* 1/4 Mile Search Radius



## Section Two: Toxic Site Profiles

The heading of each *Toxic Site Profile* refers to the site's map location and details:

- The facility name, address, city, state, and zip code.
- Any changes that were made to a site's address in order to map its location.
- The site mapping method that was used (see *How Sites are Located*, at the end of this section for more information).

*Toxic Site Profiles* summarize information provided by site owners or operators and government agencies regarding various toxic chemical activities reported at each site, such as:

- Whether chemicals were stored, produced, transported, discharged or disposed of.
- The name of chemicals and their Chemical Abstract Series (CAS) numbers.
- The amount of chemicals and the units (gallons/pounds) the chemical was measured in.
- Whether the site or storage tanks at the site are currently active or inactive.
- Special codes used by government agencies to regulate hazardous waste activities at some sites, or a complete description of the codes follows the profiles section.

For selected individual chemicals reported at various toxic sites, some potential health effect summary information appears below the site profile. Each potential health effect summary identifies chemicals by name and by Chemical Abstract Series (CAS) Number. An "x" under each potential health effect heading indicates positive toxicity testing results reported by the National Institute of Occupational Safety and Health's Registry of Toxic Effects of Chemical Substances (RTECS). Some chemicals (mostly appearing in profiles of Hazardous Waste facilities), are reported as mixtures, and RTECS health effect information is only available for individual chemicals. In addition, RTECS only provides information on approximately 100,000 common chemicals. Consequently, the absence of potential health effect summary information for a particular chemical identified in a Toxic Site Profile does not necessarily mean that the chemical does not pose potential health effects.

The Maximum Contaminant Level (MCL) in drinking water allowed for selected chemicals is also noted. In most cases, the only applicable MCL has been set by the New York State Department of Health (NYSDOH). Where NYSDOH has not set an MCL, the federal standard, if one exists, is listed and is marked by an asterisk.

Presented below are column headings that describe the health effect definitions used in RTECS and applicable New York State and federal drinking water standards. Reference sources for information presented in this section are also provided.

**ACUTE TOX:** **Acute Toxicity:** Short-term exposure to this chemical can cause lethal and non-lethal toxicity effects not included in the following four categories.

**TUMOR TOX:** **Tumorigenic Toxicity:** The chemical can cause an increase in the incidence of tumors.

MUTAG TOX: **Mutagenic Toxicity:** The chemical can cause genetic alterations that are passed from one generation to the next.

REPRO TOX: **Reproductive Toxicity:** May signify one of the following effects: maternal effects, paternal effects, effects on fertility, effects on the embryo or fetus, specific developmental abnormalities, tumorigenic effects, or effects on the newborn (only positive reproductive effects data for mammalian species are referenced).

IRRIT TOX: **Primary Irritant:** The chemical can cause eye or skin irritation.

MCL: **Drinking Water Standard - Maximum Contaminant Level (MCL)** listed under Drinking Water Supplies, 10 NYCRR Part 5, Subparts 1.51(f),(g), and (h) for NYDOH MCL's and under the Safe Drinking Water Act, 40 CFR 141, Subparts B and G, (\* indicates value for total trihalomethanes) for federal MCL's.

Reference Source for Toxicity Information: Registry of Toxic Effects of Chemical Substances (RTECS), NIOSH (on-line database); For further information, contact: NIOSH, 4676 Columbia Parkway, Cincinnati, OH, 45226, 800/35-NIOSH.

Reference Source for Drinking Water Standards: New York State Department of Health, Bureau of Toxic Substances Assessment, 2 University Place, Room 240, Albany, NY 12203, 518/458-6373.

U.S. Environmental Protection Agency, Office of Drinking Water, 401 M St SW, Mailstop WH-556, Washington, DC, 20460, 202/260-5700.

Inactive Hazardous Waste Disposal Site Classifications:

- 1 -- Causing or presenting an imminent danger of causing irreversible or irreparable damage to the public health or the environment -- immediate action required;
- 2 -- Significant threat to the public health or environment -- action required;
- 3 -- Does not Present a significant threat to the environment or public health -- action may be deferred;
- 4 -- Site properly closed --requires continued management;
- 5 -- Site properly closed, no evidence of present or potential adverse impact -- no further action required;
- 2a -- This temporary classification has been assigned to sites where there is inadequate data to assign them to the five classifications specified by law;
- A -- Work underway and not yet complete;
- P -- Potential Site;
- D<sub>1</sub>, 2, 3 -- Delisted Site (1: hazardous waste not found; 2: remediated; 3: consolidated site or site incorrectly listed);
- C -- Remediation Complete (formerly D2).





***NO NATIONAL PRIORITIES LIST (NPL) SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO INACTIVE HAZ WASTE DISPOSAL REGISTRY OR REGISTRY-QUALIFYING SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO RCRA CORRECTIVE ACTION SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO CERCLIS SUPERFUND SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO BROWNFIELDS SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**SOLID WASTE FACILITIES IDENTIFIED WITHIN THE 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 1**



**PURE RECYCLED PRODUCTS**

615 FURROWS ROAD, HOLTSVILLE, NY 11742

**Facility Id: NY0000003159**

TT-Id: 390A-0007-177

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 1734 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Activity Number	Activity Type	Active?	Regulatory Status	Activity Start Date	Activity End Date	Activity Closed Date	Activity Delisted Date
52W41R	C&D processing – registration	Yes	Registration	05/09/1996			
Affiliation			Affiliation Type			Affiliation Start Date	Affiliation End Date
Ronald Fehr 615 Furrows Road, Holtsville, NY, 11742			Owner			11/21/2003	
Ronald Fehr 615 Furrows Road, Holtsville, NY, 11742			Contact			11/21/2003	



***NO HAZARDOUS WASTE TREATMENT/STORAGE/DISPOSERS IDENTIFIED WITHIN THE 1/2 MILE SEARCH RADIUS***



## **HAZARDOUS MATERIAL SPILLS INTRODUCTION**

The Hazardous Material Spills in this section are divided into eight spill cause groupings. These include:

Active Spills Section: Spills with incomplete paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 1) Tank Failures
- 2) Tank Test Failures
- 3) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 4) Miscellaneous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, Vandalism and Storms.

Closed Status Spills Section: Spills with completed paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 5) Tank Failures
- 6) Tank Test Failures
- 7) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 8) Miscellaneous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, Vandalism and Storms.

All spills within each spill cause category are presented in order of proximity to the subject site address.

**Please note that spills reported within 0.25 mile (or one-eighth mile in New York City) are mapped and profiled.**

**Between 0.25 mile (or one-eighth mile in New York City) and 0.5 mile, only the following spills are mapped and profiled:**

- \* Tank Failures;
- \* Tank Test Failures;
- \* Unknown Spill Cause or Other Spill Cause;
- \* Spills greater than 100 units of quantity; and
- \* Spills reported in the NYSDEC Fall 1998 MTBE Survey.

A table at the end of each section presents a listing of reported Miscellaneous Spills with less than 100 units located between 0.25 mile (or one-eighth mile in Manhattan) and 0.5 mile. These spills are neither mapped nor profiled.





***NO ACTIVE TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO ACTIVE TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO ACTIVE UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**ACTIVE HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS.** All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 2**      **NEW YORK POWER AUTHORITY**      **Spill Number: 2202843**      **Close Date:**  
 607 UNION AVE      HOLSTVILLE, NY      TT-Id: 520A-0376-977

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL

Spill Date	Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Cause of Spill
07/01/2022	DIESEL	PETROLEUM	3.00	GALLONS	0.00	GALLONS	EQUIPMENT FAILURE

**THE FOLLOWING ACTIVE SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE SEARCH RADIUS FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM, OR STORMS. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.**

FACILITY ID      FACILITY NAME      STREET      CITY  
 No dropped spills found for this category



***NO CLOSED STATUS TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**CLOSED STATUS TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 3** **NORTHVILLE INDUSTRIES** **Spill Number: 8604808** **Close Date: 03/27/1989**  
 UNION AVENUE MOSF HOLTSVILLE, NY TT-Id: 520A-0179-073

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NORTHVILLE INDUSTRIES Spiller Phone: (516) 475-5060  
 Notifier Type: Tank Tester Notifier Name:  
 Caller Name: Caller Agency: Notifier Phone:  
 DEC Investigator: CXONEILL Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/23/1986	03/27/1989	TANK TEST FAILURE	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

**Caller Remarks:**

15K GAL TANK FAILED AT -.614GPH/

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'NEILL

FD

// : DEC INVEST.

03/27/89: 15K GAL TANK WAS REMOVED.GM WAS ON SITE.HE SAID IT WAS CLEAN BUT DID NOT WRITE UP ANY NOTES.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 4** **LIDLAW TREE SERVICE** **Spill Number: 9001991** **Close Date: 07/05/1990**  
 9 CLAREMONT AVENUE HOLBROOK, NY TT-Id: 520A-0166-227

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 762 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: LAIDLAW TREE SERVICE Spiller Phone: (516) 981-1242  
 Notifier Type: Tank Tester Notifier Name:  
 Caller Name: LAURA Caller Agency: LEAK DETECTION Caller Phone:  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/18/1990	07/05/1990	TANK TEST FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**TANK TEST INFORMATION**


Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

Caller Remarks:

WILL DISCONTINUE USE, ISOLATE LINES WILL TANK ONLY TEST. 2K FAILED AT -.3885. LEAK DETECTION TESTER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG 06/20/90: TANK REMOVED, SOIL CLEAN. NO FURTHER ACTION NECESSARY.

**Map Identification Number 5** **LILCO HOLTSVILLE STATION** **Spill Number: 8800823** **Close Date: 06/09/1988**  
 **MORRIS AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0179-087**

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO HOLTSVILLE STATION Spiller Phone: (516) 420-6138  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: TOM TYREE Caller Agency: Caller Phone: (516) 249-3150  
 DEC Investigator: KDGOERTZ Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
04/26/1988	06/09/1988	TANK TEST FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

TANK TEST INFORMATION

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

Caller Remarks:

1K GROSS LEAK -.347

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GOERTZ



FD 05/25/88: BOTH SYSTEMS RETESTED BY TYREE AFTER FILL PIPES WERE REPAIRED & BOTH PASSED. DEC NOT PRESENT DURING RETESTS.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 6** **VANE RESIDENCE** **Spill Number: 9912070** **Close Date: 03/22/2000**  
 40 AVENUE C HOLBROOK, NY TT-Id: 520A-0159-375

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2282 feet to the WNW

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: PRIVATE DWELLING Spiller: MONTY VANE – MONTY VANE RESIDENCE Spiller Phone: (516) 585-4527  
 Notifier Type: Tank Tester Notifier Name: Caller Agency: ANS TANK SERVICES Notifier Phone:  
 Caller Name: ABBY VANSPRUNDEL Contact for more spill info: MONTY VANE Caller Phone: (516) 249-5443  
 DEC Investigator: T/T/F Contact Person Phone: (516) 585-4527

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/19/2000		TANK TEST FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
1	550	Horner EZ Check I or II	0.00	UNKNOWN

Caller Remarks:

GROSS FAILURE. HOMEOWNER ADVISED AND RETEST WILL BE SCHEDULED.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.



**CLOSED STATUS UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 7** **TOSCO PIPELINE COMP** **Spill Number: 9809923** **Close Date: 02/20/2004**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-065

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: PETE MILOSKI Notifier Phone: (516) 475-5060  
 Caller Name: PETE MILOSKI Caller Agency: TUSCO PIPELINE INC Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: PETE MILOSKI Contact Person Phone: (516) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/06/1998		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
			Units		Units	
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
MTBE (METHYL-TERT-BUTYL ETHER)	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	SOIL

**Caller Remarks:**

contaminated soil around a tank

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA ADDITIONAL INVESTIGATION AND CLEANUP HANDLED UNDER

SPILL 86-04710

**Map Identification Number 8**



**NORTHVILLE/TOSCO**  
UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9505415**

**Close Date: 12/01/1995**

TT-Id: 520A-0255-364

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
Notifier Type: Responsible Party  
Caller Name: CARL HESS  
DEC Investigator: AYLEUNG

Spiller: NORTHVILLE/TOSCO  
Notifier Name:  
Caller Agency: TOSCO PIPELINE  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (908) 523-6318  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
Class: Unknown RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/01/1995		UNKNOWN	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**Caller Remarks:**

RECOV WELL 35 RESTARTED IN 7/95, NORTHVILLE FOUND 20 FT OF GASOLINE TYPE LIQUID IN FACILITY WELL#4, TOSCO TO IDELL 3 GASOLINE A/G STORAGE TANKS IN AREA & DO TRACER GAS SURVEY

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG INVESTIGATION REVEALED THAT SPILL IS THE OLD SPILL BEING HANDELD BY BILL SPITZ

**Map Identification Number 9**  **NORTHVILLE**  
586 UNION AVE

HOLTSVILLE, NY

**Spill Number: 8604710**

**Close Date: 07/11/2014**  
TT-Id: 520A-0179-072

**MAP LOCATION INFORMATION**  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
Notifier Type: Responsible Party  
Caller Name:  
DEC Investigator: KJGOMEZ

Spiller: NORTHVILLE IND  
Notifier Name:  
Caller Agency:  
Contact for more spill info:

Spiller Phone: (516) 475-5060  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
contamination of drinking water supplies, or significant release to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/21/1986		UNKNOWN	YES	YES

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	750000	GALLONS	0	GALLONS	SOIL, GROUNDWATER
MTBE (METHYL-TERT-BUTYL ETHER)	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	
BTEX	OXYGENATES	0	UNKNOWN	0	UNKNOWN	

**Caller Remarks:**


18 INCHES IN SITE WELLS INSTALLED AS LIC COND/ SUSPECT TANK 10/

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HAAS WELL

3/3/05 FILE REASSIGNED

From 1986 to 2001 Northville completed an extensive investigation, conducted product recovery, installed a groundwater extraction and treatment system that pumped and treated up to 650 gpm, and also installed an air sparge/soil vapor extraction system. Through these efforts they recovered more than 170,000 gallons of free phase product; completed source area cleanup in 2006; and completed post remedial monitoring in 2011 in accordance with Consent Order requirements.

**Map Identification Number 10** **NORTHVILLE INDUSTRIES**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0906688**

**Close Date: 04/21/2010**  
 TT-Id: 520A-0232-445

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: njacampo

Spiller: NORTHVILLE INDUSTRIES  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: DAN BEALEY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (637) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/12/2009		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	UNKNOWN	0	UNKNOWN	

**Caller Remarks:**

1430 The caller advised dispatch the spill cause is unknown. The spill is contained. Clean up is in progress. No water ways affected.

**DEC Investigator Remarks:**

14:40 Spoke with Nick Acampora and has already made call backs. ~KY

09/12/2009 @ 14:30: Acampora had telecon with Dan Bealey and Tom Maus @ Northville regarding the report received via NRC. Initial inspection indicates that the spill is minor and that it may be due to ongoing painting work (primer used is oil based) Product also entered two drainage basins within the containment area. Spill was discovered when Dan was ready to empty the drainage basins and upon inspection found floating product on standing storm water. Sample taken for fingerprint analysis. Spill contained.

09/12/2009 @ 17:00: Acampora had telecon with Tom Maus. No known source at this time. Investigation will continue. Will provide update on Monday 09/14/2009.

Acampora indicated that a follow-up inspection by this office will also be conducted.

09/14/2009 @ 09:45: Acampora had telecon with Peter Miloski, Terminal Manager at Northville. Cause of release identified. An unused pipe which was still connected at one end was compromised. Work to isolate the pipe is ongoing. Advised him that I would be on-site this afternoon.

09/14/2009 @ 13:55: Acampora met with Pete Miloski and Tom Maus. Following is the outcome of the inspection:

The Tell-Tale associated with an unused pipeline which penetrates the north dike wall to the west rack (pump #7) was found to have contained product. Product was observed around the PVC line for the tell-tale located at the western pipe manifold area located northeast of Tank 17. Product apparently flowed under the cover stone and on top of the liner into the pump stations (see diagram and pix for locations of pumping stations and involved pipe). The involved pipe is 10 diameter and has been out of service for an extended period of time. The pump (#7) had been removed and the associated valve shut. However, the pipeline while unused was still connected to an active line so it was always filled with product. therefore, at this point, it is unknown how much was released. It is also unknown when the release actually began to occur.

Curently, crews are working to remove short section of pipe to facilitate isolation of compromised pipe and to pu the active line back in service. (all gasoline distribution is shut down). Instructed Northville on the following:

–Will have to remove all cover stone in the pipe manifold area to insect the liner for deficiencies or failures, must also stoppile containinated cover stone for disposal. –All water collected in containment area for the pipe manifold and two pump stations must be treated prior to discharge. –The compromised pipe must be thoroughly inspected to determine cause and impact. Initial work will be to pressure test the line. Explained that the area maybe required to be exposed. Additional actions sill be determined based on outcome of testing.

–Work must be completed as soon as possible.


In addition, during response to this event, it was determined that a weld on a 10 diameter ethanol line adjacent to the subject line failed causing a misting of ethanol.

The line has been removed from service until appropriate permanant repairs using a clock spring can be completed.

Tom Maus will provide further updates tomorrow.

14:54: Acampora left site.

CLEANUP COMPLETED, REMOVAL OF APPROX 82.50 TONS OF SOIL, DISPOSAL RECPTS REC'VD ON 4/19/2010, NO FURTHER ACTIONS REQ'D

**Map Identification Number 11** **NORTHVILLE INDUSTRIES**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0610714**

**Close Date: 06/08/2007**  
 TT-Id: 520A-0174-976

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: GARY PECORINO - NORTHVILLE INDUSTRIES  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: GARY PECORINO

Spiller Phone: (631) 475-5060  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/21/2006		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	SOIL
GASOLINE ADDITIVE	OTHER	100.00	GALLONS	86.00	GALLONS	SOIL

**Caller Remarks:**

LIQUID FUEL ADDITIVE - 86 GALLONS: WENT TO CONTAINMENT AREA NO SPILL TO WATER: STILL INVESTIGATING WHO WILL BE TAKING RESPONSIBILITY

**DEC Investigator Remarks:**

12/21/06 11:00 JENNIFER SPOKE WITH MR PECORINO. THEY WERE TRANSFERRING FUEL ADDITIVE FROM TANK TRUCK TO TANK 35. THERE WAS AN OVERFILL OF 85 GALLONS WHICH WENT INTO SECONDARY CONTAINMENT. ADDITIVE WAS FOR MOTOR FUEL, PURADDAP 6000, HAS BEEN PUMPED OUT OF SECONDARY CONTAINMENT

28 DRUMS SOLIDS/LIQUIDS GENERATED, DISPOSAL COMPUTED, NO ADDITIONAL ACTIONS

**Map Identification Number 12** **NORTHVILLE OIL TERMINAL**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0509871**

**Close Date: 12/02/2005**  
 TT-Id: 520A-0179-083

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK  
 Notifier Type: Local Agency  
 Caller Name: TIM CASSIDY  
 DEC Investigator: NJACAMPO

Spiller: MIKE - CONSOLIDATED OIL COMP  
 Notifier Name: TIM CASSIDY  
 Caller Agency: NORTHVILLE INDUSTRIES  
 Contact for more spill info: PETE MILOSKI

Spiller Phone: (631) 265-2930  
 Notifier Phone: (631) 475-5060  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/17/2005		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	15.00	GALLONS	15.00	GALLONS	SOIL

**Caller Remarks:**

WAS CONTAINED AND WENT THROUGH AN OIL SEPERATOR. HAS BEEN CLEANED UP.

**DEC Investigator Remarks:**

11/17/05 15:45 TELECON WITH TIM CASSIDY FROM NORTHVILLE, APPROX 15 GALS OF FUEL OIL SPILLED ONTO CONCRETE SURFACE AND TRAVELED INTO AN OIL SEPERATOR AT THE ABOVE LOCATION. IMPACTED AREA HAS BEEN CLEANED UP. ALL PRODUCT WAS PROPERLY PUMPED OUT FROM THE SEPERATOR. NO PRIVATE WELLS/OR DRAINS IMPACTED

12/2/05 09:30 ACAMPORA ON SITE, MET WITH PETE MILOSKI SPILL AT RACK 8 DUE TO HUMAN ERROR. OVERFILL BY DRIVER OF CONSOLIDATED OIL WHILE AT RACK,NO EQUIPMENT FAILURE NOTED. 12/2/05 10:11 LEFT SITE AFTER INSPECTION OF UNRELATED SPILL AT SITE

SPILL CLEANED UP NO ADDITIONAL ACTIONS REQ'D



**Map Identification Number 13****NORTHVILLE**

586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0485193****Close Date: 11/19/2004**

TT-Id: 520A-0179-078

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (&gt;400,000 GAL)

Notifier Type: Responsible Party

Caller Name: NATIONAL RESPONSE CENTER

DEC Investigator: NJACAMPO

Spiller: NORTHVILLE

Notifier Name: PETE MILOSKI

Caller Agency: NATIONAL RESPONSE CENTER

Contact for more spill info: PETE MILOSKI

Spiller Phone:

Notifier Phone: (631) 475-5060

Caller Phone: (800) 424-8802

Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/17/2004		UNKNOWN	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

## Caller Remarks:

NORTHVILLE HAD REPORTED ETHANOL RELEASED FROM AN UNDERGROUND PIPELINE DUE TO UNKNOWN CAUSES. APPARENTLY, THE LEAK WAS WITHIN A CONTAINMENT AREA.

## DEC Investigator Remarks:

SAME AS 04-09205

11/17 CALLED SECRETARY AT NORTHVILLE, LEAK ABOVEGROUND, WILLHAVE MILOSKI CALL WITH DETAILS SUCH AS AMOUNT, CONTAINED OR NOT, BEING CLEANED UP 11/17 MILOSKI-LEFT MESSAGE, SPILL WAS ABOVEGROUND AND CONTAINED, LESS THAN 50 GALS OR 15, INSTALLING NEW LINE

SEE 04-09205 FOR DETAILS

**Map Identification Number 14** **NORTHVILLE INDUSTRIES**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0409205**

**Close Date: 11/19/2004**  
 TT-Id: 520A-0179-079

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: PETER MOLOWSKI  
 DEC Investigator: NJACAMPO

Spiller: PETER MOLOWSKI – NORTHVILLE INDUSTRIES  
 Notifier Name: PETER MOLOWSKI  
 Caller Agency: NORTHVILLE INDUSTRIES  
 Contact for more spill info: PETER MOLOWSKI

Spiller Phone: (631) 475-5060  
 Notifier Phone: (631) 475-5060  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/17/2004		UNKNOWN	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

UNSURE WHAT HAPPENED, MAY BE CORROSION: ETHONOL : LEAKING FROM A HOSE, ALL IS CONTAINED: LESS THEN 1 PINT PER MINUTE

DEC Investigator Remarks:

SAME AS 04-85193

11/19/04 ACAMPORA HAD TELECON WITH TOM MAUS AT NORTHVILLE, PRIMARY ETHANOL LINE FAILED WHERE IT PASSES UNDER ACCESS ROAD NEAR TANK #11. PRODUCT WAS OBSERVED LEACHING OUT FROM SECONDARY CONTAINMENT SLEEVE. PIPE WAS REMOVED FROM SERVICE AND TEMP LINE INSTALLED UNTIL PERMANENT REPAIRS CAN BE MADE. MEG REMOVED APPROX 2000 GALLONS OF CONTAMINATED WASH WATER. NO ADDITIONAL ACTIONS NEEDED

**Map Identification Number 15** **NORTHVILLE GAS TERMINAL**  
 587 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1501146**

**Close Date: 05/01/2015**  
 TT-Id: 520A-0309-536

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 248 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: 587 UNION AVE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NORTHVILLE Spiller Phone:  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MARIA PALMIERI Contact Person Phone: (631) 666-0920

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/01/2015		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

Caller advised can smell fumes from the gas terminal where gasoline tankers are stored.

DEC Investigator Remarks:

05/01/15 1516 Hrs: Copy of this report emailed to Merlange Genece (DEC Air Resources). DR

**Map Identification Number 16** **TOSCO PIPE LINE TERMINAL** **Spill Number: 0103374** **Close Date: 07/02/2003**  
 587 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-060

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 248 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOSEPH BENITEZ – TOSCO PIPE LINE TERMINAL Spiller Phone: (631) 475-5060  
 Notifier Type: Responsible Party Notifier Name: JOSEPH BENITEZ Notifier Phone: (631) 475-5060  
 Caller Name: JOSEPH BENITEZ Caller Agency: TOSCO PIPE LINE Caller Phone: (631) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: JOSEPH BENITEZ Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/27/2001		OTHER	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	40.00	GALLONS	40.00	GALLONS	SOIL

Caller Remarks:

rack was overloaded...spill was contained to containment area. 1 employee did get gas into his eyes.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA NO ENV IMPACT, IN CONTAINMENT AREA

**Map Identification Number 17**  **GUY PRATT** **Spill Number: 9010383** **Close Date: 02/11/1992**  
 608 UNION AVENUE/MORIRS AVENUE HOLTSMILLE, NY TT-Id: 520A-0160-900

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 713 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: 608 UNION AVENUE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: BOB PRATT – GUY PRATT Spiller Phone:  
 Notifier Type: Health Department Notifier Name: Notifier Phone:  
 Caller Name: WALTER PETRULE Caller Agency: SCDH Caller Phone:  
 DEC Investigator: WJPARISH Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/26/1990	02/11/1992	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

GASOLINE PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

SCDH INSPECTOR ON SITE DIRECTING STOCKPILING OF CONT SOIL FROM AROUND FILL PIPES. ALL CONT SOIL TO BE STOCKPILED.SCHD WILL CALL IF ADDITIONAL WORK NEEDS TO BE DONE.OTHERWISE FOLLOWUP ON STOCKPILED SOIL NEED BY DEC 12/31/90 AS PER WALTER PETRULE, TANKS OK, NO HOLES, CONT SOIL FROM SURFACE SPILLS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was PARISH 12/31/90: 10 YDS STOCKPILED ON SITE, SELF REMOVAL, TYREE CLEANED OUT TANK AS PER W. PETRULE, NO ADDITIONAL WORK NEEDED.

**Map Identification Number 18** **GUY PRATT** **Spill Number: 1604695** **Close Date: 09/20/2016**  
 608 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0322-015

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 713 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ROBERT VOVLKEL – GUY PRATT INC Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: dhraymon Contact for more spill info: ROBERT VOVLKEL Contact Person Phone: (516) 315-0042

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/09/2016		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
MOTOR OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

They were removing the tank and found contaminated soil.The cleanup pending.

## DEC Investigator Remarks:

08/09/16 0930 Hrs: Vovlkel left message. DR

08/09/16 0940 Hrs (A): Called Vovlkel– MIKE SEAMAN OF THE SUFFOLK COUNTY HEALTH DEPARTMENT IS ON SITE.

08/09/16 0940 Hrs (B): Seaman had found contaminated soil around the FILL PIPE of the tank, and Pratt had removed approximately 5cy of soil so far.

08/09/16 0940 Hrs (C): DEC informed Vovlkel that the SCHD could oversee the cleanup on DEC's behalf and that if the SCHD was satisfied with the cleanup DEC accepts their findings.

08/9/16 0940 Hrs (D): DEC directed Vovlkel to call the Spill Hotline to report the incident and informed him that DEC would then call him back to determine whether the SCHD was satisfied with the cleanup. DEC also informed him that if such was the case, this office would close the case upon receipt of soil disposal manifests and the SCHD report. DR

08/09/16 1005 Hrs (A): Called Vovlkel– HE CONFIRMED THAT SEAMAN WAS SATISFIED WITH THE CLEANUP.

08/09/16 1005 Hrs (B): DEC offered the names of contractors with a NYS Part 364 Waste Transporters Permit, but he said they would likely use Island Pump and Tank as Pratt has done business with them.

08/09/16 1005 Hrs (C): DEC directed Vovlkel to send all paperwork to DR's attention for review and case closure. DR

08/09/16 approx 1300 Hrs: Seaman faxed a copy of his report– 'TANK WAS IN GOOD CONDITION; SPILLAGE WAS CAUSED BY PRODUCT RUNNING DOWN OUTSIDE OF FILL PIPE.' Approximately 5cy of soil was removed, and he was satisfied with the cleanup. DR

09/19/16 approx 1130 Hrs: Pratt Brothers faxed a copy of the soil disposal receipts. DR

**Map Identification Number 19****NY POWER AUTHORITY**

608 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1502257****Close Date: 06/01/2015**

TT-Id: 520A-0309-424

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 713 feet to the ENE

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER

Notifier Type: Responsible Party

Caller Name:

DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTHORITY

Notifier Name:

Caller Agency:

Contact for more spill info: WALTER SOTO

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/29/2015		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	155.00	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

An external disturbance caused a release to air.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE POWER PLANT'S PERMIT LIMITATION\*\*\* DR

06/01/15 1012 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (Div of Air Resources). DR

**Map Identification Number 20** **NY POWER PLANT** **Spill Number: 9405031** **Close Date: 07/13/1994**  
 **LONG ISLAND AVE** **HOLTSVILLE, NY** **TT-Id: 520A-0271-369**

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: UNKNOWN	Spiller: UNK	Spiller Phone:
Notifier Type: Citizen	Notifier Name:	Notifier Phone:
Caller Name: ROBERT MAURELLI	Caller Agency: CITIZEN	Caller Phone: (516) 698-8227
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/13/1994	07/13/1994	UNKNOWN	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

OBNOXIOUS FOUL ODOR IN AIR/SEVERAL PLANTS IN AREA.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

**Map Identification Number 21** **HOLTSVILLE L&G PLANT** **Spill Number: 9112183** **Close Date: 04/14/1992**  
 **UNION AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0312-221**

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: JAMES FINNERTY – LILCO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: GLEN PRATT	Caller Agency: LILCO	Caller Phone: (516) 933-4272
DEC Investigator: NJACAMPO	Contact for more spill info:	Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/27/1992	04/14/1992	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDROGEN CHLORIDE	HAZARDOUS MATERIAL	100.00	GALLONS	0.00	GALLONS	SOIL



Caller Remarks:

ACID WASH OF 1000 GAL TANK FLANGE ON TANK FAILED DURING WASH, SPILL DIKED NUTRALIZED WITH SODA ASH, LILCO PUMPING UP LIQUID, SCHD NOTIFIED PSC NOTIFIED SOIL TO BE EXCAVATED 2/28/92

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA

**Map Identification Number 22**      **LILCO**      **Spill Number: 9008510**      **Close Date: 11/05/1990**  
      UNION AVENUE      HOLTSVILLE, NY      TT-Id: 520A-0255-365

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: LILCO	Spiller Phone: (516) 588-0555
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: STEVE MILNE	Caller Agency: LILCO	Caller Phone: (516) 933-4272
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/04/1990	11/05/1990	UNKNOWN	UNKNOWN	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

HOLTSVILLE F.D ON SCENE.DRILL EXERCISE ONLY. NO RESPONSE NEEDED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE 10/10/95: This is additional information about material spilled from the translation of the old spill file: LIQUID NATURAL GAS.

AT HOLTSVILLE LIQUID NATURAL GAS PLANT, DIKED AREA ON SITE

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

\*\*ALL INFORMATION INCLUDED IN DATABASE\*\*

**Map Identification Number 23** **HOLTSVILLE LNG PLANT** **Spill Number: 0104352** **Close Date: 07/24/2001**  
 605 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-106

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NORTSHORE INSULATION Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: MARTIN BRUSCELLA Caller Agency: KEY SPAN ENERGY Caller Phone: (516) 545-2401  
 DEC Investigator: UNASSIGNED Contact for more spill info: MARTIN BRUSCELLA Contact Person Phone: (516) 545-2401


Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/24/2001		OTHER	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
PERLITE	OTHER	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:  
 approx 1 yd soil contaminated after overfilling a tank with material. clean up completed by the contractor.

DEC Investigator Remarks:  
 Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE TELECON MARTY BRUSCELLA: FAXING MSDS, MATERIAL HAS BEEN VACUUMED BY CONTRACTOR ( THOMAS J DONNELLY, NORTH SHORE INSULATION) ~ 1YARD SPILLED AND CLEANED UP. MATERIAL IS SOLID NON HAZ MATERIAL

**Map Identification Number 24**  **HOLTSVILLE COMBINED CYCLE** **Spill Number: 9310739** **Close Date: 07/14/1994**  
 UNION AVE/LILCO PLANT HOLTSVILLE, NY TT-Id: 520A-0179-097

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: UNKNOWN Spiller: HOLTSVILLE COMBINED CYCLE Spiller Phone: (516) 289-0160  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: TONY LEUNG Caller Agency: NYSDEC Caller Phone: (516) 444-0320  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/04/1993	07/14/1994	UNKNOWN	UNKNOWN		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WHITE CAUSTIC	HAZARDOUS MATERIAL	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

ALLEN SMITH CALLED SCDH, HE WAS NOTIFIED BY CONTRACTOR, INFORM VERY LIMITED, FOUND SPILLAGE AT HOLTSVILLE COMBINED CYCLE PLANT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG 07/14/94: EMERGENCY CLEANED UP, LAB RESULTS OBTAINED, SPILL REFERRED TO HAZ WASTE FOR EVALUATION.

**Map Identification Number 25**  **INDUSTRIAL** **Spill Number: 2010049** **Close Date: 03/15/2021**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0370-419

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MEAFA PERRY – NYPA Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MEAFA PERRY Contact Person Phone: (347) 752-0793

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/12/2021		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OPACITY EXCEEDANCE	OTHER	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

35% opacity. 6 minutes.

DEC Investigator Remarks:

Referred to NYSDEC Region 1 Air Resources

**Map Identification Number 26** **NY POWER AUTHORITY** **Spill Number: 2008122** **Close Date: 12/16/2020**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0368-742

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (347) 752-0793

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/12/2020		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON DIOXIDE	OTHER	1.00	POUNDS	0.00	POUNDS	AIR
NITROGEN	OTHER	1.00	POUNDS	0.00	POUNDS	AIR

## Caller Remarks:

2nd material was NOX. no clean up necessary from tuning

## DEC Investigator Remarks:

12/16/2020: RJP sent referral email to MG of DEC Div of Air Resources. RJP.

## Map Identification Number 27



## NYPA

607 UNION AVE

HOLTSVILLE, NY

## Spill Number: 2001707

## Close Date: 06/09/2020

TT-Id: 520A-0363-922

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1209 feet to the NNE

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Other

Caller Name:

DEC Investigator: Unassigned

Spiller: NY POWER

Notifier Name:

Caller Agency:

Contact for more spill info: MEFA PERRY

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (347) 752-0739

Category: Investigation indicates there was no spill.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/08/2020		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

NOX RELEASE 53.3 LBS NO CLEAN UP

DEC Investigator Remarks:

Referred to NYSDEC Region 1 Air Dept.

**Map Identification Number 28** **INDUSTRIAL** **Spill Number: 2000930** **Close Date: 05/14/2020**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0363-888

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MEFA PERRY Contact Person Phone: (347) 752-0793

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/12/2020		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	68.70	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

no clean up necessary

DEC Investigator Remarks:

5/14/20– Incident was referred to the Air Unit. (WG)

**Map Identification Number 29** **RICHARD M FLYNN POWER PLANT** **Spill Number: 1911519** **Close Date: 03/16/2020**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0361-841

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NY POWER AUTHOR Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/15/2020		UNKNOWN	NO	NO


  

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	

Caller Remarks:

Caller contacted per protocol, not a spill. There is a 20.0% opacity limit and the opacity meter ranged from 21.2-100% opacity. No resources affected, no c/u needed. Caller states a letter will be submitted to R1 DEC Air Division detailing the events within 10 days.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 30** **NY POWER AUTHORITY** **Spill Number: 1700539** **Close Date: 04/18/2017**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0330-668

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: MESA PERRY – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MESA PERRY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/17/2017		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
OTHER	OTHER	62.00	POUNDS	0.00	POUNDS	

Caller Remarks:

Plant name Richard M Flynn Electrical disturbance caused release

DEC Investigator Remarks:

\*\*\*This was an exceedance of the facility's air emissions permit limit for NOx\*\*\* DR

04/18/17 0940 Hrs: Copy of this report given to Div of Air Resources. DR

**Map Identification Number 31** **POWER PLANT** **Spill Number: 1610032** **Close Date: 02/02/2017**  
 607 UNION AVENUE HOLTSMILLE, NY TT-Id: 520A-0327-837

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: MACA PERRY – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MACA PERRY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 627-5681



Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/02/2017		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	121.80	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

issue with power grid causing equipment to go into safe mode.

DEC Investigator Remarks:

\*\*\*THIS WAS AN EMISSION OF NOX (IN EXCEEDANCE OF THE FACILITY'S PERMIT LIMITS?)\*\*\* DR

02/02/17 1327 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (DEC Div of Air Resources). DR

**Map Identification Number 32**  **NY POWER AUTHORITY** **Spill Number: 1604399** **Close Date: 08/01/2016**  
 607 UNION AVENUE HOLTSMILLE, NY TT-Id: 520A-0322-003

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: WALTER SOTO – NY POWER AUTHORITY	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALTER SOTO	Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/30/2016		OTHER	NO	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	144.80	POUNDS	0.00	POUNDS	

Caller Remarks:

grid disturbance caused exceedance of permit

DEC Investigator Remarks:

08/01/16 1440 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 33** **NY POWER AUTHORITY** **Spill Number: 1603376** **Close Date: 07/07/2016**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0321-955

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: JOSHUA RAMOS – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA RAMOS Contact Person Phone: (914) 681-6682

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/06/2016		OTHER	NO	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	85.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

exceedance due to instability of grid

DEC Investigator Remarks:

AIR EMISSION PERMIT EXCEEDANCE, COPY OF REPORT GIVE TO MERLANGE GENECE--DIVISION OF AIR REFERRED TO AIR DIVISION

**Map Identification Number 34** **POWER PLANT** **Spill Number: 1305543** **Close Date: 08/23/2013**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0289-929

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – LIPA OR NY POWER? Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/22/2013		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	210.00	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

210 POUNDS OVER THE ALLOWABLE LIMIT. OUTSIDE DISTURBANCE ON THE GRID. SHUT DOWN A COUPLE FEEDERS.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR EMISSIONS PERMIT\*\*\* DR

08/23/13 1436 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 35** **FLYNN POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1216769**

**Close Date: 03/27/2013**  
 TT-Id: 520A-0286-641

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NEW YORK POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/26/2013		OTHER	NO		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	226.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Air Emmisions release from outside grid disturbance.

DEC Investigator Remarks:

03/27/13 @13:55 M.Genece, Div. of Air has been notified via e-mail.(VP) COPY OF SPILL REPORT SENT VIA EMAIL TO AIR

**Map Identification Number 36** **POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1009876**

**Close Date: 12/16/2010**  
 TT-Id: 520A-0258-623

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSHUA RAMOS – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSHUA RAMOS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/16/2010		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	17.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

17 ppm released to the outdoor air due to switchng overfuels

DEC Investigator Remarks:

\*\*\*SAME AS 1009875? SIMILAR PRIOR REPORTS HERE\*\*\* DR

12/16/10 pm: Copy of this report given to Merlange Genese (DEC Div of Air). DR

**Map Identification Number 37**  **POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY 11724

**Spill Number: 1009875** **Close Date: 12/16/2010**  
 TT-Id: 520A-0259-624

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSHUA REYNOLDS – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSHUA REYNOLDS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/14/2010		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	24.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

24 ppm released to outdoor air

DEC Investigator Remarks:

\*\*\*SAME AS 1009876? SIMILAR PRIOR REPORTS HERE\*\*\* DR

12/16/10 pm: Copy of this report given to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 38**

**FLYNN POWER PLANT**  
607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1008727**

**Close Date: 11/19/2010**  
TT-Id: 520A-0258-586

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSHUA RAMOS – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSHUA RAMOS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/17/2010		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	53.80	UNKNOWN	0.00	UNKNOWN	AIR
CARBON MONOXIDE	OTHER	17.50	UNKNOWN	0.00	UNKNOWN	AIR


Caller Remarks:

Caller advised a release of 17.5 ppm of carbon monoxide and 53.8 ppm of nitrogen dioxide was released into the air.

DEC Investigator Remarks:

\*\*\*THERE HAVE BEEN A NUMBER OF PRIOR SIMILAR REPORTS HERE FOR EXCEEDANCES OF THE PLANT'S AIR PERMIT\*\*\* DR

Referred to Air Unit. (BD)

<b>Map Identification Number 39</b> 	<b>RICHARD FLYNN POWER PLANT</b> 607 UNION AVENUE	HOLTSVILLE, NY	<b>Spill Number: 0910686</b>	<b>Close Date: 12/31/2009</b> TT-Id: 520A-0234-399
<b>MAP LOCATION INFORMATION</b> Site location mapped by: MANUAL MAPPING – LARGE SITE Approximate distance from property: 1209 feet to the NNE		<b>ADDRESS CHANGE INFORMATION</b> Revised street: NO CHANGE Revised zip code: NO CHANGE		
Source of Spill: COMMERCIAL/INDUSTRIAL	Notifier Type: Responsible Party	Spiller: NICK RELLA – NY POWER AUTHORITY	Spiller Phone:	
Caller Name:	DEC Investigator: Unassigned	Notifier Name:	Notifier Phone:	
		Caller Agency:	Caller Phone:	
		Contact for more spill info: NICK RELLA	Contact Person Phone: (914) 681-6408	

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/30/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	88.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

in excess of permit – emergency fuel swap from natural gas to oil – 2nd incident at 1400 when went from oil to natural gas (78 lbs)

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 40**  **RICHARD FLYNN POWER PLANT** **Spill Number: 0909322** **Close Date: 11/19/2009**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0234-391

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NICK RELLA – RICHARD FLYNN POWER PLANT Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: NICK RELLA Contact Person Phone: (914) 681-6408

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/19/2009		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

CALLER STATES THEY EXCEEDED TITLE 5 PERMIT. 62.1 PPM READING. LIMIT IS 42.0 PPM

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.



**Map Identification Number 41** **NY POWER AUTHORITY**  
 **UNION STREET**

HOLTSVILLE, NY

**Spill Number: 0902331**

**Close Date: 05/28/2009**  
 TT-Id: 520A-0271-368

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **1209 feet to the NNE**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Source of Spill: **COMMERCIAL/INDUSTRIAL**  
 Notifier Type: **Other**  
 Caller Name:  
 DEC Investigator: **Unassigned**

Spiller: **KOLLI RAO – NY POWER AUTHORITY**  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: **KOLLI RAO**

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: **(914) 681-6387**

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/24/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

**Caller Remarks:**

RELEASE EXCEEDING LIMITS MORE THAN 10.5PPM.

**DEC Investigator Remarks:**

\*\*\*SEE 0902303: SIMILAR REPORT RECEIVED 5/27/09\*\*\* DR

05/28/09 1000 Hrs: Called Rao– line busy. DR

05/28/09 1020 Hrs (A): Called Rao– they measured 10.5ppm of nitrogen dioxide during testing; the DEC permit limit is 9.0ppm.

05/28/09 1020 Hrs (B): THEY BELIEVE THIS IS RELATED TO YESTERDAY’S PROBLEM. DR

05/28/09 1035 Hrs: Copy of this report given to DEC Air. DR

**Map Identification Number 42** **RICHARD FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0900189**

**Close Date: 04/06/2009**  
 TT-Id: 520A-0227-005

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Local Agency  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: NICK RELLA – NYPA  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: NICK RELLA

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (914) 681-6408

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/03/2009		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

CALLER STATES THAT THERE WAS A ONE HOUR RELEASE ABOVE THE LIMITS OF NOX.

DEC Investigator Remarks:

03/06/09-11:18am NH Spokje with Nikk Rella, Friday there was a storm caused the generators at the plant to work in sfae mode.  
 Air Emissions exceed allowance (48.4 ppm) will refer to Air

**Map Identification Number 43** **RICHARD M FLYN PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 0813129**

**Close Date: 03/06/2009**  
 TT-Id: 520A-0227-004

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: NICK RELLA – NY POWER AUTHORITY	Spiller Phone:
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: NICK RELLA	Contact Person Phone: (914) 681-6408

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/05/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
			Units		Units	
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

EXCEEDED THE PERMIT LEVEL FOR 2 HOURS.

DEC Investigator Remarks:

3/6/09 @ 14:08 – called Mr Rella. Left message

3/6/09 @ 1434 – Spoke with Mr Rella. Exceed NOX emission for approx 2 hours on 3/5/09 starting at 09:00. Firing on #2F/O permit limit is 42ppm and 09:00 reading was 79.0 ppm and 10:00 reading was 47.2 ppm. (JP)

REFERRED TO AIR UNIT

**Map Identification Number 44** **RICHARD M FLYNN POWER STATION**  
 UNION AVENUE

**Spill Number: 0811477**  
 HOLTSVILLE, NY 11742

**Close Date: 01/20/2009**  
 TT-Id: 520A-0225-303

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: STEVE WARLICK – RICHARD M FLYNN POWER STATIONS Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: STEVE WARLICK Contact Person Phone: (718) 626-8258

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/17/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

CALLER STATES THAT DURING MAINTENANCE MORE THAN THE ACCEPTABLE LEVELS WERE RELEASED.

DEC Investigator Remarks:

1/19/09 @ 1648 – Spoke with Steve Warlick. According to Mr. Warlick – On Sat 1/17/09 hydraulic leak on steam turbine and induction control valve. Sprayed oil creating potential for fire. Not much oil was released and was all cleaned up. Had to ramp down of turbine to make the necessary repairs. Operated in diffusion mode, made repairs and ramped system back up. During the repairs between 17:00 and 22:00 there were exceedences of NOX and CO emissions. Max NOX emmsion allowed is 42 ppm, they reached 88.6ppm. Max CO emission allowed is 8.5ppm they reached 92.1 ppm. Dan Rozell DEC region 1, in charge of facility.

**Map Identification Number 45** **HOLTSVILLE GENERATING PLANT**  
 180A MORRIS AVENUE



HOLTSVILLE, NY

**Spill Number: 9008713**

**Close Date: 12/12/1990**  
 TT-Id: 520A-0179-092

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: DOUG VOOS – LILCO Spiller Phone: (516) 933–4007  
 Notifier Type: Responsible Party Notifier Name: DOUG VOOS – LILCO Notifier Phone:  
 Caller Name: DOUG VOOS Caller Agency: LILCO Caller Phone: (516) 933–4007  
 DEC Investigator: HOFMANN Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/08/1990	12/12/1990	UNKNOWN	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
NON PCB OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

UNDERGROUND PIPE, 25 GALS OIL & WATER SPILLED INTO SOIL EXCAVATION WHEN PIPE ACCIDENTALLY BROKE.LILCO CLEANING OUT CONTAMINATION. FLOOR DRAIN FOR GENERATOR UNIT, DAN MCCARTY SUPER ON SITE

DEC Investigator Remarks:

MPC HIRED FOR CLEANUP

**Map Identification Number 46**  **LILCO** **Spill Number: 8910618** **Close Date: 02/09/1990**  
 GAS TURBINE ON MORRIS AVE HOLTSVILLE, NY TT-Id: 520A-0179-103

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: LILCO Notifier Phone:  
 Caller Name: DOUG VOOS Caller Agency: LILCO Caller Phone: (516) 933–4007  
 DEC Investigator: KJGOMEZ Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/07/1990	02/09/1990	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

2K SUMP TANK OVERFILL WATER WASHING TURBINE PUMPING UP WATER/OIL EXCAVATING

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GOMEZ 02/09/90: MPC ON SITE TO REMOVE CONT SOIL. REMOVED 2 YDS NO OTHER AREA AFFECTED. NO FURTHER CLEANUP NECESSARY.

**Map Identification Number 47** **HOLTSVILLE IC SITE** **Spill Number: 8909479** **Close Date: 02/06/1990**  
 180A MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-091

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: FRED WEDLEY Caller Agency: LILCO Caller Phone: (516) 933-4007  
 DEC Investigator: HOFMANN Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/02/1990	02/06/1990	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

FIRE PROTECTION SYSTEM FAILED, FLOODING THE U/G PUMP TANK. NO AGENCY ON SCENE OR NOTIFIED. MPC CLEANING BLUE STONE & NOTIFIED SCDH. WILL CALL BACK IF REQUESTED. SCHD ON SITE, BRIAN ROBINSON, 1/2/90

DEC Investigator Remarks:

1/3/90 TELECON WITH ANGELA, MPC, BROOKHAVEN LF, 50 BAGS OF OIL SPILL DEBRIS ON SITE, AWAITING DISPOSAL LETTER, NO LIQUIDS RECOVERED, CHECK WITH BRIAN ROBINSON,CLEANUP COMPLETE COUNTY #1990-001

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

\*\*ALL INFORMATION INCLUDED IN DATABASE\*\*

**Map Identification Number 48** **LILCO** **Spill Number: 8904523** **Close Date: 08/08/1989**  
 180 MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-090

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: DEAN FOWLER Caller Agency: CITIZEN Caller Phone: (516) 757-4385  
 DEC Investigator: AIR UNIT Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/1989	08/08/1989	UNKNOWN	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	AIR

Caller Remarks:


YELLOW CLOUD APPEARS AT ALL TIMES OF THE DAY. REFERRED TO R.CAPP AIR UNIT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was AIR UNIT

FD 10/10/95: This is additional information about material spilled from the translation of the old spill file: YELLOW CLOUD.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 49** **HOLTSVILLE COMBUSTION** **Spill Number: 0207219** **Close Date: 10/11/2002**  
 **MORRIS AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0179-096**

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: SAME – KEYSpan	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name: PAUL LYNCH	Notifier Phone: (516) 545-2564
Caller Name: PAUL LYNCH	Caller Agency: KEYSpan ENERGY	Caller Phone: (516) 545-2564
DEC Investigator: UNASSIGNED	Contact for more spill info: PAUL LYNCH	Contact Person Phone: (516) 545-2564

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/11/2002		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
SULFURIC ACID	HAZARDOUS MATERIAL	7500	POUNDS	0	POUNDS	AIR

Caller Remarks:

daily release into air. #625788 cr-erns. no call back needed.

DEC Investigator Remarks:



Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

**Map Identification Number 50** **MYSTIC/NORTHVILLE** **Spill Number: 8806942** **Close Date: 11/28/1988**  
 **UNION AVENUE & LONG ISLAND AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0156-932**

**MAP LOCATION INFORMATION**

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 1359 feet to the ENE

**ADDRESS CHANGE INFORMATION**

Revised street: UNION AVENUE / LONG ISLAND AVENUE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK Spiller: MYSTIC/NORTHVILLE Spiller Phone:  
 Notifier Type: Police Department Notifier Name: Notifier Phone:  
 Caller Name: OFFICER OERTLI Caller Agency: NAT RESPONSE CENTER Caller Phone: (800) 424-8802  
 DEC Investigator: LICATA Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/18/1988	11/28/1988	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	5000	GALLONS	0	GALLONS	GROUNDWATER

**Caller Remarks:**

TANK TRUCKS HIT RACKS-FIRE-INTO RECHARGE BASIN

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LICATA

FD

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 51** **THE COLONIE (CONDO COMPLEX)** **Spill Number: 9305894** **Close Date: 07/17/1997**  
 FURROWS ROAD/PATCHOGUE HOLBROOK RD HOLBROOK, NY TT-Id: 520A-0271-362

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1480 feet to the SSE

ADDRESS CHANGE INFORMATION  
 Revised street: FURROWS ROAD  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NEIL SCADERE MAINTENANCE – THE COLONIE (CONDOSpiller Phone: (516) 447-5151  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: ANONY Caller Agency: Caller Phone:  
 DEC Investigator: CAMPBELL Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/13/1993		UNKNOWN	YES	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

OIL SEEPING OUT OF GROUND IN THE ISLAND IN FRONT OF GUARD BOOTH ON EXIT SIDE, HAS NOTICED FOR A WEEK, SEEMS TO BE GETTING WORSE, ODOR

DEC Investigator Remarks:

SHEEN WAS IRON

**Map Identification Number 52** **PRIDE SOLVENTS & CHEMICALS** **Spill Number: 1710979** **Close Date: 03/09/2018**  
 6 LONG ISLAND AVENUE HOLTSVILLE, NY TT-Id: 520A-0339-654

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1548 feet to the E

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK	Spiller: ALL CHEM LEASING	Spiller Phone:
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: NMHART	Contact for more spill info: PAT ENOCHS	Contact Person Phone: (516) 541-8290

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/05/2018		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
OTHER	OTHER	30.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

loss to roadway. unk sewers

DEC Investigator Remarks:

03/05/18 am: Enochs had called Spills to report the incident– directed him to call the 24hr Spill Hotline. DR

03/05/18 1105 Hrs (A): Called Enochs– he said he is the consultant for Pride and is on the road at this time.

03/05/18 1105 Hrs (B): A tank truck carrying a petroleum distillate ( Exxsol D110 ) arrived at Pride’s facility and was found to have leaked this product from a pressure relief valve.

03/05/18 1105 Hrs (C): There is a stain, but no puddled product, at Pride’s facility. Pride also checked Long Island Avenue and found a streak of product approximately 50ft long x 1 wide.

03/05/18 1105 Hrs (D): Pride called All Chemical, which called their insurance, but the insurance said ‘this is not a reportable quantity’ so Pride decided to report the incident.

03/05/18 1105 Hrs (E): All Chemical has dispatched ‘Tridabe Environmental’ from CT, but Enochs does not know whether they are licensed to transport waste in New York nor their ETA.

03/05/18 1105 Hrs (F): Enochs will forward an email from Pride to All Chemical, and photographs Pride took, to DEC. He will also try to obtain and forward the MSDS sheet for the product to DEC.

03/05/18 1105 Hrs (G): DEC informed him this office will try to dispatch an inspector later today. DR

03/05/18 1119 Hrs: Received the email and nine photographs from Enochs– the name on the TRAILER (NJ plate TSK864) is All Chem Leasing out of Lakewood NJ. DR

03/05/18 1120 Hrs: Discussed with NA and NH (primary responder). DR

03/05/18 1130 Hrs: Searched the internet for the MSDS etc for the product. DR

03/05/18 11:46 NH spoke with Pat Enochs, Tradable Env. will be on site 203–238–8113

03/05/18 1200 Hrs: Checked the Chemical Bulk Storage (CBS) database– this is site 1–000160. DR

03/05/18 1205 Hrs: Copy of this report given to Chris Engelhardt (DEC RCRA). DR

03/05/18 1205 Hrs: Forwarded Enoch’s email and photographs to Engelhardt. DR

03/05/18 pm: WG will check the site this afternoon for NH. DR 3/6/18–NH received the manifest from Pat Enochs, file on D2 , No further action required. NH closing the spill

**Map Identification Number 53**



**PRIMA ASPHALT**  
615 FURROWS ROAD

HOLTSVILLE, NY

**Spill Number: 9010623**

**Close Date: 01/07/1991**  
TT-Id: 520A–0164–414

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 1736 feet to the ESE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Health Department  
Caller Name: JOHN MION  
DEC Investigator: UNASSIGNED

Spiller: CHIP FEHR – PRIMA ASPHALT  
Notifier Name:  
Caller Agency: SCDH  
Contact for more spill info:

Spiller Phone: (516) 289–3406  
Notifier Phone:  
Caller Phone: (516) 451–4640  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/04/1991	01/07/1991	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

GASOLINE PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

2-10K GALLON TANKS REMOVED. NO HOLES FOUND IN TANKS. 60 CU YDS OF CONT SOIL STOCKPILED ON SITE. SCDH SATISFIED THAT ALL CONT SOIL HAS BEEN REMOVED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE STOCKPILED SOIL DISPOSAL REFERRED TO J FISCHERA, HAZ WASTE

**Map Identification Number 54** **PAVCO** **Spill Number: 1606873** **Close Date: 10/13/2016**  
 615 FURROWS ROAD HOLTSVILLE, NY TT-Id: 520A-0324-788

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1736 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: PAVCO Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: TRISCIA FENTY Contact Person Phone: (631) 714-5565

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/13/2016		UNKNOWN	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN MATERIAL	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

Caller advised a strong smell of asphalt in the air coming from the asphalt plant. Received a second complaint about the odor.

DEC Investigator Remarks:

10/13/16 1300 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources) and Syed Rahman (DEC Div of Materials Management). DR

**Map Identification Number 55** **PAVCO** **Spill Number: 0605858** **Close Date: 08/21/2006**  
 **FURROWS ROAD** **HOLBROOK, NY** **TT-Id: 520A-0172-889**

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1736 feet to the ESE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RICHARD – PAVCO Spiller Phone: (631) 472-2216  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: RICHARD Contact Person Phone: (631) 472-2216

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/21/2006		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ASPHALT	PETROLEUM	0	GALLONS	0	GALLONS	AIR


**Caller Remarks:**

strong odor since 4am this morning and has been going on for a while:

**DEC Investigator Remarks:**

8/21 REFERRED TO AIR UNIT

RELATED TO OTHER ODOR COMPLAINTS ? 06-05375 06-05379

**Map Identification Number 56** **SPILL NUMBER 9711355**  
 1 CLUBHOUSE ROAD

HOLBROOK, NY

**Spill Number: 9711355**

**Close Date: 01/30/1998**  
 TT-Id: 520A-0176-261

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2074 feet to the SSE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Affected Persons  
 Caller Name: AMY CLARK  
 DEC Investigator: DONOVAN

Spiller: PAV CO ASPHALT  
 Notifier Name:  
 Caller Agency: THE COLONY  
 Contact for more spill info: MR CLARK

Spiller Phone: (516) 289-3406  
 Notifier Phone:  
 Caller Phone: (516) 447-5151  
 Contact Person Phone: (516) 447-5151

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/04/1998		OTHER	YES		NO	


  

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	SURFACE WATER

**Caller Remarks:**

during rain 4-5 days ago, gray murky water came from PAV Co and entered 3 ponds at The Colony. Turned the ponds greenish gray not known if its oil concerned about the fish in the ponds none dead yet

**DEC Investigator Remarks:** NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 57** **RICHETTI RESIDENCE**  
 208 FAIRFIELD DRIVE

HOLBROOK, NY

**Spill Number: 0606136**

**Close Date: 03/08/2007**  
 TT-Id: 520A-0271-363

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2093 feet to the SE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: UNKNOWN	Spiller: UNKNOWN – Unknown	Spiller Phone:
Notifier Type: Citizen	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: FRANCINE RICHETTI	Contact Person Phone: (631) 475-3451

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/28/2006		UNKNOWN	NO		NO	


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

AROUND 3:30 AN ODOR APPEARED IN HER HOME AND AROUND THE SURROUNDING AREA: CONCERN OF SPILL AND CONTAMINATION.

DEC Investigator Remarks:

SEE 06-05858 ETC IN THIS AREA, SIMILAR COMPLAINTS REGARDING PAVCO, 06-05379 COLONY DRIVE 0605375 EARLIER COMPLAINT BY RICHETTI REFERRED TO AIR UNIT/SOLID & HAZ MATERIAL

**Map Identification Number 58** **RICHETTI RESIDENCE**  
 208 FAIRFIELD DRIVE

**Spill Number: 0605375** **Close Date: 08/08/2006**  
 HOLBROOK, NY 11741 TT-Id: 520A-0271-364

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2093 feet to the SE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: FRANCENE RICHETTI – UNKNOWN	Spiller Phone: (631) 475-3451
Notifier Type: Affected Persons	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: FRANCENE RICHETTI	Contact Person Phone: (631) 475-3451



Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/08/2006		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

CALLER REPORTS THERE IS A ASPHALT PLANT WITHIN A MILE OF HER HOME: THERE IS A VERY STRONG ODOR IN THE AIR, AS WELL AS DEBRIS, AIR IS GRITTY: THIS IS AN ONGOING COMPLAINT: DEC HAS BEEN CONTACTED PREVIOUSLY:THE SMELL IS REALLY BAD TODAY AND THE AIR IS GRITTY AND BROWN AND IS FLOWING DOWN HER STREET. SHE WANTS CALL BACK PLEASE. EDITED @11:32 8/9/06

DEC Investigator Remarks:

SAME COMPLAINT AS 0605379?

<b>Map Identification Number 59</b>	<b>SYMBOL TECHNOLOGIES</b>		<b>Spill Number: 9911886</b>	<b>Close Date: 01/13/2000</b>
	1 SYMBOL PLAZA	HOLTSVILLE, NY		TT-Id: 520A-0255-363

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 2334 feet to the NNW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: GLENN SPETTA – SYMBOL TECHNOLOGIES	Spiller Phone: (516) 738-5926
Notifier Type: Affected Persons	Notifier Name: GLENN SPETTA	Notifier Phone: (631) 738-5926
Caller Name: GLENN SPETTA	Caller Agency: SYMBOL TECHNOLOGIES	Caller Phone: (631) 738-5926
DEC Investigator: UNASSIGNED	Contact for more spill info: GLENN SPETTA	Contact Person Phone: (516) 738-5926

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/13/2000		UNKNOWN	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDRAULIC OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL


Caller Remarks:

HYDRAULIC OIL LEAK IN ELEVATOR SHAFT. MATERIAL CONFINED TO ELEVATOR SERVICE ROOM. BOOMS AND ABSORBANT PADS APPLIED. DOVER ELEVATOR NOTIFIED FOR REPAIR.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

1/13/00 16:15 TELECON BD, GLEN SPETTA, NOT IN, AS PER SECRETARY CALL FRANK PAOLICELLI AT 738-5461 IN AM FOR UPDATE

<b>Map Identification Number 60</b> 	<b>SYMBOL TECHNOLOGIES INC</b> 1 SYMBOL PLAZA	HOLTSVILLE, NY	<b>Spill Number: 9805541</b>	<b>Close Date: 11/20/1998</b> TT-Id: 520A-0255-368
<b>MAP LOCATION INFORMATION</b> Site location mapped by: MANUAL MAPPING (4) Approximate distance from property: 2334 feet to the NNW		<b>ADDRESS CHANGE INFORMATION</b> Revised street: NO CHANGE Revised zip code: 11742		
Source of Spill: TANK TRUCK	Notifier Type: Affected Persons	Spiller: MR RUTTERA – RUTTERA CONSTRUCTION	Spiller Phone:	
Caller Name: GLEN SPETTA	DEC Investigator: DONOVAN	Notifier Name: GLEN SPETTA	Notifier Phone: (516) 738-5926	
		Caller Agency: SYMBOL TECHNOLOGIES	Caller Phone: (516) 738-5926	
		Contact for more spill info: GLEN SPETTA	Contact Person Phone: (516) 738-5926	

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/31/1998		OTHER	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	2.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TANK WAS BROUGHT IN TO FILL CONSTRUCTION EQUIPMENT AND DURING THE COURSE OF THIS PROCESS THE SPILL OCCURRED THE GROUND CONTAMINATED HAS SINCE BEEN REMOVED BY THE CONTRACTOR

DEC Investigator Remarks:

APPROX 1 YARD SOIL REMOVED AS PER SYMBOL TECHNOLOGIES, SOIL SAMPLES TAKEN AND AVAILABLE FROM JIM RHODES AND PW GROSSER TWO DRUMS TAKEN TO JAMAICA RECYCLING, 10.5 TONS OF SOIL TAKEN TO POSILICO

**Map Identification Number 61** **KALMEYER QUALITY FLEET** **Spill Number: 9211984** **Close Date: 01/08/2004**  
 178 MORRIS AVENUE HOLTSMILLE, NY TT-Id: 520A-0169-901

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2580 feet to the NE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: KALMEYER QUALITY FLEET Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: FM CHUCK DORSEY Caller Agency: BROOKHAVEN FM Caller Phone: (516) 451-6262  
 DEC Investigator: RDDECAND Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/18/1993		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
MOTOR OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

WRECK TRUCKS, LARGE SPILL LEAK LEADING FROM PRP'S PROPERTY OFF INTO THE WOODS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DECANDIA CLEANUP COMPLETE, DISPOSAL REC'VD



**CLOSED STATUS HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – WITHIN 1/2 MILE SEARCH RADIUS.**  
 All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 62** **TOSCO PIPELINE** **Spill Number: 9901380** **Close Date: 11/01/1999**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-069

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: PETE MOLOSKI – TOSCO PIPELINE Spiller Phone: (516) 475-5060  
 Notifier Type: Responsible Party Notifier Name: PETE MILOSKI Notifier Phone: (516) 475-5060  
 Caller Name: PETE MILOSKI Caller Agency: TUSCO PIPELINE INC Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: PETE MOLOSKI Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/05/1999		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

LOOSE CONNECTION ON PIPE FITTING FOR PUMP – PRODUCT IS COMBINATION OF OIL,GAS AND WATER / MILLER ENVIRONMENTAL CONTACTED FOR CLEAN UP– SPILL WAS CAUSED BY GTI/IT GROUP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA LEAK FROM 1 PIPE, LEAKS BEEN STOPPED, ONTO PEA GRAVEL, 15 GALLONS, MEG ENROUTE

**Map Identification Number 63** **TOSCO** **Spill Number: 9825166** **Close Date: 01/28/2004**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-067

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: DAVID LAWRENSEN – TOSCO Spiller Phone: (516) 475-5060  
 Notifier Type: Responsible Party Notifier Name: DAVID LAWRENSEN Notifier Phone:  
 Caller Name: DAVID LAWRENSEN Caller Agency: TOSCO Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: DAVID LAWRENSEN Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/16/1998		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	628.00	GALLONS	628.00	GALLONS	SOIL

Caller Remarks:

TRUCK WAS LOADING AT TERMINAL. VALVE ON LOADING RACK DID NOT CLOSE PROPERLY, CAUSING OVERFILL OF TRUCK. OIL WENT ONTO PAVEMENT AND INTO CONTAINMENT TROUGH LEADING TO WASTE TANK. ALL OIL HAS BEEN PUSHED TO THE WASTE TANK (CLEANUP COMPLETE). ASKED HIM TO SEND DEC A REPORT.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA

98-162 12/18/98 ACAMPORA SPOKE WITH PETE MCLOSKEY AT TOSCO, CONTROL VALVE FOR RACK #1 EAST RACK FAILED DURING FILLING, RACK 1 OUT OF SERVICE UTNIL REPAIRS MADE, ALL PRODUCT ENTERED CONTAINMENT DRAINAGE AND INTO OILY WATER/WASTE OIL TANK

**Map Identification Number 64** **TOSCO PIPELINE COMPANY**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9810083**

**Close Date: 11/10/1998**  
 TT-Id: 520A-0179-066

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: PETE MILOSKI – TOSCO PIPELINE COMPANY	Spiller Phone: (516) 475-5060
Notifier Type: Responsible Party	Notifier Name: PHILLIP SPENPINATO	Notifier Phone: (516) 475-5060
Caller Name: PETE MILOSKI	Caller Agency: TUSCO PIPELINE INC	Caller Phone: (516) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info: PETE MILOSKI	Contact Person Phone: (516) 475-5060

**Category:** Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
**Class:** Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/10/1998		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	252.00	GALLONS	252.00	GALLONS	SOIL

**Caller Remarks:**

CALLER STATED THE LOADING VALVE DID NOT SHUT OFF CAUSING SPILL. SPILL IS CONTAINED AND CLEANED UP.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA SPILL OCCURED UNDER THE RACK #12, NO DRAINAGE WAS AFFECTED. WAS DOWN INTO A RACK DRAIN INTO COLLECTION TANK

11/10/98 13:46 ACAMPORA/PARISH ON SITE, MET WITH PETE MILOSKI OF TOSCO, SPILL CONTAINED IN RACK AREA, OIL/WATER ENTERED RACK SLIT DRAIN AND PUMPED TO WASTE OIL TANK #29 FOR DISPOSAL. NO ENVIRONMENTAL IMPACTE, NO ADDITIONAL ACTIONS REQ'D, CAN CLOSE 14:45 LEFT SITE

**Map Identification Number 65** **TOSCO PIPELINE COMPANY**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9806066**

**Close Date: 05/06/1999**  
 TT-Id: 520A-0179-064

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: RICHARD MARASAK  
 DEC Investigator: NJACAMPO

Spiller: RICHARD MARASAK – TOSCO PIPELINE COMPANY  
 Notifier Name: RICHARD MARASAK  
 Caller Agency: TOSCO PIPELINE CO  
 Contact for more spill info: RICHARD MARASAK

Spiller Phone: (516) 475-5060  
 Notifier Phone: (516) 475-5060  
 Caller Phone: (516) 475-5060  
 Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/15/1998		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	25.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

2 VALVE ACCIDENTALLY LEFT OPEN – DISCHARGED INTO VALVE PIT THAT CONTROLS VALVES THAT HOLDS TANK FOR OILY WATER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA 2 BALL VALVE, PUMP CAME ON. OILY RAINWATER FROM UNDER THE RACKS GOES INTO A 200K TANK. THEY WERE PUMPING WATER FROM PRODUCT TANKS. 400-500 GALLONS PUMPED OUT OF THE VALVE PIT, SEEPED OUT AROUND PVC PIPE WHICH WAS CUT THROUGH THE RING WALL. 2 CY WAS STOCKPILED

**Map Identification Number 66** **TOSCO PIPELINE INC**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9709921**

**Close Date: 12/03/1997**  
 TT-Id: 520A-0179-070

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742



Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: BENNETT FUEL SALES	Spiller Phone:
Notifier Type: Affected Persons	Notifier Name: THOMAS J MAGER	Notifier Phone:
Caller Name: PETE MILOSKI	Caller Agency: TOSCO PIPELINE INC	Caller Phone: (516) 475-5060
DEC Investigator: JEHAAS	Contact for more spill info: PETE MILOSKI	Contact Person Phone: (516) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/26/1997		HUMAN ERROR	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	360.00	GALLONS	360.00	GALLONS	SOIL

Caller Remarks:

NOTIFIER WAS FILLING HIS TANK TRUCK AND CLAIMS THAT THE FLOAT VALVE ON THE FUEL RACK MUST HAVE GOTTEN STUCK. ONTO SEALED CONCRETE. CLEANED UP. CALLER HAS NOT CONFIRMED AT THIS POINT IF HIS EQUIPMENT IS DEFECTIVE OR NOT AND THEREFORE BLAMES IT ON THE DRIVER.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was HAAS PER PETE MILOSKI SPILL WAS ON CONCRETE, WAS WASHED DOWN WITH WATER INTO CONTAINMENT AREA, THEN INTO A HOLDING TANK

**Map Identification Number 67**      **UNKNOWN**  
 586 UNION AVENUE

**Spill Number: 9707824**      **Close Date: 10/14/1997**  
 HOLTSVILLE, NY      TT-Id: 520A-0179-068

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL VEHICLE  
 Notifier Type: Responsible Party  
 Caller Name: PETE MILOSKI  
 DEC Investigator: AYLEUNG

Spiller: RHUE LEASING /PETROLIUM  
 Notifier Name: NICK COPPOLA  
 Caller Agency: TUSCO PIPELINE INC  
 Contact for more spill info:

Spiller Phone: (516) 454-0450  
 Notifier Phone:  
 Caller Phone: (516) 475-5060  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/02/1997		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
GASOLINE	PETROLEUM	35.00	GALLONS	35.00	GALLONS	SOIL

Caller Remarks:

WHEN DRIVER DISCONNECTED HOSE THE DISCONNECT VALVE FAILED ON TRUCK SPILL IS CLEANED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LEUNG TELECON WITH TUSCO PIPELINE, SPILL HOSED INTO OIL WATER SEPERATOR

<b>Map Identification Number 68</b>	<b>TOSCO TERMINAL</b>	<b>Spill Number: 9406916</b>	<b>Close Date: 02/20/2004</b>
	586 UNION AVENUE	HOLTSVILLE, NY	TT-Id: 520A-0179-063

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: 586 UNION AVE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: TOSCO TERMINAL	Spiller Phone:
Notifier Type: Other	Notifier Name:	Notifier Phone:
Caller Name: PETE MILOSKI	Caller Agency: TOSCO PIPELINE CO	Caller Phone: (516) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info:	Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/22/1994		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL MTBE (METHYL-TERT-BUTYL ETHER)	PETROLEUM HAZARDOUS MATERIAL	100.00 0	GALLONS UNKNOWN	0.00 0	GALLONS UNKNOWN	SOIL SOIL

Caller Remarks:

GASKET FAILURE WHILE PRESSURE TESTING PIPE, SPILL ONTO SOIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA ADDITIONAL INVESTIGATION AND CLEANUP HANDLED UNDER SPILL 86-04710

**Map Identification Number 69** **TOSCO PIPELINE** **Spill Number: 9312654** **Close Date: 04/21/1997**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-071

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: TOSCO PIPELINE	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: PETE MILOWSKI	Caller Agency: TOSCO PIPELINE	Caller Phone: (516) 475-5060
DEC Investigator: ACLAMANN	Contact for more spill info:	Contact Person Phone:

**Category:** Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
**Class:** Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/27/1994		EQUIPMENT FAILURE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE ADDITIVE	OTHER	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

PRESSURE GAUGE BROKE, SPILL IS CONTAINMENT AREA, CURRENTLY SHOVELING PRODUCT/ICE COMBO INTO DRUMS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was LAMANNO NO OTHER ACTIONS NEEDED

**Map Identification Number 70** **NORTHVILLE** **Spill Number: 8604673** **Close Date: 05/01/1987**  
 **UNION AVE MOSF** **HOLTSVILLE, NY** **TT-Id: 520A-0179-062**

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NORTHVILLE IND Spiller Phone: (516) 475-5060  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: SCHD Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/21/1986	05/01/1987	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

NVILLE NOTIFIED REG 1 ANS MACHINE/ SHOCK ARRESTER(?) AT LOADING RACK FAILED, AS PER SANTINO SCHD. CONTACT PETE NOLOWSKI.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was SCHD

FD

// : NORTHVILLE CLEANED UP. SCHD INVEST. MPC HIRED BY SPILLER 50 YDS REMOVED.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 71** **NORTHVILLE INDUSTRIES** **Spill Number: 1900128** **Close Date: 10/04/2019**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0353-210

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NORTHVILLE INDUSTRIES CORP Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: BXDONOVA Contact for more spill info: MICHAEL MATTEO Contact Person Phone: (516) 315-6119

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/03/2019		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
FOAM	OTHER	100.00	GALLONS	0.00	GALLONS	SEWER

Caller Remarks:  
 it went to the storm drain but is unknown if it is contained to the property. The cleanup is pending

DEC Investigator Remarks:  
 4/3/19 @ 2230 Hrs: NH spoke with FM Mike Mateo.. approximately 100 gallons of foam spilled from the fire suppressant system. Foam went to storm drains on the property .. that are piped back to an on-site oil –water separator. The foam that was released was manufactured in 2018. There was no fire or petroleum related spill.. foam only.

\*Release of fire fighting foam.  
 \*\*Referred to DR Hazardous Waste Remediation for tracking purposes.

**Map Identification Number 72** **NORTHVILLE INDUSTRIES**  
 586 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1405138**

**Close Date: 01/30/2015**  
 TT-Id: 520A-0300-479

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: NORTHVILLE INDUSTRIES  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: TOM MAUS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 753-4364

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/11/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	35.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

**Caller Remarks:**

spill to containment areas/clean up underway

**DEC Investigator Remarks:**

8/12/14 @ 1015 WG called Mr. Tom Maus No answer. Left message.

14:52 Tank #36 holding Red Dye for the the Fuel Oil and Kerosene spilled on soil and rocks around the tank. Spill was caused by equipment failure..clean up in progress.

8/22/14 FILE REASSIGNED

CLEANUP COMPLETED, APPROX 15 YDS, 9 TONS, REMOVED AND PROPERLY DISPOSED. NO FURTHER ACTIONS REQ'D

**Map Identification Number 73**



**HOLTSVILLE TERMINAL**

586 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1304746**

**Close Date: 10/16/2013**

TT-Id: 520A-0289-880

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)

Notifier Type: Responsible Party

Caller Name:

DEC Investigator: NJACAMPO

Spiller: tom maus – northville industries

Notifier Name:

Caller Agency:

Contact for more spill info: TOM MAUS

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/31/2013		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

RJP took call from Tom Maus. Due to equipment failure, release of oily water (fuel oil, possibly gasoline) to soil. Greater than 5 gallons. Cleanup pending.

**DEC Investigator Remarks:**

07/31/13 am: NA had inspected this facility and had directed Northville to report this incident. DR

SPILL IDENTIFIED DURING 2013 ANNUAL INSPECTION (MOSF) OF FACILITY TANK 27 CLEANUP PENDING

10/16/13 ACAMPORA REC'VD DISPOSAL RECPTS, APPROX 34 YARDS REMOVED AND PROPERLY DISPOSED, NO FURTHER ACTIONS REQ'D

**Map Identification Number 74**  **NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL** **Spill Number: 1303905** **Close Date: 12/20/2013**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0289-835

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: TOM MOUS – NORTHVILLE INDUSTRIES CORP Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: TOM MOUS Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/11/2013		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	100.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

**Caller Remarks:**

Tank overflow of gasoline additive spilled into containment. Cleanup is underway.

**DEC Investigator Remarks:**

07/12/13 @ 08:57: Acampora had telecon with Tom Maus at Northville. He provided the following details on the incident:

During off-loading of BP Invigorate gasoline additive to Tank 39, an overfill occurred resulting in a release to the containment area. Original estimates were approximately 5 gallons, however it is likely that the amount released will be increased.

Product overfilled tanks via the vent, ran down the shell and into the concrete containenta area. In addition, some product splashed over the concrete curbing into the cover stone of the main tank containment area. To date approximately 2.5 drums of liquid (water and product) collected fromt he concrete containment area and several drums of stone and sand removed from the main containment area. contamination did not advance or penetrate the liner of the main tank containment. Area of impact estimated at 10'Lx3'Wx1.5'D.

Investigation into cause has indicated that the Hi-Hi Alarm/Automatic Shut Off failed to function and restrict flow and the tank



gauge was out of calibration. This resulted in an inaccurate and low reading at the remote gauge readout.

Additional clean-up to be completed. Acampora to conduct follow-up inspection to verify clean-up complete and to verify operability of all hi level alarms and confirm calibrations are accurate. Northville is evaluating options to upgrade the facility to safely conduct monthly inspections of the hi level alarm systems (possible cat-walk across all tank tops). currently completed with a ladder at the time of annual inspections by this office.

Maus to advise on progress and when ready for inspection. Area to be covered with plastic.

ACAMPORA CONDUCTED INSPECTION OF AREA DRUING 7/31/13 MOSF/CBS INSPECTION. ADDITIONAL SOIL REMOVED REQ'D, NORTHVILLE HAS REMOVED TANK 39 FROM SERVICE TO DETERMINE CAUSE OF RELEASE. WILL CONDUCT FOLLOWUP INSPECTION TO CONFIRM CLENAUP COMPLETE. NORTHVILLE TO ADVISE WHEN READY

**Map Identification Number 75** **ROADWAY** **Spill Number: 1300001** **Close Date: 04/16/2013**  
 586 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0286-651

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: TANK TRUCK Spiller: HECTOR CAPINERI – ISLAND TRANSPORTATION CORP Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: RJPOCZKA Contact for more spill info: HECTOR CAPINERI Contact Person Phone: (516) 857-9775

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/2013		TRAFFIC ACCIDENT	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL
GASOLINE	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Spill caused by motor vehicle accident with a tanker truck

DEC Investigator Remarks:

04/01/13 @6:15 t/c to H.Carpinieri, he stated that loaded tractor-trailer tanker have got to collision with SUV right by the terminal, back compartment compromised, Cliff Rodd- ITC safety officer on the scene, 631-433-2109. @6:30 t/c to RobP-secondary, he will respond to the scene. (VP)

0715 RJP on location. Tank is sound, spill of 3-5 gallons diesel from outside plumbing. Potential small gasoline spill from passenger vehicle (first SCPD on location reported gasoline odor), tank and lines intact other than engine compartment. No recoverable product on roadway or in drains, washed away by FD. Tanker being emptied upon arrival. 0905 RJP off location. RJP.

4/4/13 1150 Hrs: RJP took call from Jim W of Island Transportation. Disputes claim of up to 5 gallon release. Agree product loss is unknown and may be as little as 1 gallon. RJP.

**Map Identification Number 76** **NORTHVILLE INDUSTRIES** **Spill Number: 1010532** **Close Date: 03/28/2011**  
 586 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0258-665

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: IRENE WALSH - MNS FUEL CORP  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: TOM MAUS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/11/2011		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	80.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

Caller Remarks:

spill at loading rack/contained, clean up underway

## DEC Investigator Remarks:

01/11/11 0930 Hrs: Left message for Maus. DR

01/11/11 0932 Hrs: Received NRC report 964236. DR

01/11/11 0932 Hrs (A): Maus called– this occurred at Lane 8 of the East rack.

01/11/11 0932 Hrs (B): The piping on the truck leaked just as the driver left the rack. The truck was brought back to the containment area at the rack, 'SO ALMOST ALL THE SPILLAGE WAS IN THE CONTAINMENT AREA'. The rest of the spillage was on concrete outside the containment area.

01/11/11 0932 Hrs (C): They have finished the cleanup in the containment area, and will now clean up the spillage outside the containment area. DR

1/12/11 15:55 ACAMPORA HAD TELECON WITH TOM MAUS, MAJORITY OF PRODUCT ENTERED SLIT DRAIN ALONG TRUCK RACK AREA, EAST RACK, ALL PRODUCT THEN FLOWED TO ON SITE O.W.S, HOWEVER, WHEN TANKER TRUCK PULLED UP TO OFFICE, ADDITIONAL OIL WAS FOUND SPILLING FROM REAR OF TANKER ONTO PAVEMENT. SOME PRODUCT ENTERED YARD DRAINAGE, UNK HOW MUCH, NORTHVILLE HIRED METRO TO PUMPED ALL DRAINS, NO PRODUCT FOUND AT ON SITE RECHARGE BASIN, BUT ABSORBANT BOOM DEPLOYED AS A PRECAUTION, UNK AMT OF SOLIDS GENERATED, HE WILL ADVISE WHEN KNOWN, WILL SET UP INSPECTION NEXT WEEK TO VERIFY STATUS

1/24/11 14:41 ACAMPORA ON SITE, MET WITH TOM MAUS, DISCUSSED CLEANUP ACTIONS TAKEN, ALL DRAINS APPEARED CLEAN,OUTFALL HAS BOOM DEPLOYED UNTIL NEXT PRECIPITATION EVENT. WIL SEND DISPOSAL OF SOLID WASTE ASAP, ALL LIQUID WASTE 3/15/11 10:51 ACAMPORA LEFT MESSAGE FOR T MAUS REGARDING STATUS OF DISPOSAL RECPTS 3/28/11 REC'VD CLOSURE REPORT AND DISPOSAL REPTS

**Map Identification Number 77****NORTHVILLE TERMINAL**

586 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1008291****Close Date: 03/28/2011**

TT-Id: 520A-0258-572

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (&gt;400,000 GAL)

Notifier Type: Responsible Party

Caller Name:

DEC Investigator: NJACAMPO

Spiller: TOM MAUS – NORTHVILLE INDUSTRIES CORP

Notifier Name:

Caller Agency:

Contact for more spill info: JOE INGARRA

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/08/2010		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ETHYLENE GLYCOL	HAZARDOUS MATERIAL	25.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Caller advised 25 gallons of ethylene glycol spilled onto concrete containment area. Cleanup is in process.

DEC Investigator Remarks:

11/8/10 TJD T/C with Tom Maus @Northville. Seal leak on pump for Vapor Recovery Unit. Discovered inside secondary containment this morning. Northville personnel have stopped leak and are working on recovery into drums.

11/15/10 13:25 ACAMPORA HAD TELECON WITH TOM MAUS AT NORTHVILLE, PRODUCT USED AS A SEALANT FLUID FOR A VACUUM PUMP AT VRU, ON SEAL FAILED CAUSING RELEASE OF PRODUCT TO SECONDARY CONTAINMENT AREA, 2-55 DRUMS OF CONCENTRATED PRODUCT COLLECTED, 3-55 GAL DRUMS OF MIXTURE OF WATER AND PRODUCT, AWAITING DISPOSAL RECPTS, SEAL REPAIRED,

1/24/11 14:41 ACAMPORA ON SITE, MET WITH TOM MAUS OF NORTHVILLE, STILL AWAITING DISPOSAL, DELAYS DUE TO WEATHER, EXPECT DRUMS TO BE REMOVED SHORTLY, WILL SUBMIT DOCUMENTATION AS SOON AS POSSIBLE NOTE: PART OF DELAY WAS DUE TO NORTHVILLE CONSOLIDATING WASTE GENERATED DUE TO THIS SPILL AND OTHER SIMILAR WASTE DUE 14:45 LEFT SITE

3/14/11 10:51 ACAMPORA LEFT MESSAGE FOR TOM MAUS REGARDING DISPOSAL RECPTS

Map Identification Number 78



**NORTHVILLE INDUSTRIES**

586 UNION AVENUE

HOLTSVILLE, NY 11742

Spill Number: 0906014

Close Date: 09/13/2010

TT-Id: 520A-0232-443

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)

Notifier Type: Other

Caller Name:

DEC Investigator: TJDEMEO

Spiller: JASON BRAZIER - NORTHVILLE INDUSTRIES

Notifier Name:

Caller Agency:

Contact for more spill info: JASON BRAZIER

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/23/2009		HUMAN ERROR	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ETHANOL	OTHER	200.00	GALLONS	0.00	GALLONS	
ETHANOL	OTHER	200.00	GALLONS	0.00	GALLONS	

Caller Remarks:

line was struck by vehicle; contained in loading rack containment area; cleaned up with water.

ECO Complaint number : 09-013686

DEC Investigator Remarks:

08-23-09 As per Tim, several gallons of diesel spilled on the site due to human error. An unknown amount of diesel was discharged to the site drainage leading to the oil/water separator. Metro Environmental responded to the site and recovered approx. 35 gal of diesel from the pipe. Multiple agencies and DEC personal responded to the site. (WG)

8/23/09 TJD Recall. Site inspection. Fuel delivery truck @loading rack rolled forward with open door causing damage to piping @loading rack. Product was determined to be regular gasoline. All discharged product was contained within rack area and was transferred via site drainage to a holding tank for decanting/reuse. No soil or uncontrolled drainage was impacted by discharge. Facility to make repairs to system prior to return to service of affected piping. Nick Acampora advised of inspection results and will perform follow-up during next MOSF inspection.

9/13/10 TJD File review. No further action is required.

Map Identification Number 79



**NORTHVILLE INDUSTRIES CORP**  
586 UNION AVENUE

HOLTSVILLE, NY

Spill Number: 0810071

Close Date: 01/02/2009  
TT-Id: 520A-0224-475

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: TOM MAUS – NORTHVILLE INDUSTRIES CORP Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: njacampo Contact for more spill info: TOM MAUS Contact Person Phone: (631) 753-4364

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/09/2008		EQUIPMENT FAILURE	NO		NO	


  

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
ETHANOL	OTHER	5.00	GALLONS	0.00	GALLONS	

Caller Remarks:

CALLER STATES THAT DUE TO A LEAKING FLANGE GASKET ABOUT 5 GALLONS OF PRODUCT SPILLED TO THE SECONDARY CONTAINMENT AREA. CLEAN UP IS PENDING.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 80** **NORTHVILLE INDUSTRIES** **Spill Number: 0611245** **Close Date: 07/16/2008**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0174-978

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NICK CARICOLA JR – ABOVE ALL HEATING Spiller Phone: (631) 363-6186  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: CHRIS OR JOE Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/09/2007		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	8.00	GALLONS	8.00	GALLONS	SOIL

Caller Remarks:

SPILLED DURING FILL UP FROM TANK TO TRUCK AND IS ALL CLEANED UP: DRAINS WERE NOT EFFECTED

DEC Investigator Remarks:

1/9 13:23 CALLED CHRIS, FUEL OIL TRUCK WAS TAKING ON 750 GALS OF FUEL OIL, DRIVER DID NOT PAY ATTENTION AND OVERFILLED TRUCK, CHRIS INSPECTED, 8-10 GALS ON PAVEMENT, OIL WAS FLUSHED TO OIL/WATER SEPARATOR

**Map Identification Number 81** **HOLTSVILLE TERMINAL NORTHVILLE** **Spill Number: 0608537** **Close Date: 12/06/2006**  
 586 UNION AVENUE HOLTSVILLE, NY 11742 TT-Id: 520A-0174-974

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL VEHICLE Spiller: JASON CHESNOWITZ (OWNER) – NATIONAL FUEL CORP Spiller Phone: (631) 244-8211  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: JOE INGARRA Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/25/2006		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	140.00	GALLONS	140.00	GALLONS	SOIL

Caller Remarks:

Driver error caused the spill. Material was released into a secondary containment unit within the terminal. Clean up is completed.

DEC Investigator Remarks:

25 OCT – 1510 CALLED PECORINO – CONFIRMS ABOVE INFO – AMOUNT IS ESTIMATE BASED ON WHAT DRIVER LOADED, HOW MUCH WAS IN TRUCK, ETC – SPILLED OIL GOES TO OIL/WATER SEPARATOR

ACAMPORA HAD TELECON WITH PETE MILOSKI, SPILL IN RACK AREA, DIRECTLY TO OW SEP AND HOLDING TANK, NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 82**      **NORTHVILLE INDUSTRIES**      **Spill Number: 0510131**      **Close Date: 02/06/2006**  
 586 UNION AVENUE      HOLTSVILLE, NY      TT-Id: 520A-0179-081

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: INGARRA,JOE – NORTHVILLE INDUSTRIES	Spiller Phone: (631) 831-7822
Notifier Type: Responsible Party	Notifier Name: INGARRA, JOE	Notifier Phone: (631) 475-5060
Caller Name: INGARRA, JOE	Caller Agency: NORTHVILLE INDUSTRIES	Caller Phone: (631) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info: INGARRA,JOE	Contact Person Phone: (631) 831-7822

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/26/2005		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

Gasket failed at a butterfly valve. Over 5 gallons of fuel oil spilled into containment system ( Tank Farm) .

DEC Investigator Remarks:



11/26/05 TELECON WITH JOE AT NORTHVILLE, ALL IMPACTES INSIDE CONTAINMENT, NO POOLING PRODUCT, TRANSFER SHUT DOWN, LINE DEPRESSURIZED, CLEANUP TO START MONDAY

11/29/05 15:03 ACAMPORA HAD TELECON WITH JOE INGARRA OF NORTHVILLE, WHILE SWINGING PRODUCT FROM ENTERING TANK 5 TO TANK 17, GASKET ON VALVE FAILED CAUSING PRODUCT TO SPILL INTO CONTAINMENT AREA, 4'X8' AREA EXPOSED, AWAITING INSPECTION, APPARENTLY DID NOT PENETRATE LINER

**Map Identification Number 83** **NORTHVILLE** **Spill Number: 0510058** **Close Date: 11/28/2005**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-082

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOE INGARRA – NORTHVILLE INDUSTRIES Spiller Phone: (631) 475-5060  
 Notifier Type: Responsible Party Notifier Name: JOE INGARRA Notifier Phone: (631) 475-5060  
 Caller Name: JOE INGARRA Caller Agency: NORTHVILLE INDUSTRIES COR Caller Phone: (631) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: JOE INGARRA Contact Person Phone: (631) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/23/2005		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	170.00	GALLONS	170.00	GALLONS	SOIL

Caller Remarks:

material all contained. no release into the environment.

DEC Investigator Remarks:

11/23 08:40 CALLED INGARRA, OCCURRED AT LOADING RACK WHILE FILLING TRUCK, VALVE WOULD NOT CLOSE, CONTAINED AROUND RACK, CLEANED UP

11/23/05 17:15 ACAMPORA LEFT MESSAGE FOR CALL BACK

11/23/05 18:00 ACAMPORA HAD TELECON WITH JOE INGARRA AT NORTHVILLE. SPILL WAS RESULT OF BAD VALVE, VALVE #1 AT RACK POSITION #1, DURING FILLING OPS, SPRAGUE TRUCK, VALVE STUCK IN OPEN POSITION. PRODUCT REMAINED IN RACK AREA AND DRAIN WHICH LEAD TO O/W SEP. SEP PUMPED OUT, APPROX 1 DRUMS OF SOLID WASTE GENERATED. WILL BE DISPOSED OF WITH OTHER MATERIALS

**Map Identification Number 84** **NORTHVILLE HOLDING CORP** **Spill Number: 0407403** **Close Date: 10/05/2004**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-080

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: NEAL LAVAN – NORTHVILLE HOLDING CORP Spiller Phone: (631) 475-5060  
 Notifier Type: Responsible Party Notifier Name: NEAL LAVAN Notifier Phone: (631) 475-5060  
 Caller Name: NEAL LAVAN Caller Agency: NORTHVILLE HOLDING CORP Caller Phone: (631) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: NEAL LAVAN Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/04/2004		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	75.00	GALLONS	0.00	GALLONS	SOIL


Caller Remarks:

CONTROL VALAVE DID NOT SHUT DOWN: ALL CONTAINED: CO. ENROUTE TO CLEAN UP: IT WAS WASHED INTO A WATER TREATMENT SYSTEM:

DEC Investigator Remarks:

10/04/04 TELECON WITH NEAL LAVAN, NORTHVILLE, CONTROL VALVE AT THE RACK FAILED, TRUCK OVERFILLED 75 GALLONS, SPILLAGE WAS WASHED INTO THE DRAINAGE AROUND THE RACK AREA WHICH IS CONTAINED AND TREATED

10/5/04 ACAMPORA HAD TELECON WITH NEAL LAVAN, SPILL AT WEST RACK, BAY 16, CONTROL VALVE FAILURE, BAY SHUT DOWN UNTIL REPAIRS ARE MADE, CLEANUP COMPLETE, NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 85**  **TOSCO PIPELINE**  
586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0303523**

**Close Date: 10/20/2003**  
TT-Id: 520A-0179-077

**MAP LOCATION INFORMATION**  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name: JOSEPH INGARRA  
DEC Investigator: NJACAMPO

Spiller: PETE MILOSKI – TOSCO PIPELINE  
Notifier Name: JOSEPH INGARRA  
Caller Agency: TOSCO PIPELINE CO  
Contact for more spill info: CALLER

Spiller Phone: (631) 475-5060  
Notifier Phone: (631) 475-5060  
Caller Phone: (631) 475-5060  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/03/2003		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	100.00	GALLONS	100.00	GALLONS	SOIL

**Caller Remarks:**

valve would not close on tank. all clean

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA SPOKE WITH INGARRA-SPILL TO CONTAINMENT AREA, AND HAS BEEN CLEANED UP, REPLACING VALVE

SPILL AT RACK (TRUCK RACK) PRODUCT STORED IN WASTE WATER/OIL TANK,NO ENVIRONMENTAL IMPACT

**Map Identification Number 86** **UNKNOWN**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0300006**

**Close Date: 04/02/2003**  
 TT-Id: 520A-0179-076

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: PETE MILOSKI  
 DEC Investigator: NJACAMPO

Spiller: TOSCO  
 Notifier Name:  
 Caller Agency: TOSCO PIPELINE  
 Contact for more spill info: PETE MILOSKI

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/2003		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	55.00	GALLONS	55.00	GALLONS	SOIL

Caller Remarks:

appears a valve may have malfunctioned – they are investigating all material contained to retainment area

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA 4/1 LEFT MESSAGE FOR MILOSKI 4/1 MILOSKI CALLED, CONTROL VALVE AT LOADING RACK, 55 GAL + 30 GALS SPILLED, INTO SECONDARY CONTAINMENT THAT HAS OIL/WATER SEPARATOR, HAS BEEN CLEANED UP

4/2/03 ACAMPORA ON SITE, MET WITH PETE MILOSKI-EQUIPMENT FAILURE VALVE AT ROCK #11, WEST RACK, SPILL ON CONCRETE CONTAINMENT.PRODUCT DIRECT TO SLIT DRAIN WHICH DISCHARGES TO D/W SEP.NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 87**  **TOSCO PIPELINE**  
586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0209559**

**Close Date: 12/17/2002**  
TT-Id: 520A-0179-075

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name: PETE MILOSKI  
DEC Investigator: UNASSIGNED

Spiller: PETE MILOSKI – TOSCO PIPELINE  
Notifier Name:  
Caller Agency: TOSCO PIPELINE  
Contact for more spill info: PETE MILOSKI

Spiller Phone: (631) 475-5060  
Notifier Phone:  
Caller Phone: (631) 475-5060  
Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/17/2002		EQUIPMENT FAILURE	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	100.00	GALLONS	100.00	GALLONS	SOIL

Caller Remarks:

MALFUNCTION OF CONTROL VALVE CAUSED RELEASE – SPILL WAS ON CONTAINMENT AND CLEANED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE 12/17/02 TELECON CALLER-SPILL TO IMPERVIOUS SURFACE, TOSCO PERSONNEL HANDLED CLEANUP, LOADING RACK IS SECURED, #2 FUEL, VALVE TO BE REPAIRED. 12:42 ACAMPORA HAD TELECON WITH PETE MILOSICI, SPILL AT RACK #15, CONTAINED IN RACK AREA, PRODUCT DIRECTED TO SUIT DRAIN INTO STORAGE TANK, EQ FAILURE, VALVE FAILED TO SHUT DOWN, REPLACEMENT PARTS ORDERED, RACK OF OUT SERVICE UNTIL REPAIRS COMPLETED, NO RESPONSE

**Map Identification Number 88** **TOSCO PIPELINE** **Spill Number: 0106880** **Close Date: 03/06/2002**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-074

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: PETE MILOSKI – TOSCO PIPELINE Spiller Phone: (631) 475-5060  
 Notifier Type: Responsible Party Notifier Name: PETE MILOSKI Notifier Phone: (631) 475-5060  
 Caller Name: PETE MILOSKI Caller Agency: TOSCO PIPELINE Caller Phone: (631) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: PETE MILOSKI Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/03/2001		EQUIPMENT FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

still trying to locate source of the problem

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA NEAR VAPOR RECOVERY SYSTEM INTO SOIL, MEG ENROUTE TO CLEANUP THIS AFTERNOON

10/10/01 ACAMPORA ON SITE WITH PETE MILOSKI, HE ESCORTED DEC TO SUBJECT TANK AREA, VAPOR RECOVERY TANK LOCATED NEAR GASOLINE TRUCK RACK AREA, ACCORDING TO MR MILOSKI, VAPOR RECOVERY TANK HAS AN INTERNAL VAPOR BARRIER WHICH RISES AND FALLS ACCORDING TO THE AMT OF GASOLINE VAPORS PRESENT. THE BARRIER IS ATTACHED TO THE TANK AROUND THE ENTIRE CIRCUMFERENCE. IT ALSO HAS A SMALL WEIGHT IN THE MIDDLE TO HOLD IT DOWN WHEN NECESSARY. JUST PRIOR TO THE RELEASE A VALVE WAS INADVERTENTLY LEFT PARTIALLY OPEN ALLOWING AN EXCESSIVE AMT OF VAPOR TO ENTER THE TANK. THE INTERIOR BARRIER INFLATED AND PRODUCT WAS OBSERVED COMING OUT OF THE TANK VENTS. INVESTIGATION REVEALED THAT CONDENSATION OF PRODUCT COLLECTED ON TOP OF THE BARRIER BECAUSE THE BARRIER WAS POROUS. THE CONDENSATE THEN FLOWED OUT OF THE VENTS WHEN THE BARRIER WAS INFLATED. NO CRACKS OR TEARS APPEAR TO BE THE CAUSE. AS PER PETE MILOSKI, THE BARRIER WILL BE REPLACED AS SOON AS POSSIBLE AS A PRECAUTION. THE SPILLAGE WAS ON SOIL AROUND TANK DIRECTLY BELOW VENTS, ADDITIONAL EXCAVATION WORK REQ'D

**Map Identification Number 89** **TOSCO- HOLTSVILLE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0025017**

**Close Date: 06/02/2000**  
 TT-Id: 520A-0179-061

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: STEVE WUERTZ  
 DEC Investigator: NJACAMPO

Spiller: TIMUR TERPIS - CONSOLIDATED BULK CARRIER  
 Notifier Name:  
 Caller Agency: TOSCO- HOLTSVILLE  
 Contact for more spill info: STEVE WUERTZ

Spiller Phone: (631) 893-0091  
 Notifier Phone:  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/20/2000		HUMAN ERROR	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	150.00	GALLONS	150.00	GALLONS	SOIL

Caller Remarks:

DRAINAGE PLUGS IN TANK TRUCK WERE NOT IN PLACE WHEN TRUCK WAS BEING FILLED. GAS WAS CONTAINED. TOSCO HAS CLEANED UP. (DEC NICK ACAMPORA WILL BE CHECKING TODAY).

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA 00-013

**Map Identification Number 90** **RESIDENTIAL**  
 606 UNION AVE

HOLTSVILLE, NY

**Spill Number: 2001790**

**Close Date: 08/13/2020**  
 TT-Id: 520A-0363-926

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 538 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: TRANSFORMER  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: HMCIRRIT

Spiller: BILLY STUBER – PSEG  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: BILLY STUBER

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (917) 578-0161

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/11/2020		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
TRANSFORMER OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	


Caller Remarks:

appx 1 gal of proidct freed to blue stone. clean up pending.

DEC Investigator Remarks:

06/11/20 1157hrs: t/c Billy. Transformer over pressurized and as a safety mechanism, spray approximately 1 gallon out the top to blue stone. Miller and PSEG crews enroute. non pcb oil (JN)

PER PSEG INCIDENT DESCRIPTION: MEG removed all impacted bluestone and placed absorbent track mats around bank transformer

**Map Identification Number 91**  **RIVER CONTRACTING** **Spill Number: 1206883** **Close Date: 04/04/2019**  
 9 CLAREMONT AVENUE HOLBROOK, NY TT-Id: 520A-0279-055

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 762 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Health Department  
 Caller Name:  
 DEC Investigator: BDBARREY

Spiller: RIVER CONTRACTING  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: EVA LAMMERS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 854-2501 ext. 2  
 ext: 2546



Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/12/2012		HOUSEKEEPING	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

stains to soil under tank truck/truck does not have current NY reg.

DEC Investigator Remarks:

10/12/12 1215 Hrs: Left message for Lammers. DR

10/15/12 1310 Hrs: Left message for Lammers. DR

10/15/12 1455 Hrs (A): Lammers called concerning another matter. She said she had gone here by mistake while looking for another facility on this street.

10/15/12 1455 Hrs (B): While there, she noticed this tank truck that did not appear to be road-worthy and that was being used as a stationary tank.

10/15/12 1455 Hrs (C): There was a stain on the ground under the truck, and she believed the stain was approximately 5ft in diameter. DR

10/16/12 FILE REASSIGNED

10/22/18 FILE REASSIGNED

\*RNC excavated impacted bluestone and soils down to geotextile barrier and removed barrier. No impact observed in soils screened by PID below barrier. Approximately 20 Tons of non hazardous petroleum impacted material disposed of at Bayshore Recycling Inc. No further action required.

**Map Identification Number 92**  **RIVER AVE CONTRACTING**  
CLAREMONT AVE/UNION AVE

HOLBROOK, NY

**Spill Number: 0025299**

**Close Date: 11/13/2000**  
TT-Id: 520A-0159-034

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
Approximate distance from property: 762 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Citizen  
Caller Name: ANONYMOUS  
DEC Investigator: UNASSIGNED

Spiller: RIVER AVE CONTRACTING  
Notifier Name:  
Caller Agency: CITIZEN  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (000) 000-0000  
Contact Person Phone: (631) 585-9000

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/11/2000		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL


**Caller Remarks:**

NOTICED STRONG FUEL ODOR IN AREA. OBSERVED THAT SPILL HAD OCCURRED AT RIVER AVE CONSTRUCTION. APPARENTLY FROM A 55 GALLON DRUM. LOCATED IN THE AREA WHERE THEY PARK THEIR TRUCKS. \*\*\*SAME AS 0025298\*\*\*

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

00-137 \*\*\*SAME AS 0025298\*\*\*

**Map Identification Number 93** **RIVER AVENUE CONTRACTING** **Spill Number: 0025298** **Close Date: 08/12/2015**  
 9 CLAREMONT/UNION HOLBROOK, NY 11741 TT-Id: 520A-0166-226

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 762 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: 9 CLAREMONT AV  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RIVER AVENUE CONTRACTING Spiller Phone: (631) 585-9000  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: ANDRE GRASSO Caller Agency: CITIZEN Caller Phone: (631) 544-6005 ext. 1  
 ext: 1

DEC Investigator: CAENGELH Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/10/2000		HUMAN ERROR	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	55.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

CALLER IS HAVING HOUSE BUILT ON FURROWS ROAD. NOTICED FUEL OIL ODOR SATURDAY. HE TRACED IT TO THIS BUSINESS, WHERE HE COULD SEE PUDDLES OF RED FUEL OIL ON GROUND. HE SPOKE TO THEM, AND THEY ADMITTED PUNCTURING A DRUM OF FUEL OIL. \*\*\*SAME AS 0025299\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ENGELHARDT 00-137 \*\*\*SAME AS 0025299\*\*\*

Four drums (1 ton) contaminated soil removed.- C.E., 12/7/2000

**Map Identification Number 94** **EXCEL TRUCKING**  
 1 CLAREMONT AVENUE

HOLTSVILLE, NY

**Spill Number: 9501927**

**Close Date: 06/05/1995**  
 TT-Id: 520A-0170-553

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 772 feet to the WSW

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Local Agency  
 Caller Name: FM DARAY  
 DEC Investigator: SCHULZ

Spiller: EXCEL TRUCKING  
 Notifier Name:  
 Caller Agency: TOWN OF BROOKHAVEN  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 451-6270  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/16/1995	06/05/1995	HOUSEKEEPING	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

STAINS AROUND 275 GAL A/G TANK USED TO FILL TRUCKS, S.D LOCATED IN AREA WITH POSS CONTAMINATION PER FM

**DEC Investigator Remarks:** NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 95** **HOLTSVILLE LNG PLANT**  
 605 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9100962**

**Close Date: 04/25/1991**  
 TT-Id: 520A-0179-105

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: FRED WILCOX – LILCO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: LILCO	Caller Agency: RICHARD COONEY	Caller Phone: (516) 933-4272
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/23/1991	04/25/1991	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

LILCO WAS TRANSFERRING FUEL OIL FROM TANKER TRUCK TO 55 GAL DRUM. DRUM LEAKED, AREA AROUND DRUM CONTAMINATED. CLEANUP IN PROGRESS, DIGGING UP SOIL & PUTTING INTO DRUM

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE 04/25/91: PHONE CONV WITH BOB KOEBEL, LILCO, SPILL HAS BEEN CLEANED UP, DEBRIS DRUMMED. DEBRIS DISPOSAL REFERRED TO JOE FISCHERA

NORTH SIDE OF UNION, 2000FT W/O MORRIS AVENUE

<b>Map Identification Number 96</b>	<b>LILCO</b>	<b>Spill Number: 8908529</b>	<b>Close Date: 11/28/1989</b>
	HOLTSVILLE LNG PLANT	HOLTSVILLE, NY	TT-Id: 520A-0179-109

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: LILCO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: EDWARD SINRAM	Caller Agency: LILCO	Caller Phone: (516) 933-4272
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/28/1989	11/28/1989	EQUIPMENT FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

PACKING GLAND ON VALVE LEAKED. VALVE WAS FIXED. JUST FLOOD WITH BLEACH. NO RESPONSE NEEDED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was NONE

FD 10/10/95: This is additional information about material spilled from the translation of the old spill file: GAS ODORANT.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

<b>Map Identification Number 97</b>	<b>SUBSTATION</b>	<b>Spill Number: 0703085</b>	<b>Close Date: 10/09/2008</b>
	605 UNION AVENUE	HOLTSVILLE, NY	TT-Id: 520A-0179-095

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 784 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL VEHICLE	Spiller: ROB LOWE – SUBSTATION	Spiller Phone: (646) 235-0404
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: ROB LOWE	Contact Person Phone: (646) 235-0404

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/14/2007		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDRAULIC OIL	PETROLEUM	30.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

LINE BLEW AND IS ALL CONTAINED AND WILL BE CLEANED UP

DEC Investigator Remarks:

15:40 PER LOWE, HYDRAULIC LINE BURST, SPILL TO BLUESTONE, APPROX 20 ' RADIUS IMPACTED, CREW ENROUTE WITH GUZZLER

**Map Identification Number 98**  **DAVID NAVA** **Spill Number: 9825044** **Close Date: 01/21/1999**  
 UNION & CLAREMONT HOLBROOK, NY TT-Id: 520A-0170-552

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 834 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: UNION AV / CLAREMONT AV  
 Revised zip code: 11741

Source of Spill: COMMERCIAL VEHICLE Spiller: DAVID NAVA – DAVID NAVA Spiller Phone: (516) 738-0800  
 Notifier Type: DEC Notifier Name: GARY ENRIGHT NYS CONSERVATION ECO Notifier Phone:  
 Caller Name: GARY ENRIGHT Caller Agency: NYS CONSERVATION ECO Caller Phone: (516) 444-0250  
 DEC Investigator: COSTELLO Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/16/1998		DELIBERATE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
MOTOR OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SEWER

Caller Remarks:

SPILLER WAS CAUGHT BY ECOS DUMPING OIL IN SEWER BEHIND NEXTEL BUILDING. SUMMONS ISSUED BY ECOS. SPILLER ON SITE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was COSTELLO

98-109 COSTELLO INSPECTED ON 1/15/99, NO FURTHER ACTION,CAN BE CLOSED

**Map Identification Number 99**      **UNKNOWN**      **Spill Number: 9900029**      **Close Date: 06/08/1999**  
      DEAD END CLAREMONT AVENUE      HOLBROOK, NY      TT-Id: 520A-0177-780

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 922 feet to the SW

ADDRESS CHANGE INFORMATION

Revised street: CLAREMONT AVENUE  
 Revised zip code: 11741

Source of Spill: UNKNOWN	Spiller: UNKNOWN	Spiller Phone:
Notifier Type: Local Agency	Notifier Name: WASTE MANAGEMENT	Notifier Phone: (516) 451-6274
Caller Name: RICHARD HAHN	Caller Agency: TOWN OF BROOKHAVEN/	Caller Phone: (516) 451-6274
DEC Investigator: BMFORD	Contact for more spill info: RICHARD HAHN	Contact Person Phone: (516) 451-6262

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/1999		DELIBERATE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	8.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

END OF DEAD END SOMEONE THREW AWAY WASTE OIL

DEC Investigator Remarks:



Prior to Sept, 2004 data translation this spill Lead\_DEC Field was FORD 1-5 GAL WATER BOTTLE HAD BEEN FULL BUT SPILLED ON GROUND, 1-5 GAL WATER BOTTLE APPROX 1/2 FULL NOW HAD SPILLED THE OTHER HALF HE PUT RAG IN TO SEAL, 1-275 GAL TANK EMPTY, TOWN TO TAKE, HAVE BEEN THERE SOMETIME

4/13/99 FORD ON SITE, 2-5 GAL JUGS 1 WITH WASTE OIL

**Map Identification Number 100** **UNK** **Spill Number: 9212143** **Close Date: 09/08/2004**  
 **SO END CLAREMONT AVENUE** **HOLBROOK, NY** **TT-Id: 520A-0177-781**

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING (5)**  
 Approximate distance from property: **922 feet to the SW**

**ADDRESS CHANGE INFORMATION**

Revised street: **SOUTH END OF CLAREMONT AVE**  
 Revised zip code: **11741**

Source of Spill: <b>UNKNOWN</b>	Spiller: <b>UNK</b>	Spiller Phone:
Notifier Type: <b>Health Department</b>	Notifier Name:	Notifier Phone:
Caller Name: <b>BRIAN COOKE</b>	Caller Agency: <b>SCDH</b>	Caller Phone: <b>(516) 854-2502</b>
DEC Investigator: <b>RDDECAND</b>	Contact for more spill info:	Contact Person Phone:

Category: **Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.**  
 Class: **Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/16/1992		DELIBERATE	YES	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

**PILE OF SOIL 50-70 YDS W/DISTINCT ODOR OF DIESEL AND/OR #2 WAS DUMPED ON VACANT LOT, SCDH REC'VD COMPLAINT 11/16 TOOK SOIL TO LAB**

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was **DECANDIA**

**Map Identification Number 101** **FERAD CONCRETE**  
 620 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9825215**

**Close Date: 07/07/1999**  
 TT-Id: 520A-0172-888

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1202 feet to the ENE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: DEC  
 Caller Name: CHAD DONK  
 DEC Investigator: COSTELLO

Spiller: MANUEL FERREIRA – FERAD CONCRETE  
 Notifier Name: CHAD DONK  
 Caller Agency: NYS DEC  
 Contact for more spill info: MANUEL FERREIRA

Spiller Phone: (516) 654-8181  
 Notifier Phone: (516) 744-5142  
 Caller Phone: (516) 444-0250  
 Contact Person Phone: (516) 654-8181

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/28/1999		HOUSEKEEPING	YES	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL
WASTE OIL/USED OIL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

SLOPPY HOUSEKEEPING / SPILL TO CONCRETE AND SOIL / ECO HAS CONTACTED RP AND EXPLAINED THAT THE SPILLS UNIT HAS BEEN NOTIFIED AND A CLEAN-UP WILL BE NECESSARY.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was COSTELLO 98-183 CONTAMINATED SOIL SCRAPPED UP AND PROPERLY DISPOSED OF. CONCRETE CONTAINMENT SET UP FOR OILS

**Map Identification Number 102**  **LILCO** **Spill Number: 9507224** **Close Date: 09/22/1995**  
 HOLTSVILLE PLANT HOLTSVILLE, NY TT-Id: 520A-0179-100

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Federal Government Notifier Name: Notifier Phone:  
 Caller Name: PETTY OFFICER Caller Agency: USCG Caller Phone: (203) 468-4460  
 DEC Investigator: WJPARISH Contact for more spill info: Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/13/1995	09/22/1995	EQUIPMENT FAILURE	YES	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NATURAL GAS	OTHER	0	GALLONS	0	GALLONS	SOIL
UNKNOWN PETROLEUM	PETROLEUM	50000	GALLONS	0	GALLONS	SOIL

Caller Remarks:

A/G STORAGE TANK RUPTURED CAUSING PRODUCT TO RELEASED, MEG ON SITE CLEANING UP INSULATING MATERIAL PERLITE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was PARISH 09/22/95: NO OTHER ACTION NEEDED BY SPILL UNIT.


**Map Identification Number 103**  **NYPA** **Spill Number: 2107783** **Close Date: 11/23/2021**  
 607 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0376-978

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL

Spill Date	Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Cause of Spill
11/20/2021	OPACITY EXCURSION	OTHER	0.00	UNKNOWN	0.00	UNKNOWN	EQUIPMENT FAILURE

**Map Identification Number 104**  **NY POWER**  
607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 2004236**

**Close Date: 08/11/2020**  
TT-Id: 520A-0366-625

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Other  
Caller Name:  
DEC Investigator: Unassigned

Spiller: MESA PERRY – NY POWER  
Notifier Name:  
Caller Agency:  
Contact for more spill info: MESA PERRY

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone: (347) 752-0793

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/07/2020		EQUIPMENT FAILURE	NO	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	54.80	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

grid disturbance

**DEC Investigator Remarks:**

Referred to Division of Air. ME

**Map Identification Number 105** **NY POWER AUTHORITY PLANT** **Spill Number: 2002021** **Close Date: 06/22/2020**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0363-946

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: BERRY NATHA – NY POWER AUTHORITY PLANT Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: BERRY NATHA Contact Person Phone: (347) 752-0793

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/17/2020		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	1.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:  
 Tunning of the engine that caused the release to the air. Tunning of the engine was completed.

DEC Investigator Remarks:  
 6/22/2020 0930 Hrs: RJP made call to confirm material was NOX. Post-shutdown procedure run at low power increased emissions. RJP will forward to Snee and DeCoteau of DEC air. RJP.

**Map Identification Number 106** **RICHARD M FLYNN POWER PLANT** **Spill Number: 1908753** **Close Date: 12/05/2019**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0359-568

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MESA PERRY – NY POWER FACILITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/03/2019		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	44.20	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Release from equipment at facility.

DEC Investigator Remarks:

12/4/19 @ 1635 Hrs: WG Called Mesa from NY Power Facility. No answer. Left message.

Incident was also referred to the Air Unit.

**Map Identification Number 107**  **RICHARD M FLYNN POWER PLANT** **Spill Number: 1903933** **Close Date: 07/18/2019**  
 607 UNION AVE HOLTSMVILLE, NY TT-Id: 520A-0356-104

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MESA PERRY – NEW YORK POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/16/2019		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	409.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Air release exceeded limits. Problem was corrected and by in compliance.

DEC Investigator Remarks:

07/17/2019, 1605 hrs: Referred to Air via email. ME

CLOSED BY HC

**Map Identification Number 108** **RICHARD M FLYNN POWER PLANT** **Spill Number: 1900351** **Close Date: 04/11/2019**  
 607 UNION AVE HOLTSMVILLE, NY TT-Id: 520A-0353-223

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MESA PERRY – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/08/2019		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	208.90	POUNDS	0.00	POUNDS	AIR

OTHER OTHER 43.60 POUNDS 0.00 POUNDS AIR

Caller Remarks:

Released from stack.

DEC Investigator Remarks:

04/11/19 @7:40 referred to NYS DEC R1 Air Unit, email to Reg. Air Engineer. (VP)

**Map Identification Number 109** **RICHARD M FLYNN POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1809583**

**Close Date: 12/13/2018**  
 TT-Id: 520A-0349-954

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: MESA PERRY – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MESA PERRY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/12/2018		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	217.10	POUNDS	0.00	POUNDS	AIR

Caller Remarks:


repairs complete

DEC Investigator Remarks:

\*\*\*This is for an exceedance of the facility's air permit limits for NOx\*\*\* DR



12/13/18 1227 Hrs: Copy of this report emailed to Shaun Snee (DEC Div of Air Resources) and Merlange Genece (DEC Regional Air/Waste Management Engineer). DR

**Map Identification Number 110** **COMMERCIAL** **Spill Number: 1711156** **Close Date: 03/08/2018**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0339-658

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: MESA PERRY – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/07/2018		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	111.30	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

The caller said it is a power plant. There is not cleanup . they will send a report out within 10 business days

**DEC Investigator Remarks:**

03/08/18 1245 Hrs: Copy of this report emailed to Shaun Snee (DEC Div of Air Resources) and Merlange Genece (Regional Air & Materials Management Engineer). DR

**Map Identification Number 111** **RICHARD M FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1709536**

**Close Date: 01/17/2018**  
 TT-Id: 520A-0339-571

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: MASA PERRY – RICHARD M FLYNN POWER PLANT  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MASA PERRY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/14/2018		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	84.40	POUNDS	0.00	POUNDS	AIR

Caller Remarks:


repairs complete

DEC Investigator Remarks:

1/17/18 1434hrs: t/c to Masa. Spill was to air. It was equipment failure. Unit was shutdown and fixed. The NO2 dissipated to air. Was reported due to exceedance of their Title 5 air permit. A report will be submitted to the DEC within 10 days. (JN)

1/17/18 1537hrs: JN handed spill report to DEC Air Department of the spill. (JN)

REFERRED TO AIR FOR FOLLOW UP

**Map Identification Number 112** **NY POWER AUTHORITY**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1701308**

**Close Date: 06/01/2017**  
 TT-Id: 520A-0330-712

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: ROBERT PETERSON – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: ROBERT PETERSON

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (917) 480-6872

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/10/2017		HUMAN ERROR	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

**Caller Remarks:**

Spill inside containment. Clean up completed.

**DEC Investigator Remarks:**

**INSIDE POWER BLOCK**

05/10/17 1530 Hrs (A): Called Peterson– he said this occurred while the facility was changing a fuel meter. Apparently fuel had been backed up in the line, and the oil spilled onto the floor.

05/10/17 1530 Hrs (B): The facility cleaned up the spillage with speedi dri and rags and drummed the debris. (They will also inspect their oil/water separator to ensure it was not impacted?). DR

5/15/17 11:53 ACAMPORA HAD TELECON WITH ROBERT PETERSON, CONTAINED WITHIN POWER UNIT, ONE DRUM WASTE GENERATED. WILL SUPPLY DISPOSAL MANIFEST ASAP, WILL ALSO CLEANOUT OWS TO BE CONSERVATIVE POSS SMALL AMT OF PRODUCT MAY HAVE ENTERED FLOOR DRAIN WHICH LEADS TO OWS BEFORE SPILL WAS DISCOVERED AND STOPPED. 6/1/17 REC'VD DISPOSAL DOCUMENTATION FOR SOLIDS AND LIQUIDS

**Map Identification Number 113** **RICHARD M FLYNN POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1700093**

**Close Date: 04/04/2017**  
 TT-Id: 520A-0330-637

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: MESA – RICHARD M FLYNN POWER PLANT  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MESA

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/31/2017		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	15.00	POUNDS	0.00	POUNDS	AIR
OTHER	OTHER	65.40	POUNDS	0.00	POUNDS	AIR
OTHER	OTHER	143.10	POUNDS	0.00	POUNDS	AIR


**Caller Remarks:**

repairs have been made

**DEC Investigator Remarks:**

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S AIR EMISSIONS PERMIT LIMIT\*\*\* DR

04/04/17 1231 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 114** **RICH M FLYNN POWER PLANT** **Spill Number: 1611559** **Close Date: 03/28/2017**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0330-625

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: MESA – RICH M FLYNN POWER PLANT Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/27/2017		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	218.90	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

back on line

DEC Investigator Remarks:

\*\*\*This was an exceedance of the facility's emissions permit limit for NOx. DR  
 03/28/17 1030 Hrs: Copy of this report given to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 115** **NY POWER AUTH POWER PLANT** **Spill Number: 1609852** **Close Date: 01/27/2017**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0327-826

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: MESA PERRY – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: MESA PERRY – NY POWER AUTHORITY Notifier Phone:  
 Caller Name: Caller Agency: MESA PERRY Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MESA PERRY Contact Person Phone: (718) 267–5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/25/2017		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	128.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

exceedance of permit, electrical surge caused loss. Equipment functioning again

DEC Investigator Remarks:

01/26/17 1025 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 116** **NEW YORK POWER AUTHORITY** **Spill Number: 1607454** **Close Date: 10/31/2016**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0324-824

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: WALTER SOTO – NY POWER AUTHORITY Notifier Phone:  
 Caller Name: Caller Agency: WALTER SOTO Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267–5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/27/2016		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	113.70	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

Caller advised aprx 113.7 lbs of NOX spilled into the air. Equipment has been fixed.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE POWER PLANT'S AIR EMISSIONS PERMIT LIMITS\*\*\* DR

10/31/16 1225 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (DEC Div of Air Resources). DR

**Map Identification Number 117** **FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1605685**

**Close Date: 09/06/2016**  
 TT-Id: 520A-0324-725

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSH RAMOS – FLYNN POWER PLANT  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSH RAMOS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (914) 681-6682

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/06/2016		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	224.00	POUNDS	0.00	POUNDS	AIR


-----  
 Caller Remarks:

repairs complete

-----  
 DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE PLANT'S AIR EMISSIONS PERMIT LIMITS\*\*\* DR

09/06/16 1324 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 118** **RICHARD FLYNN POWER PLANT** **Spill Number: 1604163** **Close Date: 07/27/2016**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0321-987

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/26/2016		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	149.20	POUNDS	0.00	POUNDS	AIR


-----  
 Caller Remarks:

air emission occurred 7/25 at 1100. issue was solved within hour.



DEC Investigator Remarks:

7/26/2016 Brian D. Referred to Air

**Map Identification Number 119** **FLYNN POWER PLANT** **Spill Number: 1603674** **Close Date: 12/15/2017**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0321-968

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOSH RAMOS – FLYNN POWER PLANT Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSH RAMOS Contact Person Phone: (718) 640-6990

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/14/2016		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	90.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

repairs complete

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE PLANT'S AIR EMISSIONS PERMIT\*\*\* DR

07/14/16 @14:15 forwarded to NYS Air Quality Div. via email. (VP)

**Map Identification Number 120** **RICHARD FLYNN PLANT NY POWER AUTH**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1602388**

**Close Date: 06/08/2016**  
 TT-Id: 520A-0319-900

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Source of Spill: **INSTITUTIONAL, EDUC, GOV, OTHER**  
 Notifier Type: **Responsible Party**  
 Caller Name:  
 DEC Investigator: **Unassigned**

Spiller: **WALTER SOTO – RICHARD FLYNN PLANT NY POWER AUTH**  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: **WALTER SOTO**  
 Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: **(718) 267-5681**

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/07/2016		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	123.00	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

emission exceedance, repair completed

**DEC Investigator Remarks:**

06/08/16 1220 Hrs: Copy of this report emailed to Merlange Genece and Shaun Sneer (DEC Div of Air Resources). DR

**Map Identification Number 121** **POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1510052**

**Close Date: 01/11/2016**  
 TT-Id: 520A-0314-271

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NEW YORK POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5687

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP, Including No RP – DEC Field Response – Corrective Action Not Required or Not Possible

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/08/2016		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	181.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

1/11/16 1558 hrs. JF referred to NYSDEC Air Resources via email. DEC Docs updated.

**Map Identification Number 122** **NY POWER AUTHORITY** **Spill Number: 1509117** **Close Date: 12/07/2015**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0314-216

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/07/2015		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	279.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Caller advised aprx 275 lbs of product went into the air. equipment is shut down and is in process of being fixed.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S AIR EMISSIONS PERMIT\*\*\* DR

12/07/15 1430 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (DEC Div of Air Resouces). DR

**Map Identification Number 123** **NY POWER AUTHORITY**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1503198**

**Close Date: 06/23/2015**  
 TT-Id: 520A-0309-460

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/22/2015		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	171.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Nox was released to air. The repairs were completed within 2 hours.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S PERMIT LIMIT FOR NOX\*\*\* DR

06/23/15 1100 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (DEC Div of Air Resources). DR

**Map Identification Number 124** **RICHARD M FLYNN POWER STATION** **Spill Number: 1500277** **Close Date: 04/09/2015**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0307-011

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: WALTER SOTO – RICHARD M FLYNN POWER STATION	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALTER SOTO	Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
04/08/2015		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	182.00	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

repairs complete

DEC Investigator Remarks:

\*\*\*THIS IS FOR AN EXCEEDANCE OF THE FACILITY'S NITROGEN OXIDE PERMIT EMISSIONS LIMIT\*\*\* DR

Brian D. Referred to Air via E-mail

<b>Map Identification Number 125</b>	<b>RICHARD FLYNN POWER STATION</b>		<b>Spill Number: 1412003</b>	<b>Close Date: 01/15/2016</b>
	607 UNION AVENUE	HOLTSVILLE, NY		TT-Id: 520A-0306-975
<b>MAP LOCATION INFORMATION</b>		<b>ADDRESS CHANGE INFORMATION</b>		
Site location mapped by: MANUAL MAPPING – LARGE SITE		Revised street: NO CHANGE		
Approximate distance from property: 1209 feet to the NNE		Revised zip code: NO CHANGE		
Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER		Spiller: ROB PETERSON – NYPA	Spiller Phone:	
Notifier Type: Responsible Party		Notifier Name:	Notifier Phone:	
Caller Name:		Caller Agency:	Caller Phone:	
DEC Investigator: BXDONOVA	Contact for more spill info: ROB PETERSON		Contact Person Phone: (917) 480-6872	

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/24/2015		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NON PCB OIL	PETROLEUM	4.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

spill to containment/spill is on going...anticipate spill rate at .25 gals per hour/repairs are underway

DEC Investigator Remarks:

3/24/15 1220 Hrs: RJP made call to Rob Peterson. Drip from CT conduit where it penetrates into transformer. Leak is likely from ruptured gasket on the top of the transformer, capacity of transformer estimated at 6,000 gallons. Drip running down conduit and impacting bluestone within containment. Current loss estimated at 4 gallons, leak rate of approx 0.25 gallons per hour. The transformer must be powered down before repairs can be made, which may take up to 24 hours. No complications or release to environment anticipated. RJP.

3/26/2015 13:15 Brian D. t/c to Rob Peterson, NYPA – Left Message

3/26/2015 14:48 Brian D. t/c from Rob Peterson, NYPA

–Leak has been reduced to 1 qt/ hour.

–Can not make the repairs until the get the proper gaskets. –Should have the repairs and cleanup completed first or second week in April. –Will schedule an inspection when the cleanup is complete.

\*Site checked during a PBS Inspection. \*\*Affected bluestone has been removed and replaced.

**Map Identification Number 126** **POWER PLANT** **Spill Number: 1410982** **Close Date: 02/18/2015**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0306-897

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOSHUA RAMOS – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA RAMOS Contact Person Phone: (718) 640-6990

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/14/2015		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	58000	POUNDS	0	POUNDS	AIR

Caller Remarks:

Nitrogen oxide was released over the weekend 02/14-02/17.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR EMISSION PERMIT LIMITS\*\*\* DR

02/18/15 NH will refer to Air Unit.

REFERRED TO AIR UNIT

**Map Identification Number 127** **POWER PLANT** **Spill Number: 1405901** **Close Date: 09/03/2014**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0300-530

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: WALTER SOTO – NEW YORK POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 627-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/01/2014		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	206.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Air release

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF AN AIR EMISSIONS PERMIT AT A POWER PLANT\*\*\* DR

09/04/14 1505 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR



**Map Identification Number 128**



**FACILITY**

607 UNION AVENUE

HOLTSVILLE, NY 11742

**Spill Number: 1405722**

**Close Date: 08/26/2014**

TT-Id: 520A-0300-516

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/25/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN	OTHER	148.80	POUNDS	0.00	POUNDS	AIR


**Caller Remarks:**

Caller advised aprx 148.8 lbs of Nitrogen Oxide went into the air due to an equipment failure. Equipment has been fix and was back in compliance with in an hour.

**DEC Investigator Remarks:**

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S AIR EMISSIONS PERMIT\*\*\* DR

08/26/14 pm: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 129** **NY POWER AUTH/LIPA**  
 607 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1404101**

**Close Date: 07/16/2014**  
 TT-Id: 520A-0300-443

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTH/LIPA  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/15/2014		EQUIPMENT FAILURE	NO		NO	


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
OTHER	OTHER	131.50	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

exceedance of permit, unit repaired

DEC Investigator Remarks:

Copy of the spill report sent to Merlange Genece, Air unit via e-mail. (BD)

**Map Identification Number 130** **POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1401173**

**Close Date: 05/05/2014**  
 TT-Id: 520A-0298-692

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (716) 267–5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/02/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
OTHER	OTHER	102.30	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

repairs complete

DEC Investigator Remarks:

\*\*\*THIS IS A VIOLATION OF THE PERMITTED AIR EMISSION LEVEL FOR NITROGEN OXIDE AT A POWER PLANT OWNED/OPERATED BY THE POWER AUTHORITY\*\*\* DR

05/05/14 1146 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 131** **NYS POWER AUTHORITY** **Spill Number: 1312176** **Close Date: 03/31/2014**  
 607 UNION AVENUE HOLTSMVILLE, NY TT-Id: 520A-0296-984

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSH – NYS POWER AUHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSH

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 640–6990

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/24/2014		EQUIPMENT FAILURE	NO		NO	


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	200.00	POUNDS	0.00	POUNDS	AIR
CARBON DIOXIDE	OTHER	85.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR-EMISSIONS PERMIT LIMITS\*\*\* DR

03/31/14 1010 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 132** **FLYNN POWER PLANT** **Spill Number: 1207864** **Close Date: 05/10/2013**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0279-119

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: FLYNN POWER PLANT Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/31/2012		STORM	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
OTHER	OTHER	3026	POUNDS	0	POUNDS	AIR

Caller Remarks:

due to storm

DEC Investigator Remarks:

Hurricane Sandy Spill

**Map Identification Number 133** **RICHARD M FLYNN POWER PLANT** **Spill Number: 1113908** **Close Date: 03/14/2012**  
 607 UNION AVE HOLTSMILLE, NY 11742 TT-Id: 520A-0272-066

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: W(INVALID)SOTO – NY POWER AUTHORITY	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALT SOTO	Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/14/2012		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	168.20	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

situation back to normal

DEC Investigator Remarks:

3/14/12 @ 1525 WG spoke Mr. Soto. As per Mr. Soto, the plant is back to its normal operational condition where the release of the nitrogen dioxide is less than 46 pound per hour. The Spill was also referred to the Air Unit.

**Map Identification Number 134** **NY POWER AUTHORITY FLYNN FACILITY**  
 607 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1103407**

**Close Date: 06/27/2011**  
 TT-Id: 520A-0264-243

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **UNKNOWN**

Source of Spill: **INSTITUTIONAL, EDUC, GOV, OTHER**  
 Notifier Type: **Responsible Party**  
 Caller Name:  
 DEC Investigator: **Unassigned**

Spiller: **NEW YORK POWER AUTHORITY**  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: **JOSHUA RAMOS**

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: **(718) 267-5681**

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: **Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/25/2011		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	6.20	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

repair done –

**DEC Investigator Remarks:**

06/27/11 am: Copy of this report given to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 135** **NYPA INDUSTRIAL POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1005148**

**Close Date: 08/09/2010**  
 TT-Id: 520A-0256-016

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **UNKNOWN**

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NYPA Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA RAMOS Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/05/2010		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	UNKNOWN	0	UNKNOWN	AIR
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

totals released – Carbon Monoxide 63ppm and Nitrous Oxide 56.3ppm – startup of power plant

DEC Investigator Remarks:

Referred the spill to the Air Unit. (WG)

**Map Identification Number 136** **FLYNN POWER PLANT** **Spill Number: 1000977** **Close Date: 04/26/2010**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0250-113

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: JOSH RAMOS – NEW YORK POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSH RAMOS Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/25/2010		DELIBERATE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	POUNDS	0	POUNDS	AIR
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

release of 25.5ppm N2o/ 20.1ppm carbon monoxide.

DEC Investigator Remarks:

4/26/10 @ 13:40 T/c with Josh Ramos from Flynn Power Plant. As per Josh, the plant was testing the same generator at a different loads causing release of those combustible gases listed above. The air quality is back to its normal range. No further action. Referred the spill to the Air Unit.(WG)

Map Identification Number 137



**RICHARD M FLYNN POWER PLANT**  
607 UNION AVE

HOLTSVILLE, NY

Spill Number: 0908820

Close Date: 11/06/2009  
TT-Id: 520A-0234-390

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Local Agency

Caller Name:

DEC Investigator: Unassigned

Spiller: NY POWER AUTHORITY

Notifier Name:

Caller Agency:

Contact for more spill info: CALLER

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/04/2009		EQUIPMENT FAILURE	NO		NO	



Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	POUNDS	0	POUNDS	AIR
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

Released in to atmosphere – 9.0 parts per million– 4 permit limits exceeded. Notification required. For CO for three hrs exceeded limit of 75 lbs. Notification required.

DEC Investigator Remarks:

11/6/09 TJD Referred to Division of Air.

**Map Identification Number 138** **POWER PLANT** **Spill Number: 0902303** **Close Date: 05/27/2009**  
 **UNION STREET** **HOLTSVILLE, NY** **TT-Id: 520A-0271-367**

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: POWER AUTHORITY OF NY Spiller Phone:  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: NICK ELLA Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/22/2009		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	0	POUNDS	0	POUNDS	


Caller Remarks:

Equipment Malfunction.

-----  
 DEC Investigator Remarks:

\*\*\*SEE 0902331: SIMILAR REPORT RECEIVED 5/28/09\*\*\* DR

05-28-09 @ 2:30 PM -WG to Mr. Kolli Rao for NY Power Authority. -Per Kolli, 21.4 ppm of nitrogen dioxide has been released to the atmosphere due to equipment malfunction. -Repair is in progress at this time. -Referred the spill to the Air Unit. (WG)

**Map Identification Number 139** **NY POWER AUTHORITY** **Spill Number: 0803322** **Close Date: 07/03/2008**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0216-275

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RUSS BAHN - NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: njacampo Contact for more spill info: RUSS BAHN Contact Person Phone: (631) 687-1901

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/19/2008		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
SULFURIC ACID	HAZARDOUS MATERIAL	1.00	GALLONS	0.00	GALLONS	SOIL

-----  
 Caller Remarks:

Employee was working on a line and it broke. Spill is contained, and is being cleaned now. A personal injury was involved, and patient was transported to the hospital.

-----  
 DEC Investigator Remarks:

6/19/08 19:50 SPOKE WITH ED DEAL, LINE BURST INSIDE OF BUILDING ONTO FLOOR, HAS NOT REACHED FLOOR DRAINS, 1 EMPLOYEE IN HOSPITAL, MILLER ENV HAS BEEN HIRED, ENROUTE, TOB FIRE MARSHALL WALTER DUNN ON SITE 20:30 SPOKE WITH WALTER DUNN, FM, PIPE BROKE DURING REPAIR, SPILL LIMITED TO CONTAINMENT AREA, HAVE NEUTRALIZED TO ACID, FLUSHED WITH WATER INTO HOLDING TANKS, MILLER WILL MAKE SURE NO RESIDUAL ACID LEFT (JP)

6/23/08 15:35 ACAMPORA HAD TELECON WITH MR BAHN, CLEANUP COMPLETED, NO ENV IMPACT HOWEVER, WILL CONDUCT CBS INSPECTION WILL CONTACT MR MIELE TO SET DATE, LEFT MESSAGE FOR CALL BACK

7/2/08 11:05 ACAMPORA ON SITE, MET WITH NYPA REPS, KEITH MCCOY, PHIL THOMPSON, NICK RELLA, JOE DOSSO, SPILL EVENT DUE TO EQ FAILURE IN DEMIN BLDG AT ACID SKID, EVENT INVESTIGATION UNDERWAY TO DETERMINE ROOT CAUSE ALTHOUGH METAL FAILURE/FATIGUE EXPECTED. SEE PIC FOR AREA OF FAILURE. SPILL CONTAINED WITHIN BLDG, ESTIMATED LOSS OF APPROX 1 GALLON, PERIONNAL INJURY TO ONE EMPLOYEE. NO ADDITIONAL ACTIONS REQ'D FOR CLEANUP, NO SIGNIFICANT DEBRIS GENERATED. ACID SKID OUT OF SERVICE UNTIL ROOT CAUSE DETERMINED. CONDUCTED ROUTINE CBS INSPECTION 13:24 LEFT SITE

**Map Identification Number 140** **FLYNN POWER PLANT** **Spill Number: 0710874** **Close Date: 09/08/2008**  
 607 UNION AVENUE HOLTSMILLE, NY TT-Id: 520A-0210-782

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1209 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MR. RUSS BAHM – FLYNN POWER PLANT Spiller Phone: (631) 687-1901  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MR. RUSS BAHM Contact Person Phone: (631) 687-1901

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/18/2007		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
LUBE OIL	PETROLEUM	40.00	GALLONS	40.00	GALLONS	SOIL

Caller Remarks:

HAS BEEN CLEANED;

DEC Investigator Remarks:

NH SPOKE WITH WILLIAM SLADE 1/14/08 14:39 LEFT MESSAGE ON MACHINE, OIL MIST ELIMINATOR FAILED CAUSING LUBE OIL TO BE PRESSURIZED AND THEN SPRAYED OUT ON THE ROOF, THEN THE VENT LINE THRU THE GUTTERS ON THE BLDG, THEN SPILLED ON THE GRAVEL OUTSIDE THE BLDG, ALL CLEANED UP, SPILL WAS NOT REPORTED EARLIER BECAUSE PERSON HANDLING ENV ISSUE QUIT UNEXPECTEDLY, 9 DRUMS, CRUSHED GRAVEL CONT WITH LUBE OIL, ADVISED TO SEND MANIFEST TO OFFICE (NH)

**Map Identification Number 141** **HOLTSVILLE GENERATING SITE** **Spill Number: 9009392** **Close Date: 01/15/1991**  
 180 A MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-093

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: LILCO	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: DOUG VOOS	Caller Agency: LILCO	Caller Phone: (516) 933-4007
DEC Investigator: KJGOMEZ	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/28/1990	01/15/1991	HUMAN ERROR	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	30.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

SAND IN PIT AFFECTED, SOIL BEING REMOVED BY LILCO PERSONNEL, FLOOR DRAIN PIPE BACKED UP INTO PIT, MATERIAL PUT INTO 55 GAL DRUMS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GOMEZ 01/15/91: CHECKED EXCAVATION, CLEANUP COMPLETE. NO FURTHER ACTION REQUIRED.

10/10/95: This is additional information about material spilled from the translation of the old spill file: OIL & WATER MIX.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

\*\*ALL INFORMATION INCLUDED IN DATABASE\*\*

**Map Identification Number 142** **LILCO** **Spill Number: 8704064** **Close Date: 12/24/1990**  
 180A MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-089

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/17/1987	12/24/1990	EQUIPMENT FAILURE	UNKNOWN	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

SPILL ON BLUE STONE.VALVE STUCK,OVERFLOWING TANK FORCING OIL UP VENT AND ONTO GROUND.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA SPILLER CLEANING UP.

**Map Identification Number 143**  **LILCO**  
HOLTSVILLE GAS TURBINE

HOLTSVILLE, NY

**Spill Number: 8702453**

**Close Date: 07/03/1987**  
TT-Id: 520A-0179-102

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name:  
DEC Investigator: WALEK

Spiller: LILCO  
Notifier Name:  
Caller Agency:  
Contact for more spill info:

Spiller Phone: (516) 933-4007  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

---

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
06/25/1987	07/03/1987	EQUIPMENT FAILURE	UNKNOWN	NO

---

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

---

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

---


DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was WALEK

FD

// : ON BLACKTOP-SPILLER CLEANING UP.6/29/87 OIL COME OUT OF VENT,LESS THAN 5 GALS ONTO BLUESTONE. LILCO REMOVED BLUESTONE & PLACED INTO DRUM.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 144**  **LILCO**  
180A MORRIS AVENUE

HOLTSVILLE, NY

**Spill Number: 8602274**

**Close Date: 10/26/2010**  
TT-Id: 520A-0179-088

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: LILCO	Spiller Phone: (516) 933-4600
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: NJACAMPO	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/07/1986		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1000	GALLONS	0	GALLONS	SOIL

Caller Remarks:

FAULTY VALVE IN SUMP PUMP.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA WELL  
 LILCO TO DIG UP SOIL & INSTALL SITE WELLS. SITE WELLS HAVE BEEN INSTALLED.  
 02/29/88: SITE WELLS INSTALLED.

**Map Identification Number 145**     **HOLTSVILLE COMBUSTION TURBINE SITE**  
 180-A MORRIS AVE

HOLTSVILLE, NY 11742     **Spill Number: 1401645**     **Close Date: 06/05/2014**  
 TT-Id: 520A-0298-717

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: JOHN BELDEN – NATIONAL GRID	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: NJACAMPO	Contact for more spill info: JOHN BELDEN	Contact Person Phone: (516) 903-1946

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/15/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Seal on valve near filter leaked onto blacktop surface. Cleanup in underway by plant personnel.

DEC Investigator Remarks:

- 05/15/14 1530 Hrs (A): Called BELDEN– he said a gasket on a fill line to the fuel oil filter, which is in a shed, failed.
- 05/15/14 1530 Hrs (B): SOME oil entered a floor drain that leads to a sump tank, and SOME got outside on asphalt.
- 05/15/14 1530 Hrs (C): They have cleaned up the spillage themselves.
- 05/15/14 1530 Hrs (D): DEC advised him that NA might call or inspect either tomorrow or next week. DR

**Map Identification Number 146**  **8 KU GAS TURBINE SITE**  
180 ALPHA MORRIS AVENUE

HOLTSVILLE, NY

**Spill Number: 0204364**

**Close Date: 01/28/2004**  
TT-Id: 520A-0179-084

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: NO CHANGE



Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: KEYSpan	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name: JERRY ERNESTI	Notifier Phone: (402) 319-2211
Caller Name: MIKE ISAKSEN	Caller Agency: KEYSpan-LIPA	Caller Phone: (516) 545-4007
DEC Investigator: NJACAMPO	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/26/2002		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
DIESEL	PETROLEUM	20.00	GALLONS	20.00	GALLONS	SOIL

Caller Remarks:


broken or disconnected pipe from transfer tank

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA TELECON WITH MIKE ISAKSEN, SPILL WAS CLEANED UP, DRUMS ARE STORED ON THE SITE AWAITING HIS INSPECTION

8/20/02 ACAMPORA LEFT MESSAGE FOR MARTY BRUSSELLA AT KEYSpan FOR CALL BACK

8/20/02 ACAMPORA HAD TELECON WITH MARTY BRUSSELLA, HE WILL HAVE SHAUN DAVIS CONTACT DEC TO ARRANGE SITE INSPECTION

**Map Identification Number 147**     **LIPA-KEYSPAN POWER PLANT**  
     180 A MORRIS AVENUE

HOLTSVILLE, NY

**Spill Number: 0203363**

**Close Date: 01/28/2004**  
 TT-Id: 520A-0179-094

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: CALLER – LIPA–KEYSPAN POWER PLANT	Spiller Phone:
Notifier Type: Other	Notifier Name: BERNIE LUDWIG	Notifier Phone: (631) 249–3150
Caller Name: BERNIE LUDWIG	Caller Agency: TYREE BROS	Caller Phone: (631) 249–3150
DEC Investigator: NJACAMPO	Contact for more spill info: CALLER	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/29/2002		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
DIESEL	PETROLEUM	25.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

caller is a contractor on scene to clean up spill.  
leaky flange on oil line

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ACAMPORA TELECON WITH BERNIE–SPILL WAS TO ASPHALT BLEND, WILL NEED TO REMOVE ~ 2 INCHES OFF TOP, NO RESPONSE NEEDED  
SHAWN TO SUBMIT INFO CLEANUP COMPLETED, 6 YARDS REMOVED

**THE FOLLOWING CLOSED SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM OR STORMS. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.**

FACILITY ID	FACILITY NAME	STREET	CITY
9600445	PRIDE SOLVENT & CHEMICAL	6 LONG ISLAND AVENUE	HOLTSVILLE
1901945	PRIDE SOLVENTS & CHEMICALS SOLUTIONS	6 LONG ISLAND AVE	HOLTSVILLE
2101042	COMMERCIAL	615 FURROWS RD	HOLTSVILLE
1304163	UNKNOWN	615 FURROWS ROAD	HOLTSVILLE
0601521	PRIMA ASPHALT	FURROWS ROAD	HOLTSVILLE
0001948	PRIMA ASPHALT	FURROWS ROAD	HOLBROOK

9711998	SPILL NUMBER 9711998	194 MORRIS AVENUE	HOLTSVILLE
9407483	MAG-MULTI PROPERTY	194 MORRIS AVE/SO SERV RD	HOLTSVILLE
1810949	ROADWAY	EAST OF 12 LONG ISLAND AVE	HOLTSVILLE
1110725	GOLDMAN RESIDENCE	45 AVE C	HOLBROOK
8907534	UNKNOWN	21 LONG ISLAND AVENUE	HOLTSVILLE
9810066	RICHETTI RESIDENCE	37 AVENUE B	HOLBROOK
9612922	UNKNOWN	26 AVENUE B	HOLBROOK
9907663	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	HOLTSVILLE
9516173	SYMBLE TECK	ONE SYMBLE PLAZE	HOLTSVILLE
0400630	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	HOLTSVILLE
9008976	DURA CON CONTRACT INC	193 MORRIS AVENUE	HOLTSVILLE
0803124	COMMERCIAL BLDG	182 MORRIS AVENUE	HOLTSVILLE
9001266	AP CESSPOOL	23 AVENUE A	HOLBROOK
0400008	UNKNOWN	SINGINWOOD DRIVE/FORROWS	HOLBROOK
0007144	UNKNOWN	33 AVENUE A	HOLBROOK



### OIL STORAGE FACILITIES LARGER THAN 400,000 GALLONS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

#### Map Identification Number 148



**HOLTSVILLE TERMINAL**  
586 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: 1-2000**

TT-Id: 600A-0000-464

#### MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

#### ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11741

Facility's License Expiration Date: 03/31/2017

Site Type: Storage Terminal/Petroleum Distributor

Site Status: Active

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Operator Name: PETE MILOSKI

Facility Phone #: (516) 475-5060

TANK NUMBER	TANK STATUS	PETROLEUM PRODUCT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE
1	IN SERVICE	DIESEL	630000	ABOVEGROUND	09/69
2	IN SERVICE	#1 2 OR 4 FUEL OIL	630000	ABOVEGROUND	11/67
3	IN SERVICE	DIESEL	630000	ABOVEGROUND	06/69
4	IN SERVICE	KEROSENE	630000	ABOVEGROUND	11/69
5	IN SERVICE	UNLEADED GASOLINE	630000	ABOVEGROUND	11/69
6	IN SERVICE	UNLEADED GASOLINE	840000	ABOVEGROUND	12/71
7	IN SERVICE	#1 2 OR 4 FUEL OIL	1050000	ABOVEGROUND	11/73
8	IN SERVICE	#1 2 OR 4 FUEL OIL	1050000	ABOVEGROUND	11/73
9	IN SERVICE	#1 2 OR 4 FUEL OIL	2100000	ABOVEGROUND	01/70
10	IN SERVICE	UNLEADED GASOLINE	2100000	ABOVEGROUND	11/71
11	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	12/76
12	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	12/76
13	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	01/77
17	IN SERVICE	UNLEADED GASOLINE	1386000	ABOVEGROUND	04/78
18	IN SERVICE	#1 2 OR 4 FUEL OIL	1386000	ABOVEGROUND	04/78
21	CLOSED-REMOVED	DIESEL	20000	UNDERGROUND	09/69
22	CLOSED-REMOVED	#5 OR 6 FUEL OIL	15000	UNDERGROUND	09/69
23	CLOSED-REMOVED	UNLEADED GASOLINE	10000	UNDERGROUND	09/69
24	CLOSED-IN PLACE	OTHER	2000	UNDERGROUND	10/72
25	CLOSED-IN PLACE	UNLEADED GASOLINE	2000	UNDERGROUND	10/77

26	CLOSED-REMOVED	UNLEADED GASOLINE	500	UNDERGROUND	07/76
27	CLOSED-IN PLACE	UNLEADED GASOLINE	10000	UNDERGROUND	01/60
28	CLOSED-REMOVED	OTHER	500	ABOVEGROUND ON CRIB RACK ETC	06/77
29	IN SERVICE	OTHER	200000	ABOVEGROUND	10/89
42	IN SERVICE	UNLEADED GASOLINE	60000	ABOVEGROUND	01/91
43	IN SERVICE	DIESEL	1000	ABOVEGROUND ON CRIB RACK ETC	09/91
33-CLOSED	CLOSED-REMOVED	OTHER	1000	ABOVEGROUND ON CRIB RACK ETC	05/86
33	IN SERVICE	OTHER	10000	ABOVEGROUND	07/89
34	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
35	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
36	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
37	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
38	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
39	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
40	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
41	IN SERVICE	OTHER	5000	ABOVEGROUND	11/94

## Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
DIESEL	68334305	X	X			X	
KEROSENE	8008206	X	X	X		X	
UNLEADED GASOLINE	113373000	X	X			X	



**PETROLEUM BULK STORAGE FACILITIES LESS THAN 400,000 GALLONS IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 149** **NORTHVILLE IND** **Facility Id: NYSF04379** **Source: SUFF. HEALTH DEPT**  
 586 UNION AVE HOLTSVILLE, NY 11742 Facility Ref. No.: 14754  
 TT-Id: 640A-0075-004

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.  
 Site Status: Operating Permit Expiration:  
 Owner Name: NORTHVILLE INDUSTRIES Facility Phone #:  
 Owner Address: Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed – Marked for Removal 2005	GASOLINE	5000	UNDER – OUT			04/14/2005
2	Removed – Marked for Removal 2005	SULFURIC ACID	5000	UNDER – OUT			04/14/2005

TANK NUMBER: 1 Detailed tank data not provided for this tank

TANK NUMBER: 2 Detailed tank data not provided for this tank

**Map Identification Number 150** **NORTHVILLE IND CORP HOLTSVILLE TERM** **Facility Id: NYSF04555** **Source: SUFF. HEALTH DEPT**  
 586 UNION AVE HOLTSVILLE, 11742 Facility Ref. No.: 02089  
 TT-Id: 640A-0075-003

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active Operating Permit Expiration:  
 Owner Name: NORTHVILLE INDUSTRIES COR Facility Phone #:  
 Owner Address: , MELVILLE, NY 11747 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
Current tank information for this site is RESTRICTED by the Suffolk County Health Dept.							
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
1	Permitted – Expired 1992	DIESEL	630000	ABOVE – OUT	69		
10	Permitted – Expired 1992	GASOLINE	2100000	ABOVE – OUT	71		
11	Permitted – Expired 1992	GASOLINE	966000	ABOVE – OUT	71		
12	Permitted – Expired 1992	GASOLINE	966000	ABOVE – OUT	71		
13	Permitted – Expired 1992	GASOLINE	966000	ABOVE – OUT	76		
17	Permitted – Expired 1992	#2 FUEL OIL	1386000	ABOVE – OUT	78		
18	Permitted – Expired 1992	#2 FUEL OIL	1386000	ABOVE – OUT	78		
19	Removed – Marked for Removal 1990 (Confirmed)	DIESEL	20000	UNDER – OUT	69		10/25/1990
2	Removed – Marked for Removal 2005	#2 FUEL OIL	630000	ABOVE – OUT	67		01/01/2005
20	Removed – Marked for Removal 1986 (Confirmed)	#4 FUEL OIL	15000	UNDER – OUT	69		11/01/1986
21	Removed – Marked for Removal 1990 (Confirmed)	GASOLINE	10000	UNDER – OUT	69		09/25/1990
22	Removed – Marked for Removal 1990 (Confirmed)	ADDITIVE	2000	UNDER – OUT	72		05/01/1990
23	Removed – Marked for Removal 1990 (Confirmed)	GASOLINE	2000	UNDER – OUT	71		04/30/1990
24	Removed – Marked for Removal 1990 (Confirmed)	GASOLINE	500	UNDER – OUT	71		05/23/1990
25	Removed – Marked for Removal 1991 (Confirmed)	ORGANIC SOLVENT	10000	UNDER – OUT	72		09/23/1991
26	Removed – Marked for Removal 1994 (Confirmed)	#2 FUEL OIL	550	UNDER – OUT	74		05/13/1994
27	Permitted – Expired 1996	OILY WATER	8000	UNDER – OUT			
28	Exempt	FOAM	900	ABOVE – IN	71		
29	Permitted – Expires 2006	OILY WATER	200000	ABOVE – OUT	69		
3	Permitted – Expired 1992	DIESEL	630000	ABOVE – OUT	69		
30	Exempt	WATER	200000	ABOVE – OUT	69		
31	Exempt	FOAM	1000	ABOVE – IN			
32	Removed – Marked for Removal 1990 (Confirmed)	GASOLINE	10000	ABOVE – OUT	86		10/25/1990
33	Permitted – Expired 1996	ADDITIVE	10000	ABOVE – OUT	91		
34	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT		01/01/1994	
35	Permitted – Expired 1994	FUEL ADDITIVES	5000	ABOVE – OUT	89		
36	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT	89		
37	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT	89		
38	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT	89		
39	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT	89		
4	Permitted – Expired 1992	KEROSENE	630000	ABOVE – OUT	69		
40	Permitted – Expired 1994	ADDITIVE	5000	ABOVE – OUT	89		
41	Permitted – Expires 2004	ADDITIVE	5000	ABOVE – OUT	91	12/09/1999	
42	Permitted – Expired 1996	GASOLINE	60000	ABOVE – OUT	91		
43	Permitted – Expires 2006	DIESEL	1000	ABOVE – OUT		08/16/2001	
44	Permitted – Expires 2006	ADDITIVE BRC	300	ABOVE – OUT	88	08/16/2001	
45	Removed – Marked for Removal 2006	GASOLINE	5000	ABOVE – OUT	92		03/27/2006
46	Removed – Marked for Removal 2005	FOAM FIRE PROTECTION	300	ABOVE – IN			04/14/2005
47	Permitted – Expires 2006	#2 FUEL OIL	500	ABOVE – OUT		08/24/2001	

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

48	Removed – Marked for Removal 2005	FOAM FIRE PROTECTION	300	ABOVE – OUT			04/14/2005
49	Never Installed	MOTOR FUEL ADDITIVE	300	ABOVE – OUT			
5	Permitted – Expired 1992	GASOLINE	630000	ABOVE – OUT	69		
50	Never Installed	SULFURIC ACID	5000	ABOVE – OUT			
51	Permitted – Expires 2006	GASOLINE/DISTILLATE	2000	ABOVE – OUT			04/17/2001
52	Permitted – Expires 2006	OIL/WATER SEPARATOR	297	ABOVE – IN			04/17/2001
53	Exempt/Permitted	EAST TRANSFER FACILIT	15500	ABOVE – OUT			
54	Exempt/Permitted	WEST TRANSFER FACILI	15500	ABOVE – OUT			
55	Permitted – Expires 2008	XYLENE DYE	200	ABOVE – IN			10/09/2003
56	Permitted – Expires 2008	XYLENE DYE	200	ABOVE – IN			10/09/2003
57	Exempt	RAIN WATER	601	ABOVE – OUT			
58	Exempt	EMERGENCY CONTAINMEN	1001	ABOVE – IN			
59	Permitted – Expires 2010	ETHYLENE GLYCOL	200	ABOVE – OUT	2005		12/13/2005
6	Permitted – Expired 1992	GASOLINE	840000	ABOVE – OUT	71		
60	Permitted – Expires 2010	ETHYLENE GLYCOL	200	ABOVE – OUT	2005		12/13/2005
61	Exempt	GASOLINE VAPORS	101	ABOVE – OUT			
62	Non-Complying – Compliance Reqd as of 1981	GAS/WATER CONDENSATE	100	UNDER – OUT			
63	Removed – Marked for Removal 2005	FOAM	550	ABOVE – IN			04/14/2005
64	Removed – Marked for Removal 2005	FOAM	150	ABOVE – IN			04/14/2005
65	Exempt	RAIN WATER	501	ABOVE – OUT			
66	Exempt	JET FUEL FITLER VESS	400	ABOVE – OUT			
67	Exempt	JET FUEL FILTER VESS	400	ABOVE – OUT			
68	Exempt	JET FUEL FILTER VESS	150	ABOVE – OUT			
69	Exempt	JET FUEL FILTER VESS	150	ABOVE – OUT			
7	Permitted – Expired 1992	KEROSENE	1050000	ABOVE – OUT	73		
70	Permitted – Expires 2011	#2 FUEL OIL	630000	ABOVE – OUT			04/07/2006
8	Permitted – Expired 1992	#2 FUEL OIL	1050000	ABOVE – OUT	73		
9	Permitted – Expired 1992	#2 FUEL OIL	2100000	ABOVE – OUT	69		

The following tank data pertains to a tank or tanks that were either deleted from the reported data or the tank number was re-assigned.

TANK NUMBER: 1 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:  
 PIPING TYPE: PIPING LOCATION:  
 OVERFILL PROTECTION: SPILL PREVENTION: DISPENSER METHOD: Suction

TANK NUMBER: 10 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:  
 PIPING TYPE: PIPING LOCATION:  
 OVERFILL PROTECTION: SPILL PREVENTION: DISPENSER METHOD: Suction

TANK NUMBER: 11 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*



PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	12	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	13	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	17	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	18	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	19	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	2	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			
TANK NUMBER:	20	TANK TYPE:	STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:		TANK LEAK DETECTN:		TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:		PIPE SEC. CONTAINMNT:	
PIPING TYPE:		PIPING LOCATION:		DISPENSER METHOD:	Suction
OVERFILL PROTECTION:		SPILL PREVENTION:			

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 21	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 22	TANK TYPE: FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 23	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 24	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 25	TANK TYPE: FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 26	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 27	TANK TYPE: FRP / FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 28	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE: OVERFILL PROTECTION:	PIPING LOCATION: SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 29 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 3 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 30 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 31 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 32 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 33 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 34 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 35	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 36	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 37	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 38	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 39	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 4	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 40	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 41	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE: OVERFILL PROTECTION:	PIPING LOCATION: SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 42 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 43 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Gravity
TANK NUMBER: 44 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Other
TANK NUMBER: 45 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 46 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD:
TANK NUMBER: 47 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD:
TANK NUMBER: 48 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*


TANK NUMBER: 49	TANK TYPE:	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 5	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 50	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 51	TANK TYPE:	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Gravity
TANK NUMBER: 52	TANK TYPE: FRP / FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 53	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER: 54	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER: 55	Detailed tank data not provided for this tank	
TANK NUMBER: 56	Detailed tank data not provided for this tank	

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER:	57	Detailed tank data not provided for this tank	
TANK NUMBER:	58	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER:	59	Detailed tank data not provided for this tank	
TANK NUMBER:	6	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER:	60	Detailed tank data not provided for this tank	
TANK NUMBER:	61	Detailed tank data not provided for this tank	
TANK NUMBER:	62	TANK TYPE: STEEL / STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER:	63	Detailed tank data not provided for this tank	
TANK NUMBER:	64	Detailed tank data not provided for this tank	
TANK NUMBER:	65	Detailed tank data not provided for this tank	
TANK NUMBER:	66	Detailed tank data not provided for this tank	
TANK NUMBER:	67	Detailed tank data not provided for this tank	
TANK NUMBER:	68	Detailed tank data not provided for this tank	
TANK NUMBER:	69	Detailed tank data not provided for this tank	
TANK NUMBER:	7	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 70	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 8	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 9	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	

**Map Identification Number 151** **GUY PRATT INC**  
 608 UNION AVE

**Facility Id: NYSF05073** **Source: SUFF. HEALTH DEPT**  
 HOLTSVILLE, 11742  
 Facility Ref. No.: 04784  
 TT-Id: 640A-0066-638

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 726 feet to the ENE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active  
 Owner Name: GUY PRATT INC  
 Owner Address: 608 UNION AVE, HOLTSVILLE, NY 11742

Operating Permit Expiration: 10/31/2014  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
10	Removed	MOTOR OIL	1200	ABOVE - OUT	77		01/01/1991
11	Removed	KEROSENE	275	ABOVE - OUT	77		01/01/1991
12	In Service	DIESEL	20000	UNDER - OUT	91	05/03/1991	
13	In Service	GASOLINE	15000	UNDER - OUT	91	05/03/1991	
14	Removed	WASTE OIL	300	ABOVE - OUT			01/01/1991
15	Removed	WASTE OIL	4000	ABOVE - OUT	91	05/22/1991	06/01/2012
16	In Service	MOTOR OIL	500	ABOVE - OUT	91	05/22/1991	
17	In Service	OTHER OIL	500	ABOVE - OUT	91	05/22/1991	
18	Removed	WASTE OIL	2000	ABOVE - OUT			01/01/1991

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*



19	Removed	WASTE OIL	2000	ABOVE - OUT			01/01/1991
2	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
20	In Service	#2 FUEL OIL	1000	UNDER - OUT			
22	In Service	#2 FUEL OIL	275	ABOVE - IN		10/23/1997	
3	Removed	GASOLINE	6000	UNDER - OUT	77		12/26/1990
4	Removed	GASOLINE	6000	UNDER - OUT	77		12/26/1990
5	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
6	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
7	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
8	In Service	#2 FUEL OIL	1000	UNDER - OUT	74		
9	Removed	WASTE OIL	275	ABOVE - OUT	83		01/01/1991
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
21	Removed - Marked for Removal 1996 (Confirmed)	ASPHALT ADDITIVE	275	ABOVE - OUT			03/25/1996
23	Removed - Marked for Removal 1995 (Confirmed)	DRUM STORAGE	605	ABOVE - OUT			12/11/1995
24	Permitted - Expires 2001	DRUM STORAGE	1320	ABOVE - IN		10/23/1997	
25	Unregistered	DRUM STORAGE	500	ABOVE - IN			

**Map Identification Number 152**

**LIDLAW TREE SERVICE (OOB)**

**Facility Id: NYSF04485**

**Source: SUFF. HEALTH DEPT**



9 CLAIRMONT AVE

HOLBROOK, NY 11741

Facility Ref. No.: 01647  
TT-Id: 640A-0057-571

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 749 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
Owner Name: LEWIS TREE SERVICE INC  
Owner Address:

Operating Permit Expiration:  
Facility Phone #:  
Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed - Marked for Removal 1990 (Confirmed)	#2 FUEL OIL	2000	UNDER - OUT			06/20/1990
2	Removed - Marked for Removal 1987 (Confirmed)	WASTE OIL	300	ABOVE - IN	83		01/01/1987
3	Removed - Marked for Removal 1987 (Confirmed)	DRUM STORAGE	800	ABOVE - IN	81		01/01/1987
4	Removed - Marked for Removal 1998	TRANSMISSION FLUID	250	ABOVE - IN	89		10/01/1998
5	Removed - Marked for Removal 1998	MOTOR OIL	250	ABOVE - IN	89		10/01/1998
6	Exempt	#2 FUEL OIL	275	ABOVE - IN			

**Map Identification Number 153** **BROOKVILLE PLUMBING & HEATING INC**  
 1 CLAREMONT AVE

**Facility Id: NYSF04992** **Source: SUFF. HEALTH DEPT**  
 HOLBROOK, NY 11741  
 Facility Ref. No.: 04294  
 TT-Id: 640A-0075-005

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 752 feet to the WSW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: BROOKVILLE PLUMBING & HEA  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 154** **KEYSPAN HOLTSVILLE**  
 605 UNION AVE

**Facility Id: NYSF06467** **Source: SUFF. HEALTH DEPT**  
 HOLTSVILLE, NY 11742  
 Facility Ref. No.: 09865  
 TT-Id: 640A-0075-009

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 776 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: KEYSPAN ATTN: M LAURO  
 Owner Address: 175 E OLD COUNTRY RD, HICKSVILLE, NY 11801

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Temporarily Out of Service Beginning 2008*	BUTANE	4700	ABOVE – OUT	71		
10	Permitted – Expires 2000	50% ETHYLENE GLYCOL/	500	ABOVE – OUT		11/29/1995	
11	Removed – Marked for Removal 2001	GAS ODORIZER MERCAPT	120	ABOVE – IN			07/06/2001
12	Exempt	WATER	5000	UNDER – OUT			
13	Exempt	LNG	7350000	ABOVE – OUT			
14	Permitted – Expires 2006	OTHER OIL	120	ABOVE – IN		07/06/2001	
15	Permitted – Expires 2006	LUBE OIL	150	ABOVE – OUT		12/03/2001	
16	Permitted – Expires 2006	LUBE OIL	650	ABOVE – IN	2001	12/03/2001	
17	Permitted – Expires 2006	CONTAMINATED WATER	70	ABOVE – OUT	2001	12/03/2001	
18	Permitted – Expires 2006	CONTAMINATED WATER	70	ABOVE – OUT	2001	12/03/2001	
19	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
2	Temporarily Out of Service Beginning 2008*	PENTANE	4700	ABOVE – OUT	71		

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

20	Never Installed	#2 FUEL OIL	18000	ABOVE - OUT			
21	Never Installed	#2 FUEL OIL	18000	ABOVE - OUT			
22	Never Installed	#2 FUEL OIL	18000	ABOVE - OUT			
23	Never Installed	#2 FUEL OIL	18000	ABOVE - OUT			
24	Never Installed	#2 FUEL OIL	18000	ABOVE - OUT			
3	Temporarily Out of Service Beginning 2008*	METHANOL	2300	ABOVE - OUT	71		
4	Permitted - Expired 1995	HEAVY HYDROCARBONS	4800	ABOVE - OUT	71		
5	Permitted - Expired 1995	HEAVY HYDROS	3500	ABOVE - OUT			
6	Removed - Marked for Removal 2002	REFRIGERANT	1850	ABOVE - OUT	71		12/12/2002
7	Removed - Marked for Removal 1990 (Confirmed)	WASTE OIL	550	UNDER - OUT			10/01/1990
8	Removed - Marked for Removal 2000	INDUSTRIAL WASTE	700	ABOVE - OUT		06/24/1993	08/14/2000
9	Removed - Marked for Removal 1992 (Confirmed)	METHANOL	550	ABOVE - OUT	72		09/10/1992

\* - Temporarily out of service tank: Remove Date refers to when tank went out of service.

**Map Identification Number 155**

**H & J BUS**  
CLAIRMONT



HOLBROOK, NY 11741

**Facility Id: NYSF04455**

**Source: SUFF. HEALTH DEPT**

Facility Ref. No.: 15118  
TT-Id: 640A-0069-400

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (5)  
Approximate distance from property: 827 feet to the WSW

**ADDRESS CHANGE INFORMATION**

Revised street: CLAREMONT AVE  
Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
Owner Name: H & J BUS  
Owner Address:

Operating Permit Expiration:  
Facility Phone #:  
Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 156**

**ACME PRECAST**  
612 UNION AVE



HOLTSVILLE, NY 11742

**Facility Id: NYSF05995**

**Source: SUFF. HEALTH DEPT**

Facility Ref. No.: 09346  
TT-Id: 640A-0066-640

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 909 feet to the ENE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
Owner Name: ACME PRECAST  
Owner Address: , HOLTSVILLE, NY 11742

Operating Permit Expiration:  
Facility Phone #:  
Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Permitted – Expired 1991	#2 FUEL OIL	275	ABOVE – OUT	86	06/15/1987	
2	Permitted – Expired 1991	OTHER OIL	275	ABOVE – OUT	86	06/15/1987	

**Map Identification Number 157** **NYPA RICHARD M. FLYNN POWER PLANT**  
 607 UNION AVENUE

**Facility Id: 1-000629** **Source: NYS DEC**  
 HOLBROOK, 11741 TT-Id: 640A-0088-947

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1225 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Site Status: Active  
 Expiration Date of the facility's registration certificate: 05/31/2024

Facility Type: Other

Operator Name: DANNY PADRON  
 Owner Name: DAN PADRON – DIRECTOR OF OPERATIONS  
 Owner Company: NEW YORK POWER AUTHORITY  
 Owner Address: 123 MAIN STREET, WHITE PLAINS, NY 10601

Operator Phone #: (631) 687-1901  
 Owner Type:

TANK NUMBER	TANK STATUS	REGIST.	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	TEST DATE	CLOSE DATE
1	Tnk Converted to Non-Reg Use	Yes	Lube Oil	4162	Aboveground on Crib Rack or Cradle	09/01/1992		
2	Tnk Converted to Non-Reg Use	Yes	Lube Oil	2900	Aboveground on Crib Rack or Cradle	09/01/1992		
3	In Service	Yes	Lube Oil	6335	Aboveground on Crib Rack or Cradle	09/01/1992		
4	In Service	Yes	Lube Oil	6335	Aboveground on Crib Rack or Cradle	09/01/1992		
7	Tnk Converted to Non-Reg Use	Yes	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
8	In Service	Yes	Diesel	275	Aboveground on Crib Rack or Cradle	09/01/1992		
29	In Service	Yes	#2 Fuel Oil	275	Aboveground on Crib Rack or Cradle	09/01/1992		
36	Tnk Converted to Non-Reg Use	Yes	HYDRAULIC OIL	100	Aboveground on Crib Rack or Cradle	09/01/1992		
39	Tnk Converted to Non-Reg Use	Yes	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
40	Tnk Converted to Non-Reg Use	Yes	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
38	In Service	Yes	Waste Oil/Used Oil	50	Aboveground on Crib Rack or Cradle	09/01/1992		

**Map Identification Number 158** **RICHARD M FLYNN POWER PLANT**  
 607 UNION AVE

**Facility Id: NYSF04292** **Source: SUFF. HEALTH DEPT**  
 HOLTSMVILLE, 11742  
 Facility Ref. No.: 13938  
 TT-Id: 640A-0075-010

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1225 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Site Status: Active  
 Owner Name: NEW YORK POWER AUTHORITY  
 Owner Address:

Operating Permit Expiration: 05/31/2014  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

Current tank information for this site is RESTRICTED by the Suffolk County Health Dept.

The following tank(s) were either deleted from the reported data or the number was re-assigned.

1	Permitted – Expires 2000	LUBE OIL	4162	ABOVE – IN		03/16/1995	
10	Permitted – Expires 2000	LUBE OIL	60	ABOVE – IN		03/16/1995	
11	Permitted – Expires 2000	LUBE OIL	70	ABOVE – IN		03/16/1995	
12	Permitted – Expires 2000	LUBE OIL	210	ABOVE – IN		03/16/1995	
13	Permitted – Expires 2000	LUBE OIL	160	ABOVE – IN		03/16/1995	
14	Permitted – Expires 2000	#2 FUEL OIL	420	ABOVE – IN		03/16/1995	
15	Permitted – Expires 2000	#2 FUEL OIL	30	ABOVE – IN		03/16/1995	
16	Permitted – Expires 2000	#2 FUEL OIL	40	ABOVE – IN		03/16/1995	
17	Permitted – Expires 2000	LUBE OIL	210	ABOVE – IN		03/16/1995	
18	Permitted – Expires 2000	LUBE OIL	160	ABOVE – IN		03/16/1995	
19	Exempt	DIELECTRIC FLUID	8300	ABOVE – OUT		03/16/1995	
2	Permitted – Expires 2000	LUBE OIL	2100	ABOVE – IN		03/16/1995	
20	Exempt	DIELECTRIC FLUID	6500	ABOVE – IN		03/16/1995	
21	Permitted – Expires 2000	SULFURIC ACID	2000	ABOVE – IN		03/16/1995	
22	Permitted – Expires 2000	CAUSTIC	2000	ABOVE – IN		03/16/1995	
23	Permitted – Expires 2000	ACIDIC/CAUSTIC WATER	23000	ABOVE – OUT		03/16/1995	
24	Permitted – Expires 2000	ACIDIC/CAUSTIC WATER	460	UNDER – IN		03/16/1995	
25	Permitted – Expires 2000	HCTDS WATER	100000	ABOVE – OUT		03/16/1995	
26	Permitted – Expires 2000	NEUTRALIZED ACID	55	UNDER – IN		03/16/1995	
27	Permitted – Expires 2000	SODIUM HYPO CLORITE	2500	ABOVE – IN		03/16/1995	
28	Permitted – Expires 2000	POTASSIUM HYDROXIDE	600	ABOVE – IN		03/16/1995	
29	Permitted – Expires 2000	#2 FUEL OIL	275	ABOVE – IN		03/16/1995	
3	Permitted – Expires 2000	LUBE OIL	5000	ABOVE – IN		03/16/1995	
30	Non-Complying – Compliance Req'd as of 1982	TRI-BASIC SODIUM PHO	400	ABOVE – IN			
31	Exempt	BIOMASS COLLECTION T	900	ABOVE – IN			
32	Exempt	DRUM STORAGE	220	ABOVE – IN			
33	Non-Complying – Compliance Req'd as of 1982	HYDRAZINE DAY TANK	60	ABOVE – IN	1994		
34	Non-Complying – Compliance Req'd as of 1982	HYDRAZINE TOTE	350	ABOVE – IN	1994		

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

35	Non-Complying – Compliance Req'd as of 1982	AMMONIUM HYDROXIDE	60	ABOVE – IN	1994	
36	Non-Complying – Compliance Req'd as of 1982	HYDRAULIC OIL	700	ABOVE – IN	1992	
37	Temporarily Out of Service Beginning 2007*	SODA ASH	50	ABOVE – IN	1995	
38	Non-Complying – Compliance Req'd as of 1982	WASTE OIL	50	ABOVE – IN	1992	
39	Non-Complying – Compliance Req'd as of 1982	LUBE OIL	55	ABOVE – IN	1999	
4	Permitted – Expires 2000	WASTE OIL	5000	ABOVE – IN		03/16/1995
40	Non-Complying – Compliance Req'd as of 1982	LUBE OIL	55	ABOVE – IN	1999	
41	Permitted – Expires 2009	TRANSFER FACILITY	9700	ABOVE – OUT	1999	01/23/2004
42	Removed – Marked for Removal 2000	DRUM STORAGE	1100	ABOVE – OUT		12/20/2000
43	Exempt	OIL/WATER SEPARATOR	501	UNDER – OUT		
44	Exempt	SULFURIC ACID	8	ABOVE – IN	2000	
45	Exempt	OTHER OIL	115	ABOVE – IN		
5	Permitted – Expires 2000	INDUSTRIAL WASTE	5000	UNDER – IN		03/16/1995
6	Permitted – Expires 2000	DRUM STORAGE	1100	ABOVE – IN		03/16/1995
7	Permitted – Expires 2000	COMPRESSOR LUBE OIL	55	ABOVE – IN		03/16/1995
8	Permitted – Expires 2000	DIESEL	250	ABOVE – IN		03/16/1995
9	Permitted – Expires 2000	OIL/WATER SEPARATOR	700	UNDER – IN		03/16/1995

\* – Temporarily out of service tank: Remove Date refers to when tank went out of service.

**Map Identification Number 159**      **NATIONAL GRID HOLTSVILLE GT SITE**      **Facility Id: NYSF04488**      **Source: SUFF. HEALTH DEPT**  
      180A MORRIS AVE      HOLTSVILLE, 11742      Facility Ref. No.: 01681  
 TT-Id: 640A-0075-011

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1295 feet to the N

**ADDRESS CHANGE INFORMATION**  
 Revised street: 180 A MORRIS AVE  
 Revised zip code: UNKNOWN

Site Status: Active      Operating Permit Expiration: 09/30/2015  
 Owner Name: KEYSpan ENVIRO ENG & COMP      Facility Phone #:  
 Owner Address: 175 EAST OLD COUNTRY ROAD, HICKSVILLE, NY 11801      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

Current tank information for this site is RESTRICTED by the Suffolk County Health Dept.

The following tank(s) were either deleted from the reported data or the number was re-assigned.

1	Removed – Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER – OUT	74		09/03/1992
10	Removed – Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER – OUT	73		09/02/1992
11	Removed – Marked for Removal 1992 (Confirmed)	WASTE OIL	4000	UNDER – OUT	73		09/02/1992
12	Permitted – Expired 1989	DRUM STORAGE	2970	ABOVE – IN	84		
13	Never Installed	WASTE OIL	19500	ABOVE – OUT			
14	Never Installed	WASTE OIL	550	UNDER – OUT			

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

15	Never Installed	WASTE OIL	5000	UNDER - OUT			
16	Never Installed	WASTE OIL	5000	UNDER - OUT			
17	Never Installed	WASTE OIL	5000	UNDER - OUT			
18	Never Installed	WASTE OIL	5000	UNDER - OUT			
19	Permitted - Expired 1997	WASTE OIL	10000	UNDER - OUT			10/16/1992
2	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	2000	UNDER - OUT	74		09/02/1992
20	Permitted - Expired 1992	ADDITIVE	12000	UNDER - OUT	87		05/18/1987
21	Permitted - Expired 1997	WASTE OIL	10000	UNDER - OUT	91		10/16/1992
22	Permitted - Expires 2002	FUEL ADDITIVE(CATANE	75	ABOVE - IN			01/14/1997
23	Permitted - Expires 2002	FUEL ADDITIVE(CATANE	75	ABOVE - IN			01/14/1997
24	Exempt	#2 FUEL OIL	80	UNDER - IN			
25	Removed - Marked for Removal 2001	DETERGENT	4500	ABOVE - OUT			10/23/2001
26	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
27	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
28	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
29	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
3	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	4000	UNDER - OUT	74		09/02/1992
30	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
31	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
32	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
33	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
34	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
35	Exempt/Permitted	LUBE OIL	330	ABOVE - IN			
36	Exempt	DI WATER	20001	ABOVE - OUT			
4	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER - OUT	74		09/02/1992
5	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER - OUT	74		09/02/1992
6	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	4000	UNDER - OUT	73		09/03/1992
7	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER - OUT			09/03/1992
8	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER - OUT	73		09/03/1992
9	Removed - Marked for Removal 1992 (Confirmed)	WASTE OIL	1000	UNDER - OUT	73		09/02/1992

**Map Identification Number 160**



**LIPA SUBS TEMP HOLTSVILLE CUMMINS**  
MORRIS AVE

**Facility Id: NYSF16151**  
HOLTSVILLE, NY 11742

**Source: SUFF. HEALTH DEPT**  
Facility Ref. No.: 16406  
TT-Id: 640A-0075-012

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING - LARGE SITE**  
Approximate distance from property: 1295 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
Revised zip code: **UNKNOWN**

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
Owner Name: **CUMMINS METROPOWER INC**  
Owner Address: **1400 73RD AVE NE, MINNEAPOLIS, MN 55432**

Operating Permit Expiration:  
Facility Phone #:  
Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
10	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
11	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
12	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
13	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
14	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
15	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
16	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
17	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
18	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
19	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
2	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
20	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
21	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
22	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
23	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
24	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT		06/16/2004	
25	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
26	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
27	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
28	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
29	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
3	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
30	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
31	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
32	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
33	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
34	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
35	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
36	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/17/2004	
37	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
38	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
39	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
4	Permitted - Expires 2009	#2 FUEL OIL	2150	ABOVE - OUT	2004	06/16/2004	
40	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
41	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
42	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
43	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
44	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
45	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
46	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	
47	Permitted - Expires 2009	UREA	700	ABOVE - OUT	2004	06/16/2004	

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*



48	Permitted – Expires 2009	UREA	700	ABOVE – OUT	2004	06/16/2004
5	Permitted – Expires 2009	#2 FUEL OIL	2150	ABOVE – OUT	2004	06/16/2004
6	Permitted – Expires 2009	#2 FUEL OIL	2150	ABOVE – OUT	2004	06/16/2004
7	Permitted – Expires 2009	#2 FUEL OIL	2150	ABOVE – OUT	2004	06/16/2004
8	Permitted – Expires 2009	#2 FUEL OIL	2150	ABOVE – OUT	2004	06/16/2004
9	Permitted – Expires 2009	#2 FUEL OIL	2150	ABOVE – OUT	2004	06/16/2004



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 161**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**TOSCO PIPELINE COMPANY**

586 UNION AVE SITE A

TOSCO PIPELINE CO – HOLTSVILLE TERMINAL

586 UNION AVENUE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NY000096123**

TT-Id: 740A-0053-113

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11741

US EPA RCRA Type: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 01/12/1994

Incinerator:

Transporter:

Contact Name: ROBIN CALLAGHAN

Source Type: Implementer

Contact Phone: 908-523-5769

Contact Info Date: 01/01/2007

Contact Name: PETE MILOSKI

Source Type: Notification

Contact Phone: 516-475-5060

Contact Info Date: 01/12/1994

Contact Name: ROBIN CALLAGHAN

Source Type: Annual/Biennial Report

Contact Phone: 908-523-5769

Contact Info Date: 02/24/2004

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

SMALL QUANTITY GENERATOR

**US EPA RCRA Violations:**

Violation Type: Generators – General

Violation Number: 0001 Location: NY

Former Citation:

Responsible Agency: STATE

Violation Determination Date: 05/18/1999

Violation Return to Compliance: 07/26/1999

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	2000	POUNDS	GENERATED	2003		
D018	BENZENE	42706	GALLONS	GENERATED	2003	418341	2001
D018	BENZENE	3600	POUNDS	GENERATED	2003	6850	2001

NYS DEC Manifested Waste Transactions for NY0000096123 continued ---

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	3130	GALLONS	GENERATED	2002	4645	2001
D001	Solid waste that exhibits the characteristic of ignitability	6900	POUNDS	GENERATED	2002		
D008	Lead	3	CUBIC YDS	GENERATED	1993		

**Map Identification Number 162**



**NYSDEC Name:**  
NYSDEC Address:

**TOSCO PIPELINE CO**  
586 UNION AVE

HOLTSVILLE, NY 11742

**Facility Id: NYD000096123**  
TT-Id: 740A-0049-699

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
------------	-------------------	--------------	-------------	------------------	------	-------------------------	------

NONE No hazardous waste activity reported by NYS up to 6/10/2019.

**Map Identification Number 163**



**NYSDEC Name:**  
NYSDEC Address:  
EPA (RCRA) Name:  
EPA (RCRA) Address:

**NORTHVILLE HOLTSVILLE TERMINAL**  
586 UNION AVENUE  
NORTHVILLE HOLTSVILLE TERMINAL  
586 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD980646129**  
TT-Id: 740A-0053-115

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

US EPA RCRA Type: LARGE QUANTITY GENERATOR

Land Disposal: Receives offsite waste:  
Storer: Treatment facility:

Notification date: 11/18/1980

Incinerator:  
Transporter:

Contact Name: PATRICIA BENDER  
Contact Name: TOM MAUS  
Contact Name: TOM MAUS  
Contact Name: TOM MAUS

Source Type: Annual/Biennial Report update with Notification  
Source Type: Implementer  
Source Type: Notification  
Source Type: Annual/Biennial Report

Contact Phone: 631-941-4040  
Contact Phone: 631-753-4364  
Contact Phone: 631-753-4364  
Contact Phone: 631-753-4364

Contact Info Date: 02/26/2016  
Contact Info Date: 01/01/2007  
Contact Info Date: 11/04/2003  
Contact Info Date: 02/27/2008

Historically listed as the following USEPA RCRA Generator Size(s) as well:

SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		1400	POUNDS	GENERATED	2018	13800	2011
D001	Solid waste that exhibits the characteristic of ignitability						
D018	BENZENE						
D018	BENZENE	10800	POUNDS	GENERATED	2017	49920	1992
D001	Solid waste that exhibits the characteristic of ignitability	1350	GALLONS	GENERATED	2016	3475	2005
D001	Solid waste that exhibits the characteristic of ignitability	3600	POUNDS	GENERATED	2016	18500	2011
More than one waste code was reported for the following waste amount:		600	POUNDS	GENERATED	2013		
D001	Solid waste that exhibits the characteristic of ignitability						
D013	Lindane (1,2,3,4,5,6-hexachlorocyclohexane, gamma isomer).						
More than one waste code was reported for the following waste amount:		1253	POUNDS	GENERATED	2012		
D018	BENZENE						
D022	Chloroform						
D001	Solid waste that exhibits the characteristic of ignitability						
D018	BENZENE	55	GALLONS	GENERATED	2006	5077	2004
D002	Solid waste that exhibits the characteristic of corrosivity	165	GALLONS	GENERATED	2005	830	2003
D008	Lead	6000	GALLONS	GENERATED	1993		
K052	Tank bottoms (leaded) from the petroleum refining industry.	685	GALLONS	GENERATED	1983		

Map Identification Number 164



NYSDEC Name:

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**NORTHVILLE INDUSTRIES CORP**

586 UNION AVE

NORTHVILLE INDUSTRIES CORP

586 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

Facility Id: NYD986912483

TT-Id: 740A-0053-114

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION


Revised street: NO CHANGE

Revised zip code: 11741

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 09/11/1990  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: JOHN LOVE Source Type: Notification Contact Phone: 609-866-3233 Contact Info Date: 09/11/1990

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	632	POUNDS	GENERATED	2007		
D018	BENZENE						

**Map Identification Number 165**  **NYSDEC Name:** LONG ISLAND ELECTRIC UTILITY SERVCO LLC **Facility Id:** NYP000972141  
 NYSDEC Address: 586 UNION AVE HOLTSMVILLE, NY 11742 TT-Id: 740A-0140-434  
 EPA (RCRA) Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC  
 EPA (RCRA) Address: 586 UNION AVE HOLTSMVILLE, NY 11742

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: None Given  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: RYAN ALWORTH Source Type: Annual/Biennial Report update with Notification Contact Phone: 516-418-9280 Contact Info Date: 01/28/2016  
 Contact Name: SEAN FALVEY Source Type: Emergency Contact Phone: 516-949-7084 Contact Info Date: 08/27/2015  
 Contact Name: SEAN FALVEY Source Type: Implementer Contact Phone: 516-949-7084 Contact Info Date: 04/07/2016

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
B002	Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm	1611	KILOGRAMS	GENERATED	2015		

**Map Identification Number 166**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**TOSCO PIPELINE COMPANY**

605 UNION AVENUE

HOLTSVILLE LNG FACILTIY

UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD980648240**

TT-Id: 740A-0053-116

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 680 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

US EPA RCRA Type: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Contact Name: CORINNE BYRNES

Source Type: Implementer

Contact Name: RAYMOND J DRISCOLL

Source Type: Notification

Contact Name: CORINNE BYRNES

Source Type: Annual/Biennial Report

Notification date: 08/30/1982

Incinerator:

Transporter:

Contact Phone:

Contact Phone: 516-733-4137

Contact Phone: 631-391-6173

Contact Info Date: 01/01/2006

Contact Info Date: 08/30/1982

Contact Info Date: 01/01/2001

Historically listed as the following USEPA RCRA Generator Size(s) as well:

- LARGE QUANTITY GENERATOR
- SMALL QUANTITY GENERATOR

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	400	POUNDS	GENERATED	2017		
D001	Solid waste that exhibits the characteristic of ignitability	10	POUNDS	GENERATED	2016	800	2012
D039	Tetrachloroethylene	13	GALLONS	GENERATED	2011	44	1996
D002	Solid waste that exhibits the characteristic of corrosivity	60	POUNDS	GENERATED	2009		
D001	Solid waste that exhibits the characteristic of ignitability	532	GALLONS	GENERATED	2001	13440	1983
B003	Petroleum oil or other liquid containing 500 ppm or greater of PCBs.	5284	KILOGRAMS	GENERATED	1999		
D002	Solid waste that exhibits the characteristic of corrosivity	55	GALLONS	GENERATED	1995		
B002	Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm	100	POUNDS	GENERATED	1989		
F001	Spent halogenated solvents used in degreasing	85	GALLONS	GENERATED	1987		

**Map Identification Number 167**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**GUY PRATT INCORPORATED**

608 UNION AVENUE

GUY PRATT INC

608 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD986951390**

TT-Id: 740A-0046-637

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 712 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 05/08/1991

Incinerator:

Transporter:

Contact Name: GUY PRATT

Source Type: Implementer

Contact Phone: 516-289-6100

Contact Info Date: 01/01/2007

Contact Name: GUY PRATT

Source Type: Notification

Contact Phone: 516-289-6100

Contact Info Date: 05/08/1991

Historically listed as the following USEPA RCRA Generator Size(s) as well:

CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	165	GALLONS	GENERATED	1991		

**Map Identification Number 168**



**NYSDEC Name:**

NYSDEC Address:

**GUY PRATT INC**

608 UNION AVE

HOLTSVILLE, NY 11742

**Facility Id: NYN10001A349**

TT-Id: 740A-0046-705

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 712 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE


This facility has been deleted from the reported data. Data reflects last reported information.

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
------------	-------------------	--------------	-------------	------------------	------	-------------------------	------

NONE No hazardous waste activity reported by NYS up to 6/10/2019.

	<b>Map Identification Number 169</b>	<b>NYSDEC Name:</b>	<b>ALLSTATE &amp; SIGN PLAQUE</b>		<b>Facility Id: NYD097532907</b>
		NYSDEC Address:	614 UNION AVENUE	HOLTSVILLE, NY 11742	TT-Id: 740A-0046-434
		EPA (RCRA) Name:	ALLSTATE SIGN & PLAQUE CORP		
		EPA (RCRA) Address:	614 UNION AVE	HOLTSVILLE, NY 11742-1421	

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 1027 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN  
 Land Disposal: Receives offsite waste:  
 Storer: Treatment facility:  
 Contact Name: JOSEPH PAULIN Source Type: Notification

Notification date: 10/08/1986  
 Incinerator:  
 Transporter:  
 Contact Phone: 516-654-5055 Contact Info Date: 10/08/1986

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
------------	-------------------	--------------	-------------	------------------	------	-------------------------	------

D004	Arsenic	110	GALLONS	GENERATED	1987		
------	---------	-----	---------	-----------	------	--	--



**Map Identification Number 170**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**NAB/OVER A JOINT VENTURE**

607 UNION AVE

RICHARD M FLYNN POWER PLANT

UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11747

**Facility Id: NYD987034659**

TT-Id: 740A-0053-118

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 1073 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: UNKNOWN

US EPA RCRA Type: SMALL QUANTITY GENERATOR

Land Disposal: Receives offsite waste:

Storer: Treatment facility:

Notification date: 11/20/1995

Incinerator:

Transporter:

Contact Name: DONALD SYTKOWSKI

Source Type: Implementer

Contact Phone: 718-626-8258

Contact Info Date: 01/01/2007

Contact Name: ELIZABETH FORTE

Source Type: Notification

Contact Phone: 718-626-8220

Contact Info Date: 11/20/1995

Contact Name: DONALD SYTKOWSKI

Source Type: Annual/Biennial Report

Contact Phone: 718-626-8258

Contact Info Date: 02/23/2006

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		100	POUNDS	GENERATED	2017	1200	2008
D001	Solid waste that exhibits the characteristic of ignitability						
D035	Methyl ethyl ketone						
More than one waste code was reported for the following waste amount:		2147	POUNDS	GENERATED	2017		
D002	Solid waste that exhibits the characteristic of corrosivity						
D007	Chromium						
D001	Solid waste that exhibits the characteristic of ignitability	206	POUNDS	GENERATED	2014	2000	2002
D002	Solid waste that exhibits the characteristic of corrosivity	900	POUNDS	GENERATED	2013	10500	1993
D009	Mercury	10	POUNDS	GENERATED	2013		
D005	Barium	30	POUNDS	GENERATED	2011		
More than one waste code was reported for the following waste amount:		10	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						

NYS DEC Manifested Waste Transactions for NYD987034659 continued ---- see previous page

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D002	Solid waste that exhibits the characteristic of corrosivity						
More than one waste code was reported for the following waste amount:		10	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D003	Solid waste that exhibits the characteristic of reactivity						
More than one waste code was reported for the following waste amount:		640	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		40	POUNDS	GENERATED	2011		
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						
More than one waste code was reported for the following waste amount:		300	POUNDS	GENERATED	2010		
D008	Lead						
F003	Spent non-halogenated solvents						
D007	Chromium	19800	GALLONS	GENERATED	2003		
D002	Solid waste that exhibits the characteristic of corrosivity	950	GALLONS	GENERATED	1993		

**Map Identification Number 171**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**LONG ISLAND LIGHTING CO**

180 MORRIS AVE

KEYSPAN HOLTSVILLE IC SITE

W/S MORRIS AVENUE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD980648174**

TT-Id: 740A-0053-117

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 1207 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: MORRIS AVE

Revised zip code: UNKNOWN

US EPA RCRA Type: SMALL QUANTITY GENERATOR

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 08/30/1982

Incinerator:

Transporter:

Contact Name: AMY DROGALIS

Source Type: Implementer

Contact Phone: 718-963-5572

Contact Info Date: 01/01/2007

Contact Name: RAYMOND J DRISCOLL

Source Type: Notification

Contact Phone: 516-733-4137

Contact Info Date: 08/30/1982

Contact Name: AMY DROGALIS

Source Type: Annual/Biennial Report

Contact Phone: 718-963-5572

Contact Info Date: 02/15/2006

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

-----

US EPA RCRA Violations:

Violation Type: Universal Waste – Small Quantity Handlers  
 Violation Number: 0001 Location: NY  
 Former Citation:

Responsible Agency: STATE  
 Violation Determination Date: 09/07/2006  
 Violation Return to Compliance: 09/15/2006

Violation Type: Universal Waste – Small Quantity Handlers  
 Violation Number: 0002 Location: NY  
 Former Citation:

Responsible Agency: STATE  
 Violation Determination Date: 09/07/2006  
 Violation Return to Compliance: 09/15/2006

Violation Type: Universal Waste – Small Quantity Handlers  
 Violation Number: 0003 Location: NY  
 Former Citation:

Responsible Agency: STATE  
 Violation Determination Date: 09/07/2006  
 Violation Return to Compliance: 09/15/2006

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	3850	POUNDS	GENERATED	2018	7700	2012
B002	Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm	1638	KILOGRAMS	GENERATED	2016		
B007	Other PCB Wastes including contaminated soil, solids, sludges, clothing, etc.	168	KILOGRAMS	GENERATED	2016	215	2009
D001	Solid waste that exhibits the characteristic of ignitability	4337	GALLONS	GENERATED	2012	14600	1988
D039	Tetrachloroethylene	11	POUNDS	GENERATED	2011	30	1996
More than one waste code was reported for the following waste amount:		12	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D035	Methyl ethyl ketone						
D039	Tetrachloroethylene	29	GALLONS	GENERATED	2010	82	2001
More than one waste code was reported for the following waste amount:		400	POUNDS	GENERATED	2010	1600	2008
F003	Spent non-halogenated solvents						
D001	Solid waste that exhibits the characteristic of ignitability						
F005	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		183	POUNDS	GENERATED	2009		
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
D002	Solid waste that exhibits the characteristic of corrosivity	72	POUNDS	GENERATED	2008		
D035	Methyl ethyl ketone	13	GALLONS	GENERATED	2008		
D008	Lead	8	POUNDS	GENERATED	1996	900	1993

NYS DEC Manifested Waste Transactions for NYD980648174 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
F002	Spent halogenated solvents	3707	GALLONS	GENERATED	1992		
F003	Spent non-halogenated solvents	50	GALLONS	GENERATED	1991		
F005	Spent non-halogenated solvents	50	GALLONS	GENERATED	1991		



**CHEMICAL STORAGE FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 172**     **HOLTSVILLE TERMINAL**  
 586 UNION AVE.

HOLTSVILLE, NY 11742

**Facility Id: 1-000202**  
 TT-Id: 780A-0003-664

MAP LOCATION INFORMATION  
 Site location mapped by: MAP COORDINATE (1)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 07/17/2017  
 Site Type: Storage Terminal/Petroleum Distributor

Site Status: Active

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: NORTHVILLE INDUSTRIES CORP.  
 Owner Address: 25 MELVILLE PARK ROAD  
 Operator Name: PETER MILOSKI  
 MELVILLE, NY 11747  
 Facility Phone #: (631) 475-5060

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
33	CONVERTED-NONREGULAT	XYLENE (MIXED)	10000	ABOVEGROUND	07/89	00/00
34	CONVERTED-NONREGULAT	BENZENE, 1,2,4-TRIMETHYL-	5000	ABOVEGROUND	07/89	08/94
35	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
36	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
37	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
38	CONVERTED-NONREGULAT	TOLUENE	5000	ABOVEGROUND	07/89	05/95
39	CONVERTED-NONREGULAT	TOLUENE	5000	ABOVEGROUND	07/89	05/95
40	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
41	IN SERVICE	NAPHTHALENE	5000	ABOVEGROUND	12/94	
44	IN SERVICE	XYLENE (MIXED)	300	ABOVEGROUND	01/95	

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
XYLENE (MIXED)	1330207	X	X		X	X	5 ug/L

BENZENE, 1,2,4-TRIMETHYL-	95636	X						5 ug/L
TOLUENE	108883	X	X	X	X	X		5 ug/L
NAPHTHALENE	91203	X	X		X	X		50 ug/L

**Map Identification Number 173**

**NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL**

**Facility Id: 1-000356**



586 UNION AVENUE

HOLTSVILLE, NY 11742

TT-Id: 780A-0005-617

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

This facility has been deleted from the reported data. Data reflects last reported information.

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 02/09/1994

Site Status: Unknown

Site Type: STORAGE TERMINAL

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: NORTHVILLE INDUSTRIES CORP.

Owner Address: 25 MELVILLE PARK ROAD

Operator Name: PETER MILOSKI


MELVILLE, NY 11747

Facility Phone #: (516) 475-5060

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
33	IN SERVICE	XYLENE (MIXED)	10000	ABOVEGROUND	07/89	
34	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
35	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
37	IN SERVICE	METHANOL	5000	ABOVEGROUND	07/89	
38	IN SERVICE	TOLUENE	5000	ABOVEGROUND	07/89	
39	IN SERVICE	TOLUENE	5000	ABOVEGROUND	07/89	
40	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	

**Toxicity Information Summary**

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
XYLENE (MIXED)	1330207	X	X		X	X	5 ug/L
METHANOL	67561	X	X	X	X	X	50 ug/L
TOLUENE	108883	X	X	X	X	X	5 ug/L

**Map Identification Number 174** **HOLTSVILLE LNG PLANT**  
 **UNION AVENUE**

HOLTSVILLE, NY 11742

**Facility Id: 1-000361**  
 TT-Id: 780A-0002-626

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **722 feet to the N**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **UNKNOWN**

Expiration Date of the facility's registration certificate:

Site Status: **Unregulated/Closed**

Site Type: **Utility (Other than Municipal)**

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: **KEYSPAN**  
 Owner Address: **175 E. OLD COUNTRY ROAD**  
 Operator Name: **STEPHEN GRECO**

**HICKSVILLE, NY 11801**  
 Facility Phone #: **(631) 348-6360**

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
D11	CLOSED-IN PLACE	METHANOL	2320	ABOVEGROUND ON LEGS RACKS ETC	06/71	06/00

**Toxicity Information Summary**

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
METHANOL	67561	X	X	X	X	X	50 ug/L

**Map Identification Number 175** **NEW YORK POWER AUTHORITY-FLYNN**  
 **607 UNION AVENUE**

HOLTSVILLE, NY 11742

**Facility Id: 1-000444**  
 TT-Id: 780A-0003-733

**MAP LOCATION INFORMATION**

Site location mapped by: **MAP COORDINATE – LARGE SITE**  
 Approximate distance from property: **1176 feet to the NNE**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Expiration Date of the facility's registration certificate: **05/19/2017**

Site Status: **Active**

Site Type: **Utility (Other than Municipal)**

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: **NEW YORK POWER AUTHORITY**  
 Owner Address: **123 MAIN ST.**

**WHITE PLAINS, NY 10601**

Operator Name: MICHAEL MEDVEC

Facility Phone #: (516) 687-1901

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
021	IN SERVICE	SULFURIC ACID	2000	ABOVEGROUND	05/93	
022	IN SERVICE	SODIUM HYDROXIDE	2000	ABOVEGROUND	05/93	
027	IN SERVICE	SODIUM HYPOCHLORITE	2500	ABOVEGROUND	05/93	
028	IN SERVICE	POTASSIUM HYDROXIDE	600	ABOVEGROUND	03/94	
030	IN SERVICE	SODIUM PHOSPHATE, TRIBASIC	400	ABOVEGROUND	05/93	

## Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
SULFURIC ACID	7664939	X		X	X	X	
SODIUM HYDROXIDE	1310732	X		X		X	
SODIUM HYPOCHLORITE	7681529	X	X	X		X	
POTASSIUM HYDROXIDE	1310583	X		X		X	
SODIUM PHOSPHATE, TRIBASIC	7601549	X		X			

## Map Identification Number 176



## HOLTSVILLE GAS TURBINE SITE

180 MORRIS AVENUE

HOLTSVILLE, NY 11742

Facility Id: 1-000143

TT-Id: 780A-0002-628

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE

Approximate distance from property: 1250 feet to the N

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

Expiration Date of the facility's registration certificate:

Site Type: Utility (Other than Municipal)

Site Status: Unregulated/Closed

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: LONG ISLAND LIGHTING COMPANY (LILCO)

Owner Address: 175 E. OLD COUNTRY ROAD

Operator Name: WILLIAM BRASKA

HICKSVILLE, NY 11801

Facility Phone #: (516) 585-1197



TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
323121001	CONVERTED-NONREGULAT	NAPHTHALENE	12032	UNDERGROUND VAULTED W/ ACCESS	05/87	00/00

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
NAPHTHALENE	91203	X	X		X	X	50 ug/L



***NO HAZARDOUS SUBSTANCE WASTE DISPOSAL SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**TOXIC AIR, LAND AND WATER RELEASES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 177

**CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL**

**EPA Tri Id: 11747TSCPP586UN**



586 UNION AVE.

HOLTSVILLE, NY 11747

TT-Id: 860A-0002-792

Mail Name:  
Mail Address:

HOLTSVILLE, NY 11747

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11742

Source: EPA  
Public Contact: MICHAEL KARLOVICH

EPA Facility Status: OPEN

Public Contact Phone #: (908) 523-6041

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
BENZENE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
BENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
BENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
1,2,4-TRIMETHYLBENZENE	750*	2001	Fugitive or non-point air emissions	100000 to 999999
1,2,4-TRIMETHYLBENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
1,2,4-TRIMETHYLBENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
1,2,4-TRIMETHYLBENZENE	5*	2001	Incineration/Thermal Treatment	100000 to 999999
ETHYLBENZENE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
ETHYLBENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
ETHYLBENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
ETHYLBENZENE	5*	2001	Incineration/Thermal Treatment	100000 to 999999
TOLUENE	255*	2001	Fugitive or non-point air emissions	1000000 to 9999999
TOLUENE	255*	2001	Stack or Point air emissions	1000000 to 9999999
TOLUENE	1005*	2001	Other Reuse or Recovery	1000000 to 9999999
TOLUENE	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
N-HEXANE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
N-HEXANE	255*	2001	Stack or Point air emissions	100000 to 999999
N-HEXANE	510*	2001	Other Reuse or Recovery	100000 to 999999
CYCLOHEXANE	255*	2001	Fugitive or non-point air emissions	10000 to 99999
CYCLOHEXANE	255*	2001	Stack or Point air emissions	10000 to 99999

CYCLOHEXANE	510*	2001	Other Reuse or Recovery	10000 to 99999
BENZO(G,H,I)PERYLENE	0.100000	2001	Fugitive or non-point air emissions	100 to 999
XYLENE (MIXED ISOMERS)	750*	2001	Fugitive or non-point air emissions	1000000 to 9999999
XYLENE (MIXED ISOMERS)	255*	2001	Stack or Point air emissions	1000000 to 9999999
XYLENE (MIXED ISOMERS)	755*	2001	Other Reuse or Recovery	1000000 to 9999999
XYLENE (MIXED ISOMERS)	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
METHYL TERT-BUTYL ETHER	3600	2001	Fugitive or non-point air emissions	1000000 to 9999999
METHYL TERT-BUTYL ETHER	3300	2001	Stack or Point air emissions	1000000 to 9999999
METHYL TERT-BUTYL ETHER	1500*	2001	Other Reuse or Recovery	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
POLYCYCLIC AROMATIC COMPOUNDS	0.800000	2001	Fugitive or non-point air emissions	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.100000	2001	Stack or Point air emissions	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.200000	2001	Other Reuse or Recovery	1000 to 9999
1,2,4-TRIMETHYLBENZENE	5*	2000	Landfill/Disposal Surface Impoundment	100000 to 999999
ETHYLBENZENE	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
N-HEXANE	5*	2000	Landfill/Disposal Surface Impoundment	100000 to 999999
XYLENE (MIXED ISOMERS)	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2000	On-site surface impoundment disposal	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
POLYCYCLIC AROMATIC COMPOUNDS	0.400000	2000	Landfill/Disposal Surface Impoundment	1000 to 9999
BENZENE	5	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
BENZENE	9	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
BENZENE	22	1999	Other Waste Treatment	1000000 to 9999999
NAPHTHALENE	39	1999	Fugitive or non-point air emissions	1000000 to 9999999
NAPHTHALENE	27	1999	Stack or Point air emissions	1000000 to 9999999
NAPHTHALENE	320	1999	Other Waste Treatment	1000000 to 9999999
1,2,4-TRIMETHYLBENZENE	70	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
1,2,4-TRIMETHYLBENZENE	59	1999	Other Waste Treatment	1000000 to 9999999
CUMENE	5	1999	Fugitive or non-point air emissions	1000000 to 9999999
CUMENE	28	1999	Stack or Point air emissions	1000000 to 9999999
CUMENE	17	1999	Other Waste Treatment	1000000 to 9999999
ETHYLBENZENE	8	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
ETHYLBENZENE	16	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
ETHYLBENZENE	63	1999	Other Waste Treatment	1000000 to 9999999
TOLUENE	9	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
TOLUENE	159	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
N-HEXANE	26	1999	Other Waste Treatment	1000000 to 9999999
CYCLOHEXANE	34	1999	Other Waste Treatment	1000000 to 9999999
XYLENE (MIXED ISOMERS)	42	1999	Discharges to receiving streams or water bodies	10000000 to 49999999
XYLENE (MIXED ISOMERS)	100	1999	Wastewater Treatment (Excluding POTW)	10000000 to 49999999
XYLENE (MIXED ISOMERS)	210	1999	Other Waste Treatment	10000000 to 49999999
METHYL TERT-BUTYL ETHER	74	1999	Discharges to receiving streams or water bodies	10000000 to 49999999
METHYL TERT-BUTYL ETHER	629	1999	Wastewater Treatment (Excluding POTW)	10000000 to 49999999
METHYL TERT-BUTYL ETHER	160	1999	Other Waste Treatment	10000000 to 49999999

\* The mid-point of at least one range was used to calculate this quantity

**Map Identification Number 178**      **KEYSPAN ENERGY HOLTSVILLE LNG FACILITY**



UNION AVE.  
 Mail Name: KEYSPAN ENERGY  
 Mail Address: 445 BROADHOLLOW RD.

HOLTSVILLE, NY 11742

MELVILLE, NY 11747

**EPA Tri Id: 11742HLTSVUNION**

TT-Id: 860A-0002-789

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 731 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source: EPA      EPA Facility Status: OPEN  
 Public Contact: ROBERT MAHONY

Public Contact Phone #: (718) 403-2522

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
METHANOL	50	2000	Fugitive or non-point air emissions	10000 to 99999
METHANOL	12850	2000	Energy Recovery	10000 to 99999
METHANOL	150	1999	Stack or Point air emissions	10000 to 99999

**Map Identification Number 179**      **RICHARD M. FLYNN POWER PLANT**



607 UNION AVE.

HOLTSVILLE, NY 117429998

**EPA Tri Id: 11742RCHRD607UN**

TT-Id: 860A-0002-790

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1215 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source: EPA      EPA Facility Status: OPEN  
 Public Contact: PETER BARDEN

Public Contact Phone #: (518) 433-6734

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
METHANOL	5*	2001	Fugitive or non-point air emissions	1000 to 9999
METHANOL	5835	2001	Discharges to receiving streams or water bodies	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.300000	2001	Stack or Point air emissions	0 to 99

\* The mid-point of at least one range was used to calculate this quantity

**Map Identification Number 180**      **KEYSPAN ENERGY HOLTSVILLE IC FACILITY**



180-A MORRIS AVE.

HOLTSVILLE, NY 11742

**EPA Tri Id: 11742HLTSV180AM**

Mail Name: ROBERT TEETZ ENVIRONMENTAL ENG.

Mail Address: KEYSPAN ENERGY175 E. OLD COUNTRY RD.

HICKSVILLE, NY 11801

TT-Id: 860A-0002-791

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 1250 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

Source: EPA

EPA Facility Status: OPEN

Public Contact: ANDREA STAUB

Public Contact Phone #: (516) 545-5317

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
LEAD COMPOUNDS	55	2001	Stack or Point air emissions	0 to 99
POLYCYCLIC AROMATIC COMPOUNDS	160	2001	Stack or Point air emissions	0 to 99



**WASTEWATER DISCHARGES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 181**

**HOLTSVILLE TERMINAL**  
586 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0110086**  
EPA(FINDS) Id: NYD980646129  
TT-Id: 880A-0005-059

EPA (FINDS) Name: HOLTSVILLE TERMINAL  
EPA (FINDS) Address: HOLTSVILLE TERMINAL UNION AVENUE

HOLTSVILLE, NY 11742

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11741

Contact Name: PETE MILOSKI TERMINAL MGR

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day): 1.261

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
PETROLEUM BULK STATIONS & TERM	INDUSTRIAL	MINOR	ACTIVE	09/09/1999	04/01/2005	03/28/1988

**Map Identification Number 182**

**KEYSPAN – HOLTSVILLE LIQUID**  
UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0109193**  
EPA(FINDS) Id: NYD980648240  
TT-Id: 880A-0005-151

EPA (FINDS) Name: HOLTSVILLE LIQUID NATURAL GAS  
EPA (FINDS) Address: UNION AVE

HICKSVILLE, NY 11742

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 726 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Contact Name: ROBERT TEETZ

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day): .001

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
NATURAL GAS TRANSMISSION	INDUSTRIAL	MINOR	ACTIVE	11/22/1999	03/01/2005	01/01/1983

**Map Identification Number 183**  **RICHARD M FLYNN POWER PLANT**  
607 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0225746**  
TT-Id: 880A-0005-150

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1191 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Contact Name: MICHAEL D MEDVEC

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day):

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
ELEC & OTHER SERVICES COMBINED	INDUSTRIAL	MINOR	ACTIVE	01/11/2002	09/01/2007	09/01/1992





### AIR DISCHARGE FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

#### Map Identification Number 184



#### NORTHVILLE IND HOLTSVILLE TERM

586 UNION AVENUE

EPA (FINDS) Name: NORTHVILLE IND HOLTSVILLE TERM

EPA (FINDS) Address: 25 MELVILLE PARK RD, BOX 2937

Facility Id: 3610300025

HOLTSVILLE, NY 11742

MELVILLE 117470398

State-county CDS Id: 3610300025

State-county NED id: 361033144

TT-ID: 900A-0007-292

#### MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

#### ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11741

CDS-ID: 00025

NED-ID: 3144

EPA-ID: NYD980233753

FINDS-ID: NYD980233753

Plant Phone #1: None Given

Plant Phone #2: (516)753-4336

Operating Status: OPERATING

EPA Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

State Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

EPA Plant Compliance Status:

State Plant Compliance Status: UNKNOWN COMPLIANCE STATUS

#### AIR PROGRAM INFORMATION

Regulatory Air Program: SIP SOURCE

Regulatory Air Program: MACT (SECTION 63 NESHAPS)

Regulatory Air Program: TITLE V PERMITS

Program Status: OPERATING

Program Status: OPERATING

Program Status: OPERATING

#### POLLUTANT INFORMATION

Pollutant: TOTAL HAP POLLUTANT

State Pollutant Compliance for this pollutant: UNKNOWN COMPLIANCE STATUS

Pollutant: VOLATILE ORGANIC COMPOUNDS

State Pollutant Compliance for this pollutant: IN COMPLIANCE - INSPECTION

**Map Identification Number 185**      **NORTHVILLE INDUSTRIES TERMINAL**  
586 UNION AVE



**Facility Id: NY0012291**  
HOLTSVILLE, NY 11742

**State-county CDS Id:**  
State-county NED id:  
TT-ID: 900A-0007-293

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

CDS-ID: None Given                      NED-ID: None Given  
Plant Phone #1: None Given            Plant Phone #2: None Given  
Operating Status:  
EPA Classification:  
State Classification:  
EPA Plant Compliance Status:  
State Plant Compliance Status:

EPA-ID: None Given                      FINDS-ID: None Given

**AIR PROGRAM INFORMATION**

No air program information given.

**POLLUTANT INFORMATION**

No air pollutant information given.

**Map Identification Number 186**      **RICHARD M FLYNN POWER PLANT**  
607 UNION AVE



**Facility Id: NY0993855**  
HOLTSVILLE, NY 11742

**State-county CDS Id:**  
State-county NED id:  
TT-ID: 900A-0007-295

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING - LARGE SITE  
Approximate distance from property: 1160 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

CDS-ID: None Given                      NED-ID: None Given  
Plant Phone #1: None Given            Plant Phone #2: None Given  
Operating Status:  
EPA Classification:  
State Classification:  
EPA Plant Compliance Status:  
State Plant Compliance Status:

EPA-ID: None Given                      FINDS-ID: None Given

AIR PROGRAM INFORMATION

No air program information given.

POLLUTANT INFORMATION

No air pollutant information given.

Map Identification Number 187



**HOLBROOK GENERATING STATION (LILCO)**

W SIDE MORRIS AVE  
HOLBROOK GENERATING STA  
W SIDE MORRIS AVE

**Facility Id: 3610300060**

**State-county CDS Id: 3610300060**

HOLBROOK, NY 11741

State-county NED id: 361032110

EPA (FINDS) Name:

HOLBROOK GENERATING STA

EPA (FINDS) Address:

W SIDE MORRIS AVE

HOLBROOK 11741

TT-ID: 900A-0007-294

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 1248 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

CDS-ID: 00060

NED-ID: 2110

EPA-ID: NYD980217392

FINDS-ID: NYD980217392

Plant Phone #1: None Given

Plant Phone #2: (516)733-4944

Operating Status: OPERATING

EPA Classification:

State Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

EPA Plant Compliance Status:

State Plant Compliance Status: IN COMPLIANCE – INSPECTION

AIR PROGRAM INFORMATION

Regulatory Air Program: SIP SOURCE

Regulatory Air Program: TITLE V PERMITS

Program Status: OPERATING

Program Status: OPERATING

POLLUTANT INFORMATION

Pollutant: CARBON MONOXIDE

State Pollutant Compliance for this pollutant: NO APPLICABLE STATE REGULATION

Pollutant: NITROGEN DIOXIDE

State Pollutant Compliance for this pollutant: NO APPLICABLE STATE REGULATION

Pollutant: TOTAL PARTICULATE MATTER

State Pollutant Compliance for this pollutant: IN COMPLIANCE – INSPECTION

Pollutant: SULFUR DIOXIDE

State Pollutant Compliance for this pollutant: IN COMPLIANCE – INSPECTION

Pollutant: VOLATILE ORGANIC COMPOUNDS

State Pollutant Compliance for this pollutant: IN COMPLIANCE – INSPECTION

**Map Identification Number 188 FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT**



EPA (FINDS) Name: FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT  
EPA (FINDS) Address: 180A MORRIS AVENUE

**Facility Id: 36103E0394**  
HOLTSVILLE, NY 11742  
HOLTSVILLE 11742

**State-county CDS Id: 36103E0394**  
State-county NED id:  
TT-ID: 900A-0007-296

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1248 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

CDS-ID: E0394 NED-ID: None Given  
Plant Phone #1: (914)681-6200 Plant Phone #2: None Given  
Operating Status: OPERATING

EPA-ID: NYD980648174 FINDS-ID: NYD980648174

EPA Classification:

State Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

EPA Plant Compliance Status:

State Plant Compliance Status: UNKNOWN COMPLIANCE STATUS

**AIR PROGRAM INFORMATION**

Regulatory Air Program: PSD  
Regulatory Air Program: NSPS  
Regulatory Air Program: ACID PRECIPITATION  
Regulatory Air Program: TITLE V PERMITS

Program Status: OPERATING  
Program Status: OPERATING  
Program Status: OPERATING  
Program Status: OPERATING

**POLLUTANT INFORMATION**

Pollutant: TOTAL PARTICULATE MATTER  
State Pollutant Compliance for this pollutant: UNKNOWN COMPLIANCE STATUS

Pollutant: SULFUR DIOXIDE  
State Pollutant Compliance for this pollutant: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS



***NO CIVIL & ADMINISTRATIVE ENFORCEMENT DOCKET FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS***

U.S. EPA EMERGENCY RESPONSE NOTIFICATION SYSTEM (ERNS) SPILLS  
 AT THE LOCATION OR POTENTIALLY AT THE LOCATION OF  
 586 Union Avenue  
 Holtsville, NY 11742

\* Any ERNS Spills listed below are NOT mapped in this report \*

ONSITE ERNS (A count of these spills can be found in the distance interval table):

\*\*\*\*\*

Spill Number (ID): 396929

Spill Date: 08/22/1994

Location: 586 UNION AVE  
 Spill City: HOLTSVILLE NY 11742

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
OIL, FUEL: NO. 2	100.00	GAL	700.00	0.00	UNK	53897628

Potentially Responsible Party (Discharger): TOSCO PIPELINE CO  
 Discharger Address: 586 UNION AVE  
 HOLTSVILLE NY 11742  
 Dun and Bradstreet Number: Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:  
 Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F  
 Waterway Affected:  
 Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):  
 Transportation Accident: F Equipment Failure: F  
 Operator Error: T Natural Phenomenon: F  
 Dumping: F Other Cause: F  
 Unknown: F

Cause of the incident: Source of Release:  
 Type of Transportation Involved: PIPELINE RELATED

Action: PIPELINE SECURED/CREWS ENROUTE

Description: 12" INTRASTATE PIPELINE/GASKET RUPTURED DURING PRESSURE TESTING

Miscellaneous:

\*\*\*\*\*

Spill Number (ID): 555442

Spill Date: 10/02/1997

Location: 586 UNION AVE  
 Spill City: HOLTSVILLE NY 11742

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
------------------	------------------	-------	--------	----------------------------	-------	-------

GASOLINE: AUTOMOTIVE (UNLEADED) 35.00 GAL 228.00 0.00 UNK 95952645

Potentially Responsible Party (Discharger): RHUE LEASING / OK PETRO.

Discharger Address: UNKNOWN

FARMINGDALE

NY

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: F Land: T Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected:

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: T

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident: VALVE

Source of Release: TANK

Type of Transportation Involved: HIGHWAY RELATED

Action: THE MATERIAL WAS CONTAINED AND HAS BEEN CLEANED UP

Description: TANKER TRUCK TANKER TRUCK / MANIFOLD VALVE ON THE TRUCK MALFUNCTIONED CAUSING THE RELEASE OF THE MATERIAL

Miscellaneous: WILL NOTIFY THE PUBLIC SERVICE COMMISSION AND THE DEPT OF HEALTH / THE CALLER HAD NO OTHER INFORMATION NYSDEC CASE# 9 7-07-824

\*\*\*\*\*

POTENTIALLY ONSITE ERNS:

\*\*\*\*\*

Spill Number (ID): 128808

Spill Date: 11/28/1989

Location: UNION AVE WEST OF MORRIS AVE

Spill City: HOLTSVILLE NY

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
MERCAPTAN	0.00	UNK	0.00	0.00	NON	

Potentially Responsible Party (Discharger):

Discharger Address:

Dun and Bradstreet Number:

Organization Type:

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: AIR

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident:  
Type of Transportation Involved: PIPELINE RELATED

Source of Release:

Action: TIGHTENED THE FLANGE TO STOP THE LEAK

Description: VALVE ON A PIPE / LEAK IN THE VALVE

Miscellaneous:

\*\*\*\*\*

Spill Number (ID): 158287

Spill Date: 04/16/1990

Location: UNION AVE  
Spill City: BROOK HEAVEN NY

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
GASOLINE: AUTOMOTIVE (4.23G PB/G	1.00	GAL	6.00	0.00	NON	

Potentially Responsible Party (Discharger): AC BERWICK

Discharger Address: 850 PORT READING AVE  
PORT READING

NJ 07064

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: F Land: T Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: PAVEMENT

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident:

Source of Release:

Type of Transportation Involved: HIGHWAY RELATED

Action: PUT SPEEDY DRY ON THE AFFECTED AREA

Description: SEMI TRUCK / LEAKING PRODUCT HOSE

Miscellaneous:

\*\*\*\*\*



Unmappable facilities for 'Suffolk' County

Solid Waste Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
	SYNCOR NUCLEAR PHARMACY S			UNKNOWN
	TRANS MED LIMITED RMW TS			UNKNOWN
52A00	ISLIP ASHFILL			UNKNOWN
52C03	DUNLOP AVE COMPOSTING			UNKNOWN
52C18	TOWN OF ISLIP			11779
52I55	VILLAGE OF PATCHOGUE			UNKNOWN
52W54R	TRI-TOWN CARTING CORP.			UNKNOWN
52W69R	GLOBAL LAND MATERIALS			UNKNOWN
52W72R	C&A MATERIALS			UNKNOWN
52W74	HOLBROOK TRUCK & LEASING			UNKNOWN
52W76R	LONG ISLAND DIRT CORP.			UNKNOWN
52W77R	T.S. HAULERS, INC.			UNKNOWN
52W78	NORTH SHORE RECYCLING			UNKNOWN
52W80R	CALVERTON INDUSTRIES, LLC			UNKNOWN
52W81R	BELLI CONTRACTING CO, INC			UNKNOWN
52W85R	LONG ISLAND RECYCLING INC			UNKNOWN
52W98R	ALEXANDER AND ANTHONY IZZ			UNKNOWN
52Y18	TOWN OF ISLIP			11779
52I 0	ISLIP		ISLIP (T)	UNKNOWN
NY00000003098	JOSEPH MENAFRA MAN.	UNKNOWN	UNKNOWN	UNKNOWN

Hazardous Spills - MISC. SPILL CAUSES - Active

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
1808368	LI EXPRESSWAY WEST	EXIT 59 & 60 BOUND	RONKONKOMA	11779

Hazardous Spills - TANK FAILURES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8703492	LILCO	MORRIS AVENUE	HOLTSVILLE	11742

Hazardous Spills - TANK TEST FAILURES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8504152	CHEVRON S/S (CFI)	LIE EXIT 62	HOLBROOK	11742
8800786	LILCO	MORRIS AVENUE	HOLTSVILLE	11742
9207335	TOWN OF ISLIP OWNER	FLIGHT SERVICE BLDG	ISLIP	UNKNOWN

Hazardous Spills - UNKNOWN CAUSE OR OTHER CAUSES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8401635				UNKNOWN
8401564				UNKNOWN
8100603				UNKNOWN
9211601	PRINT SHOP	25 UNION AVENUE	BROOKHAVEN	UNKNOWN
1207582	HURRICANE SPILLS	MULTIPLE	BROOKHAVEN	UNKNOWN
8201214			CORAM	UNKNOWN
8100511			CORAM	UNKNOWN
7800390			DUCK LAKE	UNKNOWN
8301247			FARMINGVILLE	UNKNOWN
1904956	ONUFRAK RESIDENCE	UNKNOWN	FARMINGVILLE	11738
0312381	VERTEX INDUSTRIES	PO BOX 297	FARMINGVILLE	11738
0207275	UNKNOWN	LIE EXIT 63 - EXIT 70	FARMINGVILLE	UNKNOWN
9410105	UNK ASPHALT PLANT	OFF PATCHOGUE HOLBROOK RD	HOLBROOK	UNKNOWN
8903365	HOLIDAY MGT	FURROWS ROAD	HOLBROOK	UNKNOWN
8001430			HOLBROOK	11741
0601504	KEYSPAN	UNION AVENUE	HOLBROOK	11741

9712913	SUFFOLK COUNTY WATER AUTHORITY	MORRIS AVENUE	HOLTSVILLE	11742
9711845	SPILL NUMBER 9711845	LIE RTE 495	HOLTSVILLE	11742
9406452	UNK/TRUCK	LIE NO SVE RD EXIT 61/62	HOLTSVILLE	UNKNOWN
9309433	UNK	FURROWS RD & UNION AVE	HOLTSVILLE	11742
8806276	UNKNOWN	UNION AVENUE	HOLTSVILLE	UNKNOWN
8202212			HOLTSVILLE	11742
8201368		UNION AV	HOLTSVILLE	UNKNOWN
8000602		L. GOTLIEB (US GOVT)	HOLTSVILLE	11742
1509213	UNKNOWN	LIE EASTBOUND EXIT 62	HOLTSVILLE	11742
1404180	ROADWAY	LONG ISLAND EXPRESSWAY EXIT 62N	HOLTSVILLE	11742
1214807	JC DISCOUNT FUEL	LONG ISLAND AVENUE	HOLTSVILLE	11742
0411631	UNKNOWN	LONG ISLAND AVENUE	HOLTSVILLE	11742
1900667	POSSIBLE STORM DRAIN	EAST BOUND SRV RD OF LIE	ISLANDIA	11779
9106530	TOWN OF ISLIP COMPOST FACILITY	RAILROAD AVENUE/LINCOLN	ISLIP	UNKNOWN
2100730	BOAT YARD	ASTHACA RD	ISLIP	11751
0805292	EDGEWOOD MOTOR HOME PARK	WHITE CAP	ISLIP	UNKNOWN
9825028	UNKNOWN	LIE SOUTH SERVICE ROAD	LAKELAND	11779
9507272	UNK	LIE/NORTH SERVICE RD	MEDFORD	UNKNOWN
8201358			NO. PATCHOGUE	UNKNOWN
9312905	MEENAN OIL	PARKING PLAZA #130	NORTH PATCHOGUE	UNKNOWN
7801072			PILOT STATION	UNKNOWN
9706453	ISLIP COMPOST	RAILROAD AVENUE	RONKONKOMA	UNKNOWN
9511098	BROOKHAVEN HWY YARD	UNION AVENUE	RONKONKOMA	UNKNOWN
8705379	UNKNOWN	LIE WB BTW 58-59	RONKONKOMA	11779
8302165		L. I. E.	RONKONKOMA	UNKNOWN
8300428		EXPRESSWAY DR	RONKONKOMA	UNKNOWN
8201508			RONKONKOMA	UNKNOWN
8201178	LIRR TRACKS	RAILROAD AVENUE	RONKONKOMA	11779
1701588	ROADWAY	LIE SOUTH SERVICE X 58-59	RONKONKOMA	11779
0110941	CARO COLLISION	ROSEDALE EXTENTION	RONKONKOMA	11779
0001525	UNKNOWN	LIE EXITS 58/59	RONKONKOMA	11779
1906196	TEST	TEST	TEST	UNKNOWN

Hazardous Spills - MISC. SPILL CAUSES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
0904526	VACANT LOT AND ROADWAY	HIGHVIEW DRIVE APPROX. 1196	BROOKHAVEN	11719
9514214	SCHIERHORST RESIDENCE	7 1ST STREET	FARMINGVILLE	11738
9208009	UNK	LIE BTW EXITS 61-62 EB	FARMINGVILLE	UNKNOWN
8710227	TAURUS EXCAVATING CO	MORRIS AVE & WARREN AVE	FARMINGVILLE	UNKNOWN
8402588	GREEN TREE DISCOUNT FUEL	MORRIS AVENUE	FARMINGVILLE	11738
1905034	ROADWAY	NORTH SERVICE RD LONG ISLAND EXPRESSWAY	FARMINGVILLE	11738
0400023	TULLIO PAGLIENI RESIDENCE	4D GATE	FARMINGVILLE	11738
9004354	TOWN OF ISLIP COMPOST CENTER	RAILROAD AVENUE	HOLBROOK	11741
9001498	UNKNOWN	OLD HOLBROOK ROAD	HOLBROOK	11741
8606180	LILCO	EAST HOLBROOK ROAD	HOLBROOK	UNKNOWN
8600764	UNKNOWN	EXIT 60-61 LIE	HOLBROOK	UNKNOWN
0311395	UNKNOWN	UNION AVENUE	HOLBROOK	UNKNOWN
0303325	UNKNOWN	AVENUE C	HOLBROOK	UNKNOWN
0101599	UNKNOWN	LIE EXIT 61/EXIT 62	HOLBROOK	UNKNOWN
9712908	SUFFOLK COUNTY WATER AUTHORITY	MORRIS AVENUE	HOLTSVILLE	11742
9700693	SPILL NUMBER 9700693	WASHINGTON AVENUE	HOLTSVILLE	11742
9515314	SPILL NUMBER 9515314	EXPRESS DRIVE NORTH	HOLTSVILLE	UNKNOWN
9511194	FURROWS RD NEAR P.A.L.	1 EMPIRE SPORTS PLAZA	HOLTSVILLE	UNKNOWN
9508242	UNKNOWN	SOUTH SERVICE ROAD LIE	HOLTSVILLE	11742
9507484	PRINCETON RESTORATION ETC	LI AVENUE EXIT TO END	HOLTSVILLE	11742
9502508	LILCO	MORRIS AVENUE	HOLTSVILLE	11742
9500727	UNK	LONG ISLAND AVENUE	HOLTSVILLE	11742
9311548	UNK	LONG ISLAND AVENUE	HOLTSVILLE	11742
9302339	UNKNOWN	CTY RD 83 & LIE/LI AVE	HOLTSVILLE	UNKNOWN
9204865	LILCO	MORRIS AVENUE	HOLTSVILLE	11742

9200214	SAFETY KLEEN	UNION AVENUE	HOLTSVILLE	UNKNOWN
8906390	P&G FUEL OIL	LONG ISLAND AVENUE	HOLTSVILLE	11742
8903077	LILCO	S/O LIE BEFORE EXIT 62	HOLTSVILLE	UNKNOWN
8809352	UNKNOWN	SINGINGWOOD ROAD	HOLTSVILLE	11742
8805251	UNKNOWN	FURROWS ROAD	HOLTSVILLE	UNKNOWN
8710847	LILCO	UNION AVENUE	HOLTSVILLE	UNKNOWN
8603113	BOB'S GULF	LIE EXIT 52 NORTH SERVICE ROAD	HOLTSVILLE	11742
1111425	UNKNOWN	LIE SOUTH SERVICE ROAD	HOLTSVILLE	11742
0705261	UNKNOWN	EB LIE	HOLTSVILLE	11742
0610255	UNKNOWN	SOUTH LONG ISLAND EXPWY	HOLTSVILLE	11742
0203728	UNKNOWN	LIE SOUTH SERVICE ROAD	HOLTSVILLE	11742
0202034	UNKNOWN	RAILROAD AVE/LINCOLN AVE	HOLTSVILLE	UNKNOWN
9910626	UNKNOWN	LIE NORTH SERVICE ROAD	ISLANDIA	UNKNOWN
9206661	UNK	LIE BETW TERRY&OLD NICOLS	ISLANDIA	UNKNOWN
9814932	UNKNOWN	LIE EASTBOUND	ISLIP	11751
2005946	ROADWAY	LONG ISLAND EXPRESS WAY WB EXIT 55	ISLIP	11751
9008781	LILCO	RAILROAD AVENUE/KNICKERBOCKER	LAKE RONKONKOMA	UNKNOWN
9009073	LILCO	3050 WASHINGTON AVENUE	NORTH PATCHOGUE	11742
9204071	JOHN BYANK PASS VEHICLE	IN RP'S VEHICLE	NOT GIVEN	UNKNOWN
9805157	UNKNOWN	FURROWS ROAD	RONKONKOMA	UNKNOWN
9713552	SPILL NUMBER 9713552	LONG ISLAND EXPRESSWAY	RONKONKOMA	UNKNOWN
9502054	DIAMOND POWER WASHING	DIAMOND POWER WASHING	RONKONKOMA	UNKNOWN
9406254	LIRR	RAILROAD AVENUE	RONKONKOMA	11741
9303332	UNKNOWN	LIE NO SERVICE ROAD	RONKONKOMA	UNKNOWN
9104085	UNK	NEAR ST MARYS CHURCH	RONKONKOMA	UNKNOWN
8806255	MTA LIRR	NORTH OF RR STATION	RONKONKOMA	11779
8802816	UNKNOWN	RAILROAD AVENUE	RONKONKOMA	11779
8801181	LIRR	RAILROAD AVENUE	RONKONKOMA	UNKNOWN
8602984	SCPD	SUFF CTY SPECIAL PATROL	RONKONKOMA	UNKNOWN
1907248	UNKNOWN	LIE BETWEEN EXIT 58&59 WB	RONKONKOMA	11779
1608358	LONG ISLAND EXPRESSWAY	LI EXPRESS WAY WEST BOUND BETWEEN EXIT 5	RONKONKOMA	11779
1502748	UNKNOWN	518 EXPRESS DR SOUTH	RONKONKOMA	11779
1215410	A&R MATERIALS	72 UNION STREET	RONKONKOMA	11779
1205699	VEHICLE FIRE	LIE WESTBOUND	RONKONKOMA	11779
1105071	RONKONKOMA SUBSTATION G36	RAILROAD AVE	RONKONKOMA	11779
0910647	RONKONKOMA YARD	RAILROAD AVENUE	RONKONKOMA	11779
0905873	LIRR RONKONKOMA YARD	RAILROAD AVENUE	RONKONKOMA	11779
0904524	UNKNOWN	LIE EASTBUND WEST OF EXIT 61	RONKONKOMA	11779
0507645	UNKNOWN	LIE BETWEEN 58 & 59 EAST BOUND	RONKONKOMA	UNKNOWN
0125321	UNKNOWN	STREETS OF SUFFOLK COUNTY	TOWNS OF SUFFOLK COUNTY	UNKNOWN

Petroleum Bulk Storage Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
6-11907				UNKNOWN
NYSF13940	GO TO REF NO. 04189			UNKNOWN
NYSF15282	GO TO REF.NO 07541			UNKNOWN
NYSF04988	MICA WAVE	914-33 MORRIS AVE	HOLTSVILLE	11742
NYSF05105	SOLMINS OIL CORP	UNION AVE	HOLTSVILLE	11742
NYSF11596	NORTHVILLE INDUSTRIES	UNION BLVD	HOLTSVILLE	11742

Hazardous Waste Generation or Transport Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NYD980536890	GOLDISC RECORDINGS INC	1 GOLDISC RD	HOLBROOK	11741
NYD981870314	METRO SERVICE STATION	HOLBROOK RD & RAILROAD AVE	HOLBROOK	11741
NYD986945335	SAN O INDUSTRIAL	91-3 HOLLAND DRIVE	HOLBROOK	11741
NYP000862667	NYSDEC	HOLBROOK FD	HOLBROOK	UNKNOWN
NY0000990903	GRUMMAN DATA SYSTEMS (INFO-CONVERSIONS)	ONE GDS PLAZA	HOLTSVILLE	11742
NYP003631140	NYSDEC DIVIION OF SPILL MANAGEMENT	UNION AVENUE	HOLTSVILLE	11742
NYP003631264	NYSDEC	SPILLS ?	LIC	UNKNOWN
NYP003631512	NYSDEC BUREAU OF SPILLS	EXIT 27A GARDEN STATE PKWY	N/S	UNKNOWN

NYP000300277 NYSDEC  
NYX720000000 TRANSPORTER X

RAILROAD AVE  
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

RONKONKOMA UNKNOWN  
XXXXXXXXXXXXXXXXXXXXXXXXXXXX UNKNOWN

Hazardous Substance Waste Sites  
FACILITY ID FACILITY NAME  
NY0002 MANDERVILLE PLANT  
NY0003 PINE'S SWITCH PLANT

STREET

CITY ZIP  
MANDERVILLE, NY ? UNKNOWN  
PINE'S SWITCH UNKNOWN

Wastewater Discharges  
FACILITY ID FACILITY NAME  
NY0199621 METROPOLITAN LIFE INSURANCE CO  
NY0210595 SELDEN CHANNEL LAUNDROMAT  
NY0220841 WASHINGTON AVENUE CONDOMINIUMS  
NY0221350 PIZZA HUT #606176

STREET

CITY ZIP  
UNKNOWN  
UNKNOWN  
UNKNOWN  
UNKNOWN

**Hazardous waste codes presented in individual Toxic Information Profiles are defined below.**

- B002 Petroleum oil or other liquid containing 50 ppm or greater of PCBs but less than 500 ppm PCBs. This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit breakers, reclosers and cable.
- B003 Petroleum oil or other liquid containing 500 ppm or greater of PCBs.
- B007 Other PCB Wastes including contaminated soil, solids, sludges, clothing, rags, and dredge material.
- D001 Solid waste that exhibits the characteristic of ignitability, but is not listed under any other hazardous waste code.
- D002 Solid waste that exhibits the characteristic of corrosivity, but is not listed under any other hazardous waste code.
- D004 Arsenic
- D005 Barium
- D007 Chromium
- D008 Lead
- D009 Mercury
- D018 BENZENE
- D035 Methyl ethyl ketone
- D039 Tetrachloroethylene
- F001 The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)
- F002 The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, ortho-dichlorobenzene, trichlorofluoromethane, and 1,1,2-trichloroethane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004, or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)
- F003 The following spent non-halogenated solvents: Xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone, and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten percent or more (by volume) of one or more of those solvents listed

in F001, F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (I)\*

F005 The following spent non-halogenated solvents: Toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, and 2-nitropropane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002, or F004; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (I,T)

K052 Tank bottoms (leaded) from the petroleum refining industry. (T)

Source: U. S. Environmental Protection Agency

# How Toxic Site Locations Are Mapped

Toxics Targeting maps toxic site locations on a digital version of the U. S. Census map or those used by local authorities using addresses and map coordinates provided by site owners/operators or government agencies. In order to allow site locations to be verified independently, the information used to map each site is presented in the first section of each Toxic Site Profile, along with a description of the mapping technique used and any address corrections that were made in order to locate toxic sites with incomplete or inadequate site location information. The mapping process is explained below.

Map Identification Number: 12

Site Name: Acme World Manufacturing, Inc.

Site Address: 55 Main Street

Anytown, NY 11797

## MAP LOCATION INFORMATION

Site location mapped by:

Address Matching

Note: Some sites have an address match location and a map coordinate location. Both locations are mapped because they can be equally correct.

or Map Coordinate

or Manual Mapping

or Site Visit

1) Most toxic sites are mapped by matching addresses provided by site owners/operators or government agencies with locations on a digital version of the street or parcel map. These site locations are identified with the method used to map them.

2) Some toxic sites are located using map coordinates provided by site owners/operators or government agencies. These site locations are identified "map coordinate." Map coordinates for Toxic Wastewater Discharges, Toxic Release Inventory sites and Major Oil Storage Facilities should be considered suspect.


3) Incomplete addresses or map coordinates require some site locations to be determined by commercial street maps (manual mapping), site visits, map coordinates from other databases and address location services. Application of any of these methods is identified accordingly.

## ADDRESS CHANGE INFORMATION

Revised Street: NO CHANGE

Revised zip code: NO CHANGE

4) Site addresses are sometimes corrected to eliminate obvious errors that prevent sites from being mapped. All address corrections are noted here.



# Information Source Guide

*Toxics Targeting's Environmental Reports* contain government and other information compiled on 18 categories of reported known or potential toxic sites. Each toxic site database is described below with information detailing a) the source of the information, b) the date when each database is covered to and c) when *Toxics Targeting* obtained the information..

1) **National Priority List for Federal Superfund Cleanup:** Toxic sites nominated for cleanup under the Federal Superfund program. Annual compilation of special two-page detailed profiles of NPL sites. Also includes delisted NPL sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
New Facilities updated through: 2/09/2021. Data obtained by Toxics Targeting: 2/09/2021.  
Data attributes updated from: 2/09/2021. Data obtained by Toxics Targeting: 2/09/2021.

2) **Inactive Hazardous Waste Disposal Site Registry:** New York State database that maintains information and aids decision making regarding the investigation and cleanup of toxic sites. The Registry's data includes two-page profiles noting site name, ID number, description, classification, cleanup status, types of cleanup, owner information, types and quantities of contaminants, and assessment of health and environmental problems. Also included are sites that qualify for possible inclusion on the Registry. These Registry Qualifying sites may or may not be on the Site Registry. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 9/23/2021. Data obtained by Toxics Targeting: 10/07/2021.  
New Facilities updated to: 9/23/2021. Data obtained by Toxics Targeting: 10/07/2021.

3) **Federal & State Corrective Action Activity (CORRACTS):** New York State and Federal databases of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).  
ASTM required.\* Fannie Mae required.\*\*

<b>Federal Data</b>		Source: U. S. Environmental Protection Agency <sup>1</sup>
Data attributes updated through:	3/01/2018.	Data obtained by Toxics Targeting: 3/07/2018.
New facilities updated through:	3/01/2018.	Data obtained by Toxics Targeting: 3/07/2018.

<b>State Data</b>		Source: New York State Department of Environmental Conservation. <sup>2</sup>
Data attributes updated through:	9/23/2021.	Data obtained by Toxics Targeting: 10/07/2021.
New facilities updated through:	9/23/2021.	Data obtained by Toxics Targeting: 10/07/2021.

4) **CERCLIS:** Toxic sites listed in the Federal Comprehensive Environmental Response, Compensation and Liability Information System. Includes Active and No Further Remedial Action Planned (NFRAP) sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
Data attributes updated through: 10/25/2013. Data obtained by Toxics Targeting: 1/07/2014.  
New Facilities updated through: 7/17/2017. Data obtained by Toxics Targeting: 8/22/2017.

5) **Brownfield Programs:** NYS programs for sites that are abandoned, idled or under-used industrial and/or commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination. ASTM required.\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 9/23/2021. Data obtained by Toxics Targeting: 10/07/2021.  
New Facilities updated to: 9/23/2021. Data obtained by Toxics Targeting: 10/07/2021.

- (a) **Brownfield Cleanup Program (BCP)**
- (b) **Voluntary Cleanup Program (VCP)**
- (c) **Environmental Restoration Program (ERP)**

6) **Solid Waste Facilities:** NYS Solid Waste Registry, including, but not limited to, landfills, incinerators, transfer stations, recycling centers. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data updated to: 4/1/2013. Data obtained by Toxics Targeting: 4/1/2013.

7) **RCRA Hazardous Waste Treatment, Storage or Disposal Facility Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the DEC's Division of Environmental Remediation pursuant to NYS Law and the Resource Conservation and Recovery Act (RCRA). ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
New facilities updated through: 06/10/2019. New facilities obtained by Toxics Targeting: 06/15/2019.  
Manifest transactions data updated to: 06/10/2019. Manifest transactions data obtained by Toxics Targeting: 06/15/2019.



(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).

ASTM required.\* Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency<sup>1</sup>

New facilities updated through: 3/01/2018.

New facilities obtained by Toxics Targeting: 3/07/2018.

Data attributes updated through: 3/01/2018.

Data obtained by Toxics Targeting: 3/07/2018.

8) **Spills Information Database:** Spills reported to the DEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from Petroleum Bulk Storage Regulations) or 6 NYCRR Section 595.2 (from Chemical Bulk Storage Regulations). This database includes both *active* and *closed* spills.

ASTM required.\* Fannie Mae.\*\*

Source: NYS Department of Environmental Conservation.<sup>2</sup>

New spills through: 9/23/2021

New spills data obtained by Toxics Targeting: 10/07/2021

Spill attribute data through: 9/23/2021

Spill attribute data obtained by Toxics Targeting: 10/07/2021

Active spills: paperwork not completed.

Closed spills: paperwork completed.

Both active and closed spills may or may not have been cleaned up (see Date Cleanup Ceased in spill profiles).

9) **Major Oil Storage Facilities:** NYS database of facilities licensed pursuant to Article 12 of the Navigation Law, 6NYCRR Parts 610 and 17NYCRR Part 30, such as onshore facilities or vessels, with petroleum storage capacities equal to or greater than 400,000 gallons. **Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\*

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

10) **Petroleum Bulk Storage Facilities:** County or State databases of aboveground and underground petroleum storage facilities.

ASTM required.\* Fannie Mae required.\*\*

All New York Counties except Cortland, Nassau, Rockland, Suffolk, and Westchester:

**NYS Petroleum Bulk Storage Database.** This includes all New York State counties except

Cortland, Nassau, Rockland, Suffolk, and Westchester.

ASTM required.\* Fannie Mae required.\*\*

Source: NYS Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

Tank data updated through: 7/1/2016.

Data obtained by Toxics Targeting: 7/1/2016.

Cortland County: **Cortland County Health Dept. Tank database.**

Source: Cortland County Health Department<sup>7</sup>

Data updated through: 7/15/2004

Data obtained by Toxics Targeting: 7/23/2004

Nassau County: a compilation of the following 2 databases:

**Heat producing products and other products:**

Source: Nassau County Department of Health.<sup>3</sup>

NOTE: This data is being withheld by the Nassau County DOH

Data updated through: 4/1/2001.

Data obtained by Toxics Targeting: 1/2/2002

**Generally non-heat producing products:**

Source: Nassau County Fire Marshal.<sup>4</sup>

Data updated through: 8/6/2009.

Data obtained by Toxics Targeting: 9/22/2009

Rockland County: **Rockland County Dept. of Health Tank database.**

Source: Rockland County Department of Health.<sup>5</sup>

Data updated through: 1/6/2017.

Data obtained by Toxics Targeting: 1/11/2017.

Suffolk County: **Suffolk County Dept. of Health Article 12 database**

Source: Suffolk County Department of Health Services.<sup>6</sup>

Data updated through: 1/30/2014.

Data obtained by Toxics Targeting: 7/22/2014.

Westchester County: **Westchester County Dept. of Health database.**

Source: Westchester County Department of Health<sup>8</sup>

Data updated through: 2/22/2016

Data obtained by Toxics Targeting: 2/22/2016

11) **RCRA Hazardous Waste Generators and/or Transporters Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the NYS Department of Environmental Conservation's Division of Environmental Remediation pursuant to New York State Law. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 06/10/2019. New facilities obtained by Toxics Targeting: 06/15/2019.  
Manifest transactions data updated to: 06/10/2019. Manifest transactions data obtained by Toxics Targeting: 06/15/2019.

(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).

ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency<sup>1</sup>

New facilities updated through: 3/01/2018. Data obtained by Toxics Targeting: 3/07/2018.  
Data attributes updated through: 3/01/2018. Data obtained by Toxics Targeting: 3/07/2018.

12) **Chemical Bulk Storage Facilities:** New York State database of facilities compiled pursuant to 6NYCRR Part 596 that store regulated substances listed in 6NYCRR Part 597 in aboveground tanks with capacities greater than 185 gallons and /or in underground tanks of any size. **Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data updated through: 7/1/2016. Data obtained by Toxics Targeting: 7/1/2016.

13) **Hazardous Substance Waste Disposal Site Study:** NYS database of waste disposal sites that may pose threats to public health or the environment, but could not be remediated using monies from the Hazardous Waste Remedial Fund.

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated to: 5/16/2000. Data obtained by Toxics Targeting: 5/16/2000.

14) **Toxic Release Inventory (TRI):** Federal database of manufacturing facilities required under Section 313 of the Federal Emergency Planning and Community Right-to-Know Act to report releases to the air, water and land of any specifically listed toxic chemical. See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup> / NYS Department of Environmental Conservation<sup>2</sup>

Data updated through: 3/8/2004. Data obtained by Toxics Targeting: 3/25/2004

15) **Toxic Wastewater Discharges (Permit Compliance System):** Federal database of discharges of wastewater to surface waters and groundwaters. See Fannie Mae requirement\*\* below. Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 6/17/2004. Data obtained by Toxics Targeting: 7/19/2004.

16) **Air Discharge Facilities:** EPA AIRS database containing address information on each air emission facility and the type of air pollutant emission it is. Compliance information is also provided on each pollutant as well as the facility itself.

See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency<sup>1</sup>

Data updated through: 11/24/1999. Data obtained by Toxics Targeting: 1/6/2000

17) **Civil Enforcement & Administrative Docket:** This database is the U. S. EPA's system for tracking administrative and civil judiciary cases filed on behalf of the agency by the Department of Justice. Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency.<sup>1</sup>

New Sites through: 10/14/1999.

Data updated through: 10/14/1999. Data obtained by Toxics Targeting: 11/18/1999.

18) **Emergency Response Notification System (ERNS):** Federal database of spills compiled by the Emergency Response Notification System. On-site searches only.

ASTM required.\* See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 1/31/2000. Data obtained by Toxics Targeting: 2/15/2000

19) **Remediation Site Borders:** Remediation site borders reported by NYSDEC. Source: New York State Dept. of Env. Conservation.<sup>2</sup>

Updated through: 8/06/2021. Data obtained by Toxics Targeting: 8/06/2021.

\* American Society of Testing Materials: Standard Practice on Env. Site Assessments: Phase I Environmental Site Assessment Process (E1527-05).

\*\* Fannie Mae's Part X Environmental Hazards Management Procedures specify 1.0 mile searches for "any state or Federal list of hazardous waste sites (e.g. CERCLIS, HWDMS etc.)." Searches for the property and adjacent properties are specified for "chemical manufacturing plants," "obvious high risk neighbors engaging in storing or transporting hazardous waste, chemicals or substances" and "...any documented or visible evidence of dangerous waste handling... (e.g. stressed vegetation, stained soil, open or leaking containers, foul fumes or smells, oily ponds, etc." Searches for property and adjacent properties can include sites up to a quarter mile away (W. Hayward, Director, Multi-Family Business Planning and Control, Fannie Mae, personal communication, 5/94).

<sup>1</sup>U. S. Environmental Protection Agency, 290 Broadway, NY, NY 10007-1866.

<sup>7</sup>Cortland County Department of Health, 60 Central Avenue, Cortland, NY 13045-2746

<sup>2</sup>NYS Department of Environmental Conservation, 625 Broadway, Albany, NY 12233.

<sup>8</sup>Westchester County Department of Health, 145 Huguenot St., New Rochelle, NY 10801

<sup>3</sup>Nassau County Department of Health, Bureau of Land Resources Management, 240 Old Country Road, Mineola, NY 11501.

<sup>4</sup>Nassau County Fire Commission, Office of the Fire Marshal, 899 Jerusalem Avenue, P. O. Box 128, Uniondale, NY 11553.

<sup>5</sup>Rockland County Department of Health, The Dr. Robert Yeager Health Center, Building D, Sanitorium Road, Pomona, NY 10970.

<sup>6</sup>Suffolk County Department of Health, Hazardous Materials Management, 15 Horseblock Place, Farmingville, NY 11738-1220.