

# **T**OXICS TARGETING

## **PHASE I**

# **ENVIRONMENTAL DATABASE REPORT**

**586 UNION AVENUE  
HOLTSVILLE, NY 11742**

**NOVEMBER 23, 2015**

## **LIMITED WARRANTY AND DISCLAIMER OF LIABILITY**

### **Who is Covered**

This limited warranty is extended by Toxics Targeting, Inc. only to the original purchaser of the accompanying Environmental Report ("Report"). It may not be assigned to any other person.

### **What is Warranted**

Toxics Targeting, Inc. warrants that it uses reasonable care to accurately transcribe the information contained in this Report from the sources from which it is obtained. This limited warranty is in lieu of all other express warranties which might otherwise arise with respect to the Report. No one is authorized to change or add to this limited warranty.

### **What We Will Do**

If during the warranty period there is shown to be a material error in the transcription of the information contained in this Report from the sources from which it was obtained, Toxics Targeting, Inc. shall refund to the original purchaser the full purchase price paid for the Report. The remedy stated above is the exclusive remedy extended to the Purchaser by Toxics Targeting, Inc. for any failure of the Report to conform with this Warranty, or otherwise for breach of this Warranty or any other warranty, whether expressed or implied.

### **What We Won't Cover**

Toxics Targeting, Inc. has not and can not verify the accuracy, correctness or completion of the information contained in this Report. Information is obtained from government agencies, site owners, and other sources, and errors are common in such information. Because Toxics Targeting, Inc. can not control the accuracy of the information contained in this Report, or the uses which may be made of the information, TOXICS TARGETING, INC. DISCLAIMS LIABILITY TO ANYONE FOR ANY EVENTS ARISING OUT OF THE USE OF THE INFORMATION. TOXICS TARGETING, INC. SHALL NOT BE LIABLE FOR ANY DAMAGE CAUSED BY THIS REPORT, WHETHER DIRECT OR INDIRECT, AND WHETHER OR NOT TOXICS TARGETING, INC. HAS BEEN ADVISED OF OR HAS KNOWLEDGE OF THE POSSIBILITY OF SUCH DAMAGES. TOXICS TARGETING, INC. EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

### **Period of Warranty**

The period of warranty coverage is ninety days from the date of purchase of this Report. There shall be no warranty after the period of coverage. ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR USE SHALL HAVE NO GREATER DURATION THAN THE PERIOD OF WARRANTY STATED HERE, AND SHALL TERMINATE AUTOMATICALLY UPON THE EXPIRATION OF SUCH PERIOD. Some jurisdictions do not allow limitations on how long an implied warranty lasts, so the above exclusion or limitation may not apply to you.

**PLEASE REFER TO PAGES ONE AND FIVE FOR A DESCRIPTION OF SOME OF THE LIMITATIONS OF THIS ENVIRONMENTAL REPORT.**

# Table of Contents

**Introduction..... 1**

- *The Three Sections of Your Report*
- *How to Use Your Report*
- *Toxic Site Databases Analyzed In Your Report*
- *Limitations Of the Information In Your Report*

**Section One: Your Report Summary..... 6**

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close-up Map*

**Section Two: Toxic Site Profiles**

**Section Three: Appendices**

- *USEPA ERNS Check*
- *Unmappable Sites*
- *Hazardous Waste Codes*
- *How Toxic Sites Are Mapped*
- *Information Source Guide*

## ***Introduction***

*Toxics Targeting* has combined environmental database searches, extensive regulatory analysis and sophisticated mapping techniques to produce your *Environmental Report*. It checks for the presence of 21 categories of government-reported toxic sites and provides detailed, up-to-date information on each identified site. The findings of your report are presented in an easy-to-understand format that:

1. ***Maps*** the approximate locations of selected government-reported toxic sites identified on or near a specified target address.
2. ***Estimates*** the distance and direction between the target address and each identified toxic site.
3. ***Reports*** air and water permit non-compliance and other regulatory violations.
4. ***Profiles*** some aspects of the usage, manufacture, storage, handling, transport or disposal of toxic chemicals at individual sites.
5. ***Summarizes*** some potential health effect information and drinking water standards for selected chemicals reported at individual sites.

## ***The Three Sections Of Your Report***

The first section highlights your report's findings by summarizing identified sites according to: **a)** distance intervals, **b)** direction, **c)** proximity to the target address and **d)** individual site categories. In addition, the locations of all identified toxic sites are illustrated on individual maps for each radius search distance used in your report. A close-up map illustrates the locations of all identified toxic sites, at the shortest radius search distance used in your report. Finally, a map of tax parcels and a table of selected information about those parcels are included.

The second section of your report contains *Toxic Site Profiles* that provide detailed information on each identified toxic site. The information in each *Toxic Site Profile* varies according to its source. Some toxic site categories have extensive information, some have limited information. All the information is updated on a regular basis.

The third section of the report contains appendices that identify: **1)** on-site spills reported to the national Emergency Response Notification System (ERNS), **2)** various toxic sites that cannot be mapped due to incomplete or erroneous addresses or other mapping problems, **3)** codes that characterize hazardous wastes reported at various facilities, **4)** methods used to map toxic sites identified in your report and **5)** information sources used in your report.


## ***How to Use Your Report***

- Check Table One to see the number of identified sites by distance intervals.
- Check Table Two to see identified sites sorted by direction.
- Check Table Three to see identified sites sorted by site categories.
- Check Table Four to see identified sites ranked by proximity to the target address.
- Use Table Five to get info for the subject parcel and every parcel found on the Tax Parcel Map
- Refer to the various maps to see the locations of identified toxic sites. Refer to the *Toxic Site Profile* and *Appendix* sections for additional information.

# *Toxic Site Databases Analyzed In Your Report*


## Search Radius

One-Mile




1) ***National Priority List for Federal Superfund Cleanup***: a listing of sites known to pose environmental or health hazards that are being investigated or cleaned up under the Federal Superfund program.

Half-Mile




2) ***Delisted National Priority List Sites***: a listing of NPL sites that have been removed from the National Priority List.

One-Mile




3) ***New York Inactive Hazardous Waste Disposal Site Registry***: a state listing of sites that can pose environmental or public health hazards requiring investigation or clean up.

One-Mile




4) ***New York Inactive Hazardous Waste Disposal Site Registry Qualifying***: a state listing of sites that qualify for possible inclusion to the NYS DEC Inactive Haz. Waste Disposal Site Registry.

One-Mile




5) ***New York and Federal RCRA Corrective Action Activity (CORRACTS)***: waste facilities with RCRA corrective action activity reported by the USEPA and NYS DEC.

Half-Mile



6) ***CERCLIS*** (Comprehensive Environmental Response, Compensation and Liability Information System): a federal listing of Non-NFRAP sites that can pose environmental or public health hazards requiring investigation or clean up.

Half-Mile



7) ***CERCLIS NFRAP***: a federal listing of CERCLIS sites that have no further remedial action planned.

Half-Mile



8) ***New York State Brownfield Cleanup Sites***: a listing of sites that are abandoned, idled or under-used industrial and commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination.

Half-Mile



9) ***New York Solid Waste Facilities Registry***: active and inactive landfills, incinerators, transfer stations or other solid waste management facilities.

Half-Mile



10) ***New York and Federal Hazardous Waste Treatment, Storage or Disposal Facilities***: sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRIS). Also includes the following database:

- ***RCRA violations***: waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act..

Half-Mile



11) **Toxic Spills: active and inactive or closed** spills reported to state environmental authorities, including *remediated* and *unremediated* leaking underground storage tanks. This database includes the following categories:

- Tank Failures
- Tank Test Failures
- Unknown Spill Cause or Other Spill Causes
- Miscellaneous Spill Causes

Quarter-Mile



12) **New York State Major Oil Storage Facilities:** sites with more than a 400,000-gallon capacity for storing petroleum products.

Quarter-Mile



13) **New York and Local Petroleum Bulk Storage Facilities:** sites with more than a 1,100-gallon capacity for storing petroleum products.

Quarter-Mile



14) **New York and Federal Hazardous Waste Generators and Transporters:** sites reported by the NYS manifest system and the USEPA's Resource Conservation and Recovery Act Information System (RCRA). Also includes the following database:


- **RCRA violations:** waste facilities with violations reported by the USEPA pursuant to the Resource Conservation and Recovery Act.

Quarter-Mile



15) **New York Chemical Bulk Storage Facilities:** sites storing hazardous substances listed in 6 NYCRR Part 597 in aboveground tanks with capacities of 185 gallons or more and/or underground tanks of any size

Half-Mile



16) **New York Hazardous Substance Disposal Site Draft Study:** a state listing of sites contaminated with toxic substances that can pose environmental or public health hazards. These sites are not eligible for state clean up funding programs.

Quarter-Mile



17) **Federal Toxic Release Inventory Facilities:** discharges of selected toxic chemicals to air, land, water or treatment facilities.

Quarter-Mile



18) **Federal Air Discharges:** Air pollution point sources monitored by U.S. EPA and/or state and local air regulatory agencies.

Quarter-Mile



19) **Federal Permit Compliance System Toxic Wastewater Discharges:** permitted toxic wastewater discharges.

Quarter-Mile



20) **Federal Civil and Administrative Enforcement Docket:** judiciary cases filed on behalf of the U. S. Environmental Protection Agency by the Department of Justice.

Property only



21) ***ERNS: Federal Emergency Response Notification System Spills:*** a listing of federally reported spills.

## *Limitations Of The Information In Your Report*

The information presented in your *Environmental Report* has been obtained from various local, state and federal government agencies. Please be aware that: **1)** additional information on individual sites may be available, **2)** newly discovered sites are continually reported and **3)** all map locations are approximate. As a result, this report is intended to be the **FIRST STEP** in the process of identifying and evaluating possible environmental threats to specific properties and can only serve as a guide for conducting on-site visits or additional, more detailed toxic hazard research.

*Toxics Targeting* tries to ensure that the information in your report is presented accurately and with minimal alteration. The only systematic changes that are made correct obvious address errors in order to allow sites to be mapped. Any address changes that are made are noted in the map information section at the top of each corresponding *Toxic Site Profile*. Since the information presented in your report is not edited, please be aware that it can contain reporting errors or typographical mistakes made by the site owners/operators or government agencies that produced the information. Please be aware of some other limitations of the information in your report:

- The map used by *Toxics Targeting* is the same one used by the U. S. Census. While the map is generally accurate, no map is perfect. In addition, *Toxics Targeting's* mapping methods estimate where toxic site addresses are located if the address is not specifically designated on the Census map. **FOR THESE REASONS, ALL MAP LOCATIONS OF ADDRESSES AND REPORTED TOXIC SITES SHOULD BE CONSIDERED APPROXIMATE AND SHOULD BE VERIFIED BY ON-SITE VISITS;**
- **UNDISCOVERED, UNREPORTED OR UNMAPPABLE TOXIC SITES MIGHT NOT BE IDENTIFIED BY THIS REPORT'S CHECK OF 21 TOXIC SITE CATEGORIES. TOXIC SITES REPORTED IN OTHER GOVERNMENT DATABASES MIGHT ALSO EXIST. FOR THESE REASONS, YOUR REPORT MIGHT NOT IDENTIFY ALL THE TOXIC SITES THAT EXIST IN THE AREA IT SEARCHES;**
- The appendix of your report contains a listing of sites that could not be mapped due to incomplete or erroneous address information or other mapping problems. This listing includes unmappable toxic sites in zip code areas within one mile of the target address as well as toxic sites without zip codes reported in the same county. **IF YOU WOULD LIKE INFORMATION ON ANY OF THE LISTED SITES, PLEASE CONTACT TOXICS TARGETING AND REFER TO THE SITE ID NUMBER.**
- Some toxic sites identified in your report may be classified as **known hazards**. Most of the toxic sites identified in your report involve **potential hazards** related to the on-site use, manufacture, handling, storage, transport or disposal of toxic chemicals. Some of the toxic sites identified in your report may be the addresses of parties responsible for toxic sites located elsewhere. **YOU SHOULD ONLY CONCLUDE THAT TOXIC HAZARDS ACTUALLY EXIST AT A SPECIFIC SITE WHEN GOVERNMENT AUTHORITIES MAKE THAT DETERMINATION OR WHEN THAT CONCLUSION IS FULLY DOCUMENTED BY THE FINDINGS OF AN APPROPRIATE SITE INVESTIGATION UNDERTAKEN BY LICENSED PROFESSIONALS;**
- Compass directions and distances are approximate. Compass directions are calculated from the subject property address to the mapped location of each identified toxic site. The compass direction does not necessarily refer to the closest property boundary of an identified toxic site. The compass direction also can vary substantially for toxic sites that are located very close to the subject property address.
- The information presented in your report is a summary of the information that *Toxics Targeting* obtains from government agencies on reported toxic sites. **YOU MAY BE ABLE TO OBTAIN ADDITIONAL INFORMATION ABOUT REPORTED SITES WITH THE FREEDOM OF INFORMATION REQUEST FORM LETTERS THAT ARE PROVIDED ON THE INSIDE OF THE BACK COVER.**



# Section One:

## Report Summary

- *Table One: Number of Identified Toxic Sites By Distance Interval*
- *Table Two: Identified Toxic Sites By Direction*
- *Table Three: Identified Toxic Sites By Category*
- *Table Four: Identified Toxic Sites By Proximity*
- *Map One: One-Mile Radius Map*
- *Map Two: Half-Mile Radius Map*
- *Map Three: Quarter-Mile Radius Map*
- *Map Four: Quarter-Mile Radius Close up Map*

## NUMBER OF IDENTIFIED SITES BY DISTANCE INTERVAL

Database Searched	0 – 100 ft	100 ft – 1/8 mi	1/8 mi – 1/4 mi	1/4 mi – 1/2 mi	1/2 mi – 1 mi	Site Category Totals
<b>ASTM–Required 1 Mile Search</b>						
National Priority List (NPL) Sites	0	0	0	0	0	0
NYS Inactive Hazardous Waste Disposal Site Registry	0	0	0	0	0	0
NYS Inactive Haz Waste Disposal Site Registry Qualifying	0	0	0	0	0	0
RCRA Corrective Action (CORRACTS) Sites	0	0	0	0	0	0
<b>ASTM–Required 1/2 Mile Search</b>						
Delisted National Priority List (NPL) Sites	0	0	0	0	Not searched	0
CERCLIS Superfund Non–NFRAP Sites	0	0	0	0	Not searched	0
CERCLIS Superfund NFRAP Sites	0	0	0	0	Not searched	0
<b>Brownfields Sites</b>						
Voluntary Cleanup Program	0	0	0	0	Not searched	0
Environmental Restoration Program	0	0	0	0	Not searched	0
Brownfield Cleanup Program	0	0	0	0	Not searched	0
NYSDEC Solid Waste Facilities / Landfills	0	0	0	1	Not searched	1
RCRA Hazardous Waste Treatment, Storage, Disposal Sites	0	0	0	0	Not searched	0
<b>NYS Toxic Spills</b>						
Active Tank Failures	0	0	0	0	Not searched	0
Active Tank Test Failures	0	0	0	0	Not searched	0
Active Spills – Unknown / Other Causes	0	0	0	0	Not searched	0
Active Spills – Miscellaneous Causes	0	0	3	0	Not searched	3
Closed Tank Failures	0	0	0	1	Not searched	1
Closed Tank Test Failures	1	0	1	2	Not searched	4
Closed Spills – Unknown / Other Causes	8	2	18	14	Not searched	42
Closed Spills – Miscellaneous Causes	27	0	27	1(23)	Not searched	55(23)
<b>ASTM–Required Property &amp; Adjacent Property (1/4 Mile Search)</b>						
NYS Major Oil Storage Facilities	1	0	0	Not searched	Not searched	1
Local & State Petroleum Bulk Storage Sites	2	0	8	Not searched	Not searched	10
RCRA Hazardous Waste Generators & Transporters	4	0	5	Not searched	Not searched	9
NYS Chemical Bulk Storage Sites	2	0	2	Not searched	Not searched	4
Emergency Response Notification System (ERNS)	3	Not searched	Not searched	Not searched	Not searched	3
Institutional Controls / Engineering Controls (IC/EC)	See databases for NPL, CERCLIS, Inactive Hazardous Waste Disposal Site Registry and Brownfield Sites.					
<b>ASTM–Required Databases Distance Interval Totals</b>	<b>48</b>	<b>2</b>	<b>64</b>	<b>19(23)</b>	<b>0</b>	<b>133(23)</b>

Numbers in ( ) indicate spills not mapped and profiled in this report, and are listed at the end of the active and closed spills sections. See these lists for a description of the parameters involved with identifying these spills.

NOTE: Table continues on next page.

**Non-ASTM Databases 1/2 Mile Search**

Hazardous Substance Waste Disposal Sites	0	0	0	0	Not searched	0
--	---	---	---	---	--------------	---

**Non-ASTM Databases 1/4 Mile Search**

Toxic Release Inventory Sites (TRI)	1	0	2	Not searched	Not searched	3
Permit Compliance System (PCS) Toxic Wastewater Discharges	1	0	2	Not searched	Not searched	3
Air Discharges	2	0	1	Not searched	Not searched	3
Civil & Administrative Enforcement Docket Facilities	0	0	0	Not searched	Not searched	0

---

<b>Non-ASTM Databases Distance Interval Totals</b>	<b>4</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>Not Searched</b>	<b>9</b>
--	----------	----------	----------	----------	---------------------	----------

---

<b><i>Distance Interval Totals</i></b>	<b>52</b>	<b>2</b>	<b>69</b>	<b>19(23)</b>	<b>0</b>	<b>142(23)</b>
--	-----------	----------	-----------	---------------	----------	----------------

Numbers in ( ) indicate spills not mapped and profiled in this report, and are listed at the end of the active and closed spills sections. See these lists for a description of the parameters involved with identifying these spills.

# Identified Toxic Sites by Direction

586 Union Avenue  
Holtsville, NY 11742

\* Compass directions can vary substantially for sites located very close to the subject property address.

## Sites less than 100 feet from subject property sorted by distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
118	TOSCO PIPELINE COMPANY	586 UNION AVE SITE A	0 feet	Hazardous Waste Generator/Transporter
119	TOSCO PIPELINE CO	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
120	NORTHVILLE INDUSTRIES CORPORATION	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
121	NORTHVILLE INDUSTRIES CORP	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
137	NORTHVILLE IND HOLTSVILLE TERM	586 UNION AVENUE	0 feet	Air Discharge Site
138	NORTHVILLE INDUSTRIES TERMINAL	586 UNION AVE	0 feet	Air Discharge Site
6	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet	Closed Status Tank Test Failure
10	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
11	NORTHVILLE/TOSCO	UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
12	NORTHVILLE	586 UNION AVE	0 feet	Closed Status Spill (Unk/Other Cause)
13	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
14	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
15	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
16	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
17	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
52	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
53	TOSCO	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
54	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
55	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
56	TOSCO PIPELINE INC	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
57	SPILL NUMBER 9707824	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
58	TOSCO TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
59	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
60	NORTHVILLE	UNION AVE MOSF	0 feet	Closed Status Spill (Misc. Spill Cause)
61	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
62	HOLTSVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
63	NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
64	ROADWAY	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
65	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
66	NORTHVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
67	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
68	NORTHVILLE INDUSTRIES CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
69	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
70	HOLTSVILLE TERMINAL NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
71	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
72	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
73	NORTHVILLE HOLDING CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
74	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
75	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
76	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)

77	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
78	TOSCO- HOLTSVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
108	NORTHVILLE IND	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
109	NORTHVILLE IND CORP HOLTSVILLE TERM	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
107	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Major Oil Storage Facility
127	HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Chemical Bulk Storage Facility
128	NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Chemical Bulk Storage Facility
134	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Wastewater Discharge Facility
131	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Toxic Release Inventory Site

### Sites between 100 ft and 660 ft from the subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
18	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
19	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)

### Sites equal to or greater than 660 ft from subject property sorted by direction and distance

Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
124	TOSCO PIPELINE COMPANY	605 UNION AVENUE	858 feet to the N	Hazardous Waste Generator/Transporter
135	KEYSPAN - HOLTSVILLE LIQUID	UNION AVENUE	896 feet to the N	Wastewater Discharge Facility
132	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY	UNION AVE.	899 feet to the N	Toxic Release Inventory Site
129	HOLTSVILLE LNG PLANT	UNION AVENUE	900 feet to the N	Chemical Bulk Storage Facility
115	KEYSPAN HOLTSVILLE	605 UNION AVE	949 feet to the N	Petroleum Bulk Storage Site
22	NY POWER PLANT	LONG ISLAND AVE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
23	HOLTSVILLE L&G PLANT	UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
24	LILCO	UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
25	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
84	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
85	LILCO	HOLTSVILLE LNG PLANT	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
86	SUBSTATION	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
5	HOLTSVILLE IC SITE	180A MORRIS AVENUE	1527 feet to the N	Closed Status Tank Failure
8	LILCO HOLTSVILLE STATION	MORRIS AVENUE	1527 feet to the N	Closed Status Tank Test Failure
40	HOLTSVILLE GENERATING PLANT	180A MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
41	LILCO	GAS TURBINE ON MORRIS AVE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
42	LILCO	180 MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
43	HOLTSVILLE COMBUSTION	MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
106	LILCO	180A MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Misc. Spill Cause)
126	NAB/OVER A JOINT VENTURE	607 UNION AVE	1072 feet to the NNE	Hazardous Waste Generator/Transporter
139	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1159 feet to the NNE	Air Discharge Site
130	NEW YORK POWER AUTHORITY-FLYNN	607 UNION AVENUE	1176 feet to the NNE	Chemical Bulk Storage Facility

136	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1190 feet to the NNE	Wastewater Discharge Facility
4	RICHARD FLYNN POWER STATION	607 UNION AVENUE	1211 feet to the NNE	Active Haz Spill (Misc. Spill Cause)
26	HOLTSVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
27	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
28	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
29	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
30	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
31	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
32	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
33	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
34	NY POWER AUTHORITY	UNION STREET	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
35	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
36	RICHARD M FLYN PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
37	RICHARD M FLYNN POWER STATION	UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
88	LILCO	HOLTSVILLE PLANT	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
89	NY POWER AUTHORITY	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
90	RICHARD M FLYNN POWER STATION	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
91	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
92	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
93	FACILITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
94	NY POWER AUTH/LIPA	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
95	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
96	NYS POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
97	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
98	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
99	NY POWER AUTHORITY FLYNN FACILITY	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
100	NYPA INDUSTRIAL POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
101	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
102	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
103	POWER PLANT	UNION STREET	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
104	NY POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
105	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
133	RICHARD M. FLYNN POWER PLANT	607 UNION AVE.	1214 feet to the NNE	Toxic Release Inventory Site
116	RICHARD M. FLYNN POWER PLANT	607 UNION AVENUE	1225 feet to the NNE	Petroleum Bulk Storage Site
117	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1225 feet to the NNE	Petroleum Bulk Storage Site
51	KALMEYER QUALITY FLEET	178 MORRIS AVENUE	2579 feet to the NE	Closed Status Spill (Unk/Other Cause)
122	GUY PRATT INCORPORATED	608 UNION AVENUE	710 feet to the ENE	Hazardous Waste Generator/Transporter
123	GUY PRATT INC	608 UNION AVE	710 feet to the ENE	Hazardous Waste Generator/Transporter
20	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	711 feet to the ENE	Closed Status Spill (Unk/Other Cause)
21	NY POWER AUTHORITY	608 UNION AVENUE	711 feet to the ENE	Closed Status Spill (Unk/Other Cause)
110	GUY PRATT INC	608 UNION AVE	725 feet to the ENE	Petroleum Bulk Storage Site
114	ACME PRECAST	612 UNION AVE	907 feet to the ENE	Petroleum Bulk Storage Site
125	ALLSTATE & SIGN PLAQUE	614 UNION AVENUE	1025 feet to the ENE	Hazardous Waste Generator/Transporter
87	FERAD CONCRETE	620 UNION AVENUE	1200 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
38	MYSTIC/NORTHVILLE	UNION AVENUE & LONG ISLAND AVENUE	1357 feet to the ENE	Closed Status Spill (Unk/Other Cause)
44	PRIMA ASPHALT	615 FURROWS ROAD	1712 feet to the ESE	Closed Status Spill (Unk/Other Cause)
45	PAVCO	FURROWS ROAD	1712 feet to the ESE	Closed Status Spill (Unk/Other Cause)
1	PURE RECYCLED PRODUCTS, I	613 FURROWS ROAD	1793 feet to the ESE	Solid Waste Facility
47	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE	Closed Status Spill (Unk/Other Cause)

48	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE	Closed Status Spill (Unk/Other Cause)
39	THE COLONIE (CONDO COMPLEX)	FURROWS ROAD/PATCHOGUE HOLBROOK RD	1479 feet to the SSE	Closed Status Spill (Unk/Other Cause)
46	SPILL NUMBER 9711355	1 CLUBHOUSE ROAD	2105 feet to the SSE	Closed Status Spill (Unk/Other Cause)
82	UNKNOWN	DEAD END CLAREMONT AVENUE	924 feet to the SW	Closed Status Spill (Misc. Spill Cause)
83	UNK	SO END CLAREMONT AVENUE	924 feet to the SW	Closed Status Spill (Misc. Spill Cause)
112	BROOKVILLE PLUMBING & HEATING INC	1 CLAREMONT AVE	754 feet to the WSW	Petroleum Bulk Storage Site
80	EXCEL TRUCKING	1 CLAREMONT AVENUE	774 feet to the WSW	Closed Status Spill (Misc. Spill Cause)
113	H & J BUS	CLAIRMONT	829 feet to the WSW	Petroleum Bulk Storage Site
111	LIDLAW TREE SERVICE (OOB)	9 CLAIRMONT AVE	751 feet to the W	Petroleum Bulk Storage Site
2	RIVER CONTRACTING	9 CLAREMONT AVENUE	764 feet to the W	Active Haz Spill (Misc. Spill Cause)
3	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	764 feet to the W	Active Haz Spill (Misc. Spill Cause)
7	LIDLAW TREE SERVICE	9 CLAREMONT AVENUE	764 feet to the W	Closed Status Tank Test Failure
79	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	764 feet to the W	Closed Status Spill (Misc. Spill Cause)
81	DAVID NAVA	UNION & CLAREMONT	836 feet to the W	Closed Status Spill (Misc. Spill Cause)
9	VANE RESIDENCE	40 AVENUE C	2283 feet to the WNW	Closed Status Tank Test Failure
49	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	2335 feet to the NNW	Closed Status Spill (Unk/Other Cause)
50	SYMBOL TECHNOLOGIES INC	1 SYMBOL PLAZA	2335 feet to the NNW	Closed Status Spill (Unk/Other Cause)

# Identified Toxic Sites by Category

**586 Union Avenue  
Holtsville, NY 11742**

\* Compass directions can vary substantially for sites located very close to the subject property address.

<b>Solid Waste Facilities -- Total Sites -- 1</b>			<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
1	52W41R	PURE RECYCLED PRODUCTS, I	613 FURROWS ROAD	1793 feet to the ESE
<b>Active Haz Spills (Miscellaneous Spill Causes) -- Total Sites -- 3</b>			<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
2	1206883	RIVER CONTRACTING	9 CLAREMONT AVENUE	764 feet to the W
3	0025298	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	764 feet to the W
4	1412003	RICHARD FLYNN POWER STATION	607 UNION AVENUE	1211 feet to the NNE
<b>Closed Status Tank Failures -- Total Sites -- 1</b>			<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
5	8909479	HOLTSVILLE IC SITE	180A MORRIS AVENUE	1527 feet to the N
<b>Closed Status Tank Test Failures -- Total Sites -- 4</b>			<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
6	8604808	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet
7	9001991	LIDLAW TREE SERVICE	9 CLAREMONT AVENUE	764 feet to the W
8	8800823	LILCO HOLTSVILLE STATION	MORRIS AVENUE	1527 feet to the N
9	9912070	VANE RESIDENCE	40 AVENUE C	2283 feet to the WNW
<b>Closed Status Spills (Unknown Causes &amp; Other Causes) -- Total Sites -- 42</b>			<b>Database searched at 1/2 MILE -- ASTM required search distance: 1/2 Mile</b>	
MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
10	9809923	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet
11	9505415	NORTHVILLE/TOSCO	UNION AVENUE	0 feet
12	8604710	NORTHVILLE	586 UNION AVE	0 feet
13	0906688	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
14	0610714	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
15	0509871	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet
16	0485193	NORTHVILLE	586 UNION AVENUE	0 feet
17	0409205	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
18	1501146	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N
19	0103374	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N
20	9010383	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	711 feet to the ENE
21	1502257	NY POWER AUTHORITY	608 UNION AVENUE	711 feet to the ENE
22	9405031	NY POWER PLANT	LONG ISLAND AVE	955 feet to the N
23	9112183	HOLTSVILLE L&G PLANT	UNION AVENUE	955 feet to the N
24	9008510	LILCO	UNION AVENUE	955 feet to the N
25	0104352	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N
26	9310739	HOLTSVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1211 feet to the NNE
27	1305543	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
28	1216769	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE
29	1009876	POWER PLANT	607 UNION AVE	1211 feet to the NNE
30	1009875	POWER PLANT	607 UNION AVE	1211 feet to the NNE
31	1008727	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE
32	0910686	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
33	0909322	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
34	0902331	NY POWER AUTHORITY	UNION STREET	1211 feet to the NNE



35	0900189	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
36	0813129	RICHARD M FLYN PLANT	607 UNION AVE	1211 feet to the NNE
37	0811477	RICHARD M FLYNN POWER STATION	UNION AVENUE	1211 feet to the NNE
38	8806942	MYSTIC/NORTHVILLE	UNION AVENUE & LONG ISLAND AVENUE	1357 feet to the ENE
39	9305894	THE COLONIE (CONDO COMPLEX)	FURROWS ROAD/PATCHOGUE HOLBROOK RD	1479 feet to the SSE
40	9008713	HOLTSVILLE GENERATING PLANT	180A MORRIS AVENUE	1527 feet to the N
41	8910618	LILCO	GAS TURBINE ON MORRIS AVE	1527 feet to the N
42	8904523	LILCO	180 MORRIS AVENUE	1527 feet to the N
43	0207219	HOLTSVILLE COMBUSTION	MORRIS AVENUE	1527 feet to the N
44	9010623	PRIMA ASPHALT	615 FURROWS ROAD	1712 feet to the ESE
45	0605858	PAVCO	FURROWS ROAD	1712 feet to the ESE
46	9711355	SPILL NUMBER 9711355	1 CLUBHOUSE ROAD	2105 feet to the SSE
47	0606136	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE
48	0605375	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE
49	9911886	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	2335 feet to the NNW
50	9805541	SYMBOL TECHNOLOGIES INC	1 SYMBOL PLAZA	2335 feet to the NNW
51	9211984	KALMEYER QUALITY FLEET	178 MORRIS AVENUE	2579 feet to the NE

**Closed Status Spills (Miscellaneous Spill Causes) -- Total Sites - 55**

MAP ID	FACILITY ID	FACILITY NAME	FACILITY STREET	DISTANCE & DIRECTION
52	9901380	TOSCO PIPELINE	586 UNION AVENUE	0 feet
53	9825166	TOSCO	586 UNION AVENUE	0 feet
54	9810083	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet
55	9806066	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet
56	9709921	TOSCO PIPELINE INC	586 UNION AVENUE	0 feet
57	9707824	SPILL NUMBER 9707824	586 UNION AVENUE	0 feet
58	9406916	TOSCO TERMINAL	586 UNION AVENUE	0 feet
59	9312654	TOSCO PIPELINE	586 UNION AVENUE	0 feet
60	8604673	NORTHVILLE	UNION AVE MOSF	0 feet
61	1405138	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet
62	1304746	HOLTSVILLE TERMINAL	586 UNION AVE	0 feet
63	1303905	NORTHVILLE INDUSTRIES CORP - HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet
64	1300001	ROADWAY	586 UNION AVE	0 feet
65	1010532	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet
66	1008291	NORTHVILLE TERMINAL	586 UNION AVE	0 feet
67	0906014	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
68	0810071	NORTHVILLE INDUSTRIES CORP	586 UNION AVENUE	0 feet
69	0611245	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
70	0608537	HOLTSVILLE TERMINAL NORTHVILLE	586 UNION AVENUE	0 feet
71	0510131	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet
72	0510058	NORTHVILLE	586 UNION AVENUE	0 feet
73	0407403	NORTHVILLE HOLDING CORP	586 UNION AVENUE	0 feet
74	0303523	TOSCO PIPELINE	586 UNION AVENUE	0 feet
75	0300006	UNKNOWN	586 UNION AVENUE	0 feet
76	0209559	TOSCO PIPELINE	586 UNION AVENUE	0 feet
77	0106880	TOSCO PIPELINE	586 UNION AVENUE	0 feet
78	0025017	TOSCO- HOLTSVILLE	586 UNION AVENUE	0 feet
79	0025299	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	764 feet to the W
80	9501927	EXCEL TRUCKING	1 CLAREMONT AVENUE	774 feet to the WSW
81	9825044	DAVID NAVA	UNION & CLAREMONT	836 feet to the W
82	9900029	UNKNOWN	DEAD END CLAREMONT AVENUE	924 feet to the SW
83	9212143	UNK	SO END CLAREMONT AVENUE	924 feet to the SW
84	9100962	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N

**Database searched at 1/2 MILE - ASTM required search distance: 1/2 Mile**

85	8908529	LILCO	HOLTSVILLE LNG PLANT	955 feet to the N
86	0703085	SUBSTATION	605 UNION AVENUE	955 feet to the N
87	9825215	FERAD CONCRETE	620 UNION AVENUE	1200 feet to the ENE
88	9507224	LILCO	HOLTSVILLE PLANT	1211 feet to the NNE
89	1503198	NY POWER AUTHORITY	607 UNION AVE	1211 feet to the NNE
90	1500277	RICHARD M FLYNN POWER STATION	607 UNION AVE	1211 feet to the NNE
91	1410982	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
92	1405901	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
93	1405722	FACILITY	607 UNION AVENUE	1211 feet to the NNE
94	1404101	NY POWER AUTH/LIPA	607 UNION AVE	1211 feet to the NNE
95	1401173	POWER PLANT	607 UNION AVE	1211 feet to the NNE
96	1312176	NYS POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE
97	1207864	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
98	1113908	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE
99	1103407	NY POWER AUTHORITY FLYNN FACILITY	607 UNION AVE	1211 feet to the NNE
100	1005148	NYPA INDUSTRIAL POWER PLANT	607 UNION AVE	1211 feet to the NNE
101	1000977	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE
102	0908820	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE
103	0902303	POWER PLANT	UNION STREET	1211 feet to the NNE
104	0803322	NY POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE
105	0710874	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE
106	8602274	LILCO	180A MORRIS AVENUE	1527 feet to the N

**Major Oil Storage Facilities --- Total Sites - 1**

MAP ID	FACILITY ID	FACILITY NAME
107	1-2000	HOLTSVILLE TERMINAL

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVENUE	0 feet

**Petroleum Bulk Storage Sites --- Total Sites - 10**

MAP ID	FACILITY ID	FACILITY NAME
108	NYSF04379	NORTHVILLE IND
109	NYSF04555	NORTHVILLE IND CORP HOLTSVILLE TERM
110	NYSF05073	GUY PRATT INC
111	NYSF04485	LIDLAW TREE SERVICE (OOB)
112	NYSF04992	BROOKVILLE PLUMBING & HEATING INC
113	NYSF04455	H & J BUS
114	NYSF05995	ACME PRECAST
115	NYSF06467	KEYSPAN HOLTSVILLE
116	1-000629	RICHARD M. FLYNN POWER PLANT
117	NYSF04292	RICHARD M FLYNN POWER PLANT

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE	0 feet
586 UNION AVE	0 feet
608 UNION AVE	725 feet to the ENE
9 CLAIRMONT AVE	751 feet to the W
1 CLAREMONT AVE	754 feet to the WSW
CLAIRMONT	829 feet to the WSW
612 UNION AVE	907 feet to the ENE
605 UNION AVE	949 feet to the N
607 UNION AVENUE	1225 feet to the NNE
607 UNION AVE	1225 feet to the NNE

**Hazardous Waste Generators, Transporters --- Total Sites - 9**

MAP ID	FACILITY ID	FACILITY NAME
118	NY0000096123	TOSCO PIPELINE COMPANY
119	NYD000096123	TOSCO PIPELINE CO
120	NYD980646129	NORTHVILLE INDUSTRIES CORPORATION
121	NYD986912483	NORTHVILLE INDUSTRIES CORP
122	NYD986951390	GUY PRATT INCORPORATED
123	NYN10001A349	GUY PRATT INC
124	NYD980648240	TOSCO PIPELINE COMPANY
125	NYD097532907	ALLSTATE & SIGN PLAQUE
126	NYD987034659	NAB/OVER A JOINT VENTURE

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE SITE A	0 feet
586 UNION AVE	0 feet
586 UNION AVE	0 feet
586 UNION AVE	0 feet
608 UNION AVENUE	710 feet to the ENE
608 UNION AVE	710 feet to the ENE
605 UNION AVENUE	858 feet to the N
614 UNION AVENUE	1025 feet to the ENE
607 UNION AVE	1072 feet to the NNE

**Chemical Bulk Storage Facilities -- Total Sites - 4**

MAP ID	FACILITY ID	FACILITY NAME
127	1-000202	HOLTSVILLE TERMINAL
128	1-000356	NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL
129	1-000361	HOLTSVILLE LNG PLANT
130	1-000444	NEW YORK POWER AUTHORITY-FLYNN

**Database searched at 1/4 MILE - ASTM required search distance: Property & Adjacent**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE.	0 feet
586 UNION AVENUE	0 feet
UNION AVENUE	900 feet to the N
607 UNION AVENUE	1176 feet to the NNE

**Toxic Release Inventory Sites -- Total Sites - 3**

MAP ID	FACILITY ID	FACILITY NAME
131	11747TSCPP586UN	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL
132	11742HLTSVUNION	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY
133	11742RCHRD607UN	RICHARD M. FLYNN POWER PLANT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVE.	0 feet
UNION AVE.	899 feet to the N
607 UNION AVE.	1214 feet to the NNE

**Wastewater Discharge Facilities -- Total Sites - 3**

MAP ID	FACILITY ID	FACILITY NAME
134	NY0110086	HOLTSVILLE TERMINAL
135	NY0109193	KEYSPAN - HOLTSVILLE LIQUID
136	NY0225746	RICHARD M FLYNN POWER PLANT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVENUE	0 feet
UNION AVENUE	896 feet to the N
607 UNION AVENUE	1190 feet to the NNE

**Air Discharge Sites -- Total Sites - 3**

MAP ID	FACILITY ID	FACILITY NAME
137	3610300025	NORTHVILLE IND HOLTSVILLE TERM
138	NY0012291	NORTHVILLE INDUSTRIES TERMINAL
139	NY0993855	RICHARD M FLYNN POWER PLANT

**Database searched at 1/4 MILE - Non-ASTM Database**

FACILITY STREET	DISTANCE & DIRECTION
586 UNION AVENUE	0 feet
586 UNION AVE	0 feet
607 UNION AVE	1159 feet to the NNE

# Identified Toxic Sites by Proximity

586 Union Avenue, Holtsville, NY 11742

\* Compass directions can vary substantially for sites located very close to the subject property address.



Map Id#	Site Name	Site Street	Approximate Distance & Direction From Property	Toxic Site Category
118	TOSCO PIPELINE COMPANY	586 UNION AVE SITE A	0 feet	Hazardous Waste Generator/Transporter
119	TOSCO PIPELINE CO	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
120	NORTHVILLE INDUSTRIES CORPORATION	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
121	NORTHVILLE INDUSTRIES CORP	586 UNION AVE	0 feet	Hazardous Waste Generator/Transporter
137	NORTHVILLE IND HOLTSVILLE TERM	586 UNION AVENUE	0 feet	Air Discharge Site
138	NORTHVILLE INDUSTRIES TERMINAL	586 UNION AVE	0 feet	Air Discharge Site
6	NORTHVILLE INDUSTRIES	UNION AVENUE MOSF	0 feet	Closed Status Tank Test Failure
10	TOSCO PIPELINE COMP	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
11	NORTHVILLE/TOSCO	UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
12	NORTHVILLE	586 UNION AVE	0 feet	Closed Status Spill (Unk/Other Cause)
13	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
14	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
15	NORTHVILLE OIL TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
16	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
17	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Unk/Other Cause)
52	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
53	TOSCO	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
54	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
55	TOSCO PIPELINE COMPANY	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
56	TOSCO PIPELINE INC	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
57	SPILL NUMBER 9707824	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
58	TOSCO TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
59	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
60	NORTHVILLE	UNION AVE MOSF	0 feet	Closed Status Spill (Misc. Spill Cause)
61	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
62	HOLTSVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
63	NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
64	ROADWAY	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
65	NORTHVILLE INDUSTRIES	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
66	NORTHVILLE TERMINAL	586 UNION AVE	0 feet	Closed Status Spill (Misc. Spill Cause)
67	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
68	NORTHVILLE INDUSTRIES CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
69	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
70	HOLTSVILLE TERMINAL NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
71	NORTHVILLE INDUSTRIES	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
72	NORTHVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
73	NORTHVILLE HOLDING CORP	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
74	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
75	UNKNOWN	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
76	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
77	TOSCO PIPELINE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
78	TOSCO- HOLTSVILLE	586 UNION AVENUE	0 feet	Closed Status Spill (Misc. Spill Cause)
108	NORTHVILLE IND	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
109	NORTHVILLE IND CORP HOLTSVILLE TERM	586 UNION AVE	0 feet	Petroleum Bulk Storage Site
107	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Major Oil Storage Facility

127	HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Chemical Bulk Storage Facility
128	NORTHVILLE INDUSTRIES CORP.--HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Chemical Bulk Storage Facility
134	HOLTSVILLE TERMINAL	586 UNION AVENUE	0 feet	Wastewater Discharge Facility
131	CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL	586 UNION AVE.	0 feet	Toxic Release Inventory Site
18	NORTHVILLE GAS TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
19	TOSCO PIPE LINE TERMINAL	587 UNION AVENUE	248 feet to the N	Closed Status Spill (Unk/Other Cause)
122	GUY PRATT INCORPORATED	608 UNION AVENUE	710 feet to the ENE	Hazardous Waste Generator/Transporter
123	GUY PRATT INC	608 UNION AVE	710 feet to the ENE	Hazardous Waste Generator/Transporter
20	GUY PRATT	608 UNION AVENUE/MORIRS AVENUE	711 feet to the ENE	Closed Status Spill (Unk/Other Cause)
21	NY POWER AUTHORITY	608 UNION AVENUE	711 feet to the ENE	Closed Status Spill (Unk/Other Cause)
110	GUY PRATT INC	608 UNION AVE	725 feet to the ENE	Petroleum Bulk Storage Site
111	LAIDLAW TREE SERVICE (OOB)	9 CLAIRMONT AVE	751 feet to the W	Petroleum Bulk Storage Site
112	BROOKVILLE PLUMBING & HEATING INC	1 CLAREMONT AVE	754 feet to the WSW	Petroleum Bulk Storage Site
2	RIVER CONTRACTING	9 CLAREMONT AVENUE	764 feet to the W	Active Haz Spill (Misc. Spill Cause)
3	RIVER AVENUE CONTRACTING	9 CLAREMONT/UNION	764 feet to the W	Active Haz Spill (Misc. Spill Cause)
7	LAIDLAW TREE SERVICE	9 CLAREMONT AVENUE	764 feet to the W	Closed Status Tank Test Failure
79	RIVER AVE CONTRACTING	CLAREMONT AVE/UNION AVE	764 feet to the W	Closed Status Spill (Misc. Spill Cause)
80	EXCEL TRUCKING	1 CLAREMONT AVENUE	774 feet to the WSW	Closed Status Spill (Misc. Spill Cause)
113	H & J BUS	CLAIRMONT	829 feet to the WSW	Petroleum Bulk Storage Site
81	DAVID NAVA	UNION & CLAREMONT	836 feet to the W	Closed Status Spill (Misc. Spill Cause)
124	TOSCO PIPELINE COMPANY	605 UNION AVENUE	858 feet to the N	Hazardous Waste Generator/Transporter
135	KEYSPAN – HOLTSVILLE LIQUID	UNION AVENUE	896 feet to the N	Wastewater Discharge Facility
132	KEYSPAN ENERGY HOLTSVILLE LNG FACILITY	UNION AVE.	899 feet to the N	Toxic Release Inventory Site
129	HOLTSVILLE LNG PLANT	UNION AVENUE	900 feet to the N	Chemical Bulk Storage Facility
114	ACME PRECAST	612 UNION AVE	907 feet to the ENE	Petroleum Bulk Storage Site
82	UNKNOWN	DEAD END CLAREMONT AVENUE	924 feet to the SW	Closed Status Spill (Misc. Spill Cause)
83	UNK	SO END CLAREMONT AVENUE	924 feet to the SW	Closed Status Spill (Misc. Spill Cause)
115	KEYSPAN HOLTSVILLE	605 UNION AVE	949 feet to the N	Petroleum Bulk Storage Site
22	NY POWER PLANT	LONG ISLAND AVE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
23	HOLTSVILLE L&G PLANT	UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
24	LILCO	UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
25	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Unk/Other Cause)
84	HOLTSVILLE LNG PLANT	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
85	LILCO	HOLTSVILLE LNG PLANT	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
86	SUBSTATION	605 UNION AVENUE	955 feet to the N	Closed Status Spill (Misc. Spill Cause)
125	ALLSTATE & SIGN PLAQUE	614 UNION AVENUE	1025 feet to the ENE	Hazardous Waste Generator/Transporter
126	NAB/OVER A JOINT VENTURE	607 UNION AVE	1072 feet to the NNE	Hazardous Waste Generator/Transporter
139	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1159 feet to the NNE	Air Discharge Site
130	NEW YORK POWER AUTHORITY--FLYNN	607 UNION AVENUE	1176 feet to the NNE	Chemical Bulk Storage Facility
136	RICHARD M FLYNN POWER PLANT	607 UNION AVENUE	1190 feet to the NNE	Wastewater Discharge Facility
87	FERAD CONCRETE	620 UNION AVENUE	1200 feet to the ENE	Closed Status Spill (Misc. Spill Cause)
4	RICHARD FLYNN POWER STATION	607 UNION AVENUE	1211 feet to the NNE	Active Haz Spill (Misc. Spill Cause)
26	HOLTSVILLE COMBINED CYCLE	UNION AVE/LILCO PLANT	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
27	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
28	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
29	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
30	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
31	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
32	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
33	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
34	NY POWER AUTHORITY	UNION STREET	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
35	RICHARD FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
36	RICHARD M FLYN PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)

37	RICHARD M FLYNN POWER STATION	UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Unk/Other Cause)
88	LILCO	HOLTSVILLE PLANT	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
89	NY POWER AUTHORITY	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
90	RICHARD M FLYNN POWER STATION	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
91	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
92	POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
93	FACILITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
94	NY POWER AUTH/LIPA	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
95	POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
96	NYS POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
97	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
98	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
99	NY POWER AUTHORITY FLYNN FACILITY	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
100	NYPA INDUSTRIAL POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
101	FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
102	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
103	POWER PLANT	UNION STREET	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
104	NY POWER AUTHORITY	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
105	FLYNN POWER PLANT	607 UNION AVENUE	1211 feet to the NNE	Closed Status Spill (Misc. Spill Cause)
133	RICHARD M. FLYNN POWER PLANT	607 UNION AVE.	1214 feet to the NNE	Toxic Release Inventory Site
116	RICHARD M. FLYNN POWER PLANT	607 UNION AVENUE	1225 feet to the NNE	Petroleum Bulk Storage Site
117	RICHARD M FLYNN POWER PLANT	607 UNION AVE	1225 feet to the NNE	Petroleum Bulk Storage Site
38	MYSTIC/NORTHVILLE	UNION AVENUE & LONG ISLAND AVENUE	1357 feet to the ENE	Closed Status Spill (Unk/Other Cause)
39	THE COLONIE (CONDO COMPLEX)	FURROWS ROAD/PATCHOGUE HOLBROOK RD	1479 feet to the SSE	Closed Status Spill (Unk/Other Cause)
5	HOLTSVILLE IC SITE	180A MORRIS AVENUE	1527 feet to the N	Closed Status Tank Failure
8	LILCO HOLTSVILLE STATION	MORRIS AVENUE	1527 feet to the N	Closed Status Tank Test Failure
40	HOLTSVILLE GENERATING PLANT	180A MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
41	LILCO	GAS TURBINE ON MORRIS AVE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
42	LILCO	180 MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
43	HOLTSVILLE COMBUSTION	MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Unk/Other Cause)
106	LILCO	180A MORRIS AVENUE	1527 feet to the N	Closed Status Spill (Misc. Spill Cause)
44	PRIMA ASPHALT	615 FURROWS ROAD	1712 feet to the ESE	Closed Status Spill (Unk/Other Cause)
45	PAVCO	FURROWS ROAD	1712 feet to the ESE	Closed Status Spill (Unk/Other Cause)
1	PURE RECYCLED PRODUCTS, I	613 FURROWS ROAD	1793 feet to the ESE	Solid Waste Facility
46	SPILL NUMBER 9711355	1 CLUBHOUSE ROAD	2105 feet to the SSE	Closed Status Spill (Unk/Other Cause)
47	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE	Closed Status Spill (Unk/Other Cause)
48	RICHETTI RESIDENCE	208 FAIRFIELD DRIVE	2105 feet to the SE	Closed Status Spill (Unk/Other Cause)
9	VANE RESIDENCE	40 AVENUE C	2283 feet to the WNW	Closed Status Tank Test Failure
49	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	2335 feet to the NNW	Closed Status Spill (Unk/Other Cause)
50	SYMBOL TECHNOLOGIES INC	1 SYMBOL PLAZA	2335 feet to the NNW	Closed Status Spill (Unk/Other Cause)
51	KALMEYER QUALITY FLEET	178 MORRIS AVENUE	2579 feet to the NE	Closed Status Spill (Unk/Other Cause)

# Toxics Targeting 1 Mile Radius Map

586 Union Avenue  
Holtsville, NY 11742



Suffolk County



National Priority List (NPL)



Inactive Hazardous Waste Disposal Registry Site



Inact. Haz Waste Disp. Registry Qualifying



RCRA Corrective Action Facility



Site Location



Waterbody




County Border




Railroad Tracks




1 Mile Radius




1/2 Mile Radius



1/4 Mile Radius





1/8 Mile Radius




















# Toxics Targeting 1/2 Mile Radius Map



586 Union Avenue  
Holtsville, NY 11742



Suffolk County

-  Delisted NPL Site
-  CERCLIS Superfund Non-NFRAP Site
-  CERCLIS Superfund NFRAP Site
-  Hazardous Waste Treater, Storer, Disposer
-  Hazardous Substance Waste Disposal Site
-  Solid Waste Facility
-  Brownfields Site
-  Hazardous Material Spill
-  MTBE Gasoline Additive Spill



-  Site Location
-  Waterbody
-  County Border
-  Railroad Tracks
-  1 Mile Radius
-  1/2 Mile Radius
-  1/4 Mile Radius
-  1/8 Mile Radius






# Toxics Targeting 1/4 Mile Radius Map

586 Union Avenue  
Holtsville, NY 11742




Suffolk County





- Major Oil Storage Facility
- Enforcement Docket Facility
- Chemical Storage Facility
- Air Release
- Toxic Release
- Wastewater Discharge
- Petroleum Bulk Storage Facility
- Hazardous Waste Generator, Transp.

- Site Location
- Waterbody
- County Border
- Railroad Tracks
- 1/4 Mile Radius
- 1/8 Mile Radius




# Toxics Targeting 1/4 Mile Closeup Map

586 Union Avenue  
Holtsville, NY 11742




Suffolk County



- National Priority List (NPL) \*
- CERCLIS Superfund Non-NFRAP Site \*\*
- Inactive Hazardous Waste Disposal Registry Site \*
- Hazardous Waste Treater, Storer, Disposer \*\*
- Hazardous Substance Waste Disposal Site \*\*
- Major Oil Storage Facility \*\*\*
- Chemical Storage Facility \*\*\*
- Toxic Release \*\*\*
- Wastewater Discharge \*\*\*
- Enforcement Docket Facility \*\*\*
- Delisted NPL Site \*\*
- CERCLIS Superfund NFRAP Site \*\*
- Inact. Haz Waste Disp. Registry Qualifying \*
- RCRA Corrective Action Facility \*
- Solid Waste Facility \*\*
- Brownfields Site \*\*
- Hazardous Material Spill \*\*
- MTBE Gasoline Additive Spill \*\*
- Petroleum Bulk Storage Facility \*\*\*
- Hazardous Waste Generator, Transp. \*\*\*
- Air Release \*\*\*
- Remediation Site Borders
- Site Location
- Waterbody
- County Border
- Railroad Tracks
- 1/4 Mile Radius
- 1/8 Mile Radius

\* 1 Mile Search Radius  
\*\* 1/2 Mile Search Radius  
\*\*\* 1/4 Mile Search Radius



## Section Two: Toxic Site Profiles

The heading of each *Toxic Site Profile* refers to the site's map location and details:

- The facility name, address, city, state, and zip code.
- Any changes that were made to a site's address in order to map its location.
- The site mapping method that was used (see *How Sites are Located*, at the end of this section for more information).

*Toxic Site Profiles* summarize information provided by site owners or operators and government agencies regarding various toxic chemical activities reported at each site, such as:

- Whether chemicals were stored, produced, transported, discharged or disposed of.
- The name of chemicals and their Chemical Abstract Series (CAS) numbers.
- The amount of chemicals and the units (gallons/pounds) the chemical was measured in.
- Whether the site or storage tanks at the site are currently active or inactive.
- Special codes used by government agencies to regulate hazardous waste activities at some sites, or a complete description of the codes follows the profiles section.

For selected individual chemicals reported at various toxic sites, some potential health effect summary information appears below the site profile. Each potential health effect summary identifies chemicals by name and by Chemical Abstract Series (CAS) Number. An "x" under each potential health effect heading indicates positive toxicity testing results reported by the National Institute of Occupational Safety and Health's Registry of Toxic Effects of Chemical Substances (RTECS). Some chemicals (mostly appearing in profiles of Hazardous Waste facilities), are reported as mixtures, and RTECS health effect information is only available for individual chemicals. In addition, RTECS only provides information on approximately 100,000 common chemicals. Consequently, the absence of potential health effect summary information for a particular chemical identified in a Toxic Site Profile does not necessarily mean that the chemical does not pose potential health effects.

The Maximum Contaminant Level (MCL) in drinking water allowed for selected chemicals is also noted. In most cases, the only applicable MCL has been set by the New York State Department of Health (NYSDOH). Where NYSDOH has not set an MCL, the federal standard, if one exists, is listed and is marked by an asterisk.

Presented below are column headings that describe the health effect definitions used in RTECS and applicable New York State and federal drinking water standards. Reference sources for information presented in this section are also provided.

**ACUTE TOX:** **Acute Toxicity:** Short-term exposure to this chemical can cause lethal and non-lethal toxicity effects not included in the following four categories.

**TUMOR TOX:** **Tumorigenic Toxicity:** The chemical can cause an increase in the incidence of tumors.

MUTAG TOX: **Mutagenic Toxicity:** The chemical can cause genetic alterations that are passed from one generation to the next.

REPRO TOX: **Reproductive Toxicity:** May signify one of the following effects: maternal effects, paternal effects, effects on fertility, effects on the embryo or fetus, specific developmental abnormalities, tumorigenic effects, or effects on the newborn (only positive reproductive effects data for mammalian species are referenced).

IRRIT TOX: **Primary Irritant:** The chemical can cause eye or skin irritation.

MCL: **Drinking Water Standard - Maximum Contaminant Level (MCL)** listed under Drinking Water Supplies, 10 NYCRR Part 5, Subparts 1.51(f),(g), and (h) for NYDOH MCL's and under the Safe Drinking Water Act, 40 CFR 141, Subparts B and G, (\* indicates value for total trihalomethanes) for federal MCL's.

Reference Source for Toxicity Information: Registry of Toxic Effects of Chemical Substances (RTECS), NIOSH (on-line database); For further information, contact: NIOSH, 4676 Columbia Parkway, Cincinnati, OH, 45226, 800/35-NIOSH.

Reference Source for Drinking Water Standards: New York State Department of Health, Bureau of Toxic Substances Assessment, 2 University Place, Room 240, Albany, NY 12203, 518/458-6373.

U.S. Environmental Protection Agency, Office of Drinking Water, 401 M St SW, Mailstop WH-556, Washington, DC, 20460, 202/260-5700.

Inactive Hazardous Waste Disposal Site Classifications:

- 1 -- Causing or presenting an imminent danger of causing irreversible or irreparable damage to the public health or the environment -- immediate action required;
- 2 -- Significant threat to the public health or environment -- action required;
- 3 -- Does not Present a significant threat to the environment or public health -- action may be deferred;
- 4 -- Site properly closed --requires continued management;
- 5 -- Site properly closed, no evidence of present or potential adverse impact -- no further action required;
- 2a -- This temporary classification has been assigned to sites where there is inadequate data to assign them to the five classifications specified by law;
- A -- Work underway and not yet complete;
- P -- Potential Site;
- D<sub>1</sub>, 2, 3 -- Delisted Site (1: hazardous waste not found; 2: remediated; 3: consolidated site or site incorrectly listed);
- C -- Remediation Complete (formerly D2).



***NO NATIONAL PRIORITIES LIST (NPL) SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO INACTIVE HAZ WASTE DISPOSAL REGISTRY OR REGISTRY-QUALIFYING SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO RCRA CORRECTIVE ACTION SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS***



***NO CERCLIS SUPERFUND SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***





***NO BROWNFIELDS SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**SOLID WASTE FACILITIES IDENTIFIED WITHIN THE 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 1**



**PURE RECYCLED PRODUCTS, I**  
613 FURROWS ROAD, HOLTSVILLE

**Facility Id: 52W41R**  
TT-Id: 380A-0003-174

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)  
Approximate distance from property: 1793 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11742

The following is historic data. The Activity ID (Facility ID) is attributed to the following facility:

Facility ID: NY00000003159  
Facility Name: PURE RECYCLED PRODUCTS  
Facility Address: 615 FURROWS ROAD, HOLTSVILLE, NY

PERMIT NUMBER	PERMIT EXPIRES	FACILITY TYPE	FACILITY STATUS	WASTE TYPES
		C&D PROCESSING FACILITY	Registered	'CONCRETE, ASPHALT AND BRICK'



***NO HAZARDOUS WASTE TREATMENT/STORAGE/DISPOSERS IDENTIFIED WITHIN THE 1/2 MILE SEARCH RADIUS***



## **HAZARDOUS MATERIAL SPILLS INTRODUCTION**

The Hazardous Material Spills in this section are divided into eight spill cause groupings. These include:

Active Spills Section: Spills with incomplete paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 1) Tank Failures
- 2) Tank Test Failures
- 3) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 4) Miscellaneous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, Vandalism and Storms.

Closed Status Spills Section: Spills with completed paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 5) Tank Failures
- 6) Tank Test Failures
- 7) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 8) Miscellaneous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, Vandalism and Storms.

All spills within each spill cause category are presented in order of proximity to the subject site address.

**Please note that spills reported within 0.25 mile (or one-eighth mile in New York City) are mapped and profiled.**

**Between 0.25 mile (or one-eighth mile in New York City) and 0.5 mile, only the following spills are mapped and profiled:**

- \* Tank Failures;
- \* Tank Test Failures;
- \* Unknown Spill Cause or Other Spill Cause;
- \* Spills greater than 100 units of quantity; and
- \* Spills reported in the NYSDEC Fall 1998 MTBE Survey.

A table at the end of each section presents a listing of reported Miscellaneous Spills with less than 100 units located between 0.25 mile (or one-eighth mile in Manhattan) and 0.5 mile. These spills are neither mapped nor profiled.



***NO ACTIVE TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO ACTIVE TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



***NO ACTIVE UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***



**ACTIVE HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS.**  
 All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 2** **RIVER CONTRACTING** **Spill Number: 1206883** **Close Date:**  
 9 CLAREMONT AVENUE HOLBROOK, NY TT-Id: 520A-0279-055

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 764 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RIVER CONTRACTING Spiller Phone:  
 Notifier Type: Health Department Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: bxdonova Contact for more spill info: EVA LAMMERS Contact Person Phone: (631) 854-2501 ext. 2

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/12/2012		HOUSEKEEPING	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

stains to soil under tank truck/truck does not have current NY reg.

DEC Investigator Remarks:

10/12/12 1215 Hrs: Left message for Lammers. DR



10/15/12 1310 Hrs: Left message for Lammers. DR

10/15/12 1455 Hrs (A): Lammers called concerning another matter. She said she had gone here by mistake while looking for another facility on this street.

10/15/12 1455 Hrs (B): While there, she noticed this tank truck that did not appear to be road-worthy and that was being used as a stationary tank.

10/15/12 1455 Hrs (C): There was a stain on the ground under the truck, and she believed the stain was approximately 5ft in diameter. DR

10/16/12 FILE REASSIGNED

**Map Identification Number 3**  **RIVER AVENUE CONTRACTING** **Spill Number: 0025298** **Close Date:**  
 9 CLAREMONT/UNION HOLBROOK, NY 11741 TT-Id: 520A-0166-226

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 764 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: 9 CLAREMONT AV  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: RIVER AVENUE CONTRACTING	Spiller Phone: (631) 585-9000
Notifier Type: Citizen	Notifier Name:	Notifier Phone:
Caller Name: ANDRE GRASSO	Caller Agency: CITIZEN	Caller Phone: (631) 544-6005 ext.
DEC Investigator: CAENGELH	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/10/2000		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	55.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

CALLER IS HAVING HOUSE BUILT ON FURROWS ROAD. NOTICED FUEL OIL ODOR SATURDAY. HE TRACED IT TO THIS BUSINESS, WHERE HE COULD SEE

PUDDLES OF RED FUEL OIL ON GROUND. HE SPOKE TO THEM, AND THEY ADMITTED PUNCTURING A DRUM OF FUEL OIL. \*\*\*SAME AS 0025299\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ENGELHARDT 00-137"  
 \*\*\*SAME AS 0025299\*\*\*

<b>Map Identification Number 4</b>	<b>RICHARD FLYNN POWER STATION</b>	<b>Spill Number: 1412003</b>	<b>Close Date:</b>
	607 UNION AVENUE	HOLTSVILLE, NY	TT-Id: 520A-0306-975

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: ROB PETERSON – NYPA	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: NJACAMPO	Contact for more spill info: ROB PETERSON	Contact Person Phone: (917) 480-6872

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/24/2015		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
NON PCB OIL	PETROLEUM	4.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

spill to containment/spill is on going...anticipate spill rate at .25 gals per hour/repairs are underway

DEC Investigator Remarks:

3/24/15 1220 Hrs: RJP made call to Rob Peterson. Drip from CT conduit where it penetrates into transformer. Leak is likely from ruptured gasket on the top of the transformer, capacity of transformer estimated at 6,000 gallons. Drip running down conduit and impacting bluestone within containment. Current loss estimated at 4 gallons, leak rate of approx 0.25 gallons per hour. The transformer must be powered down before repairs can be made, which may take up to 24 hours. No complications or release to

environment anticipated. RJP.

3/26/2015 13:15 Brian D. t/c to Rob Peterson, NYPA – Left Message

3/26/2015 14:48 Brian D. t/c from Rob Peterson, NYPA

- Leak has been reduced to 1 qt/ hour.
- Can not make the repairs until the get the proper gaskets.
- Should have the repairs and cleanup completed first or second week in April.
- Will schedule an inspection when the cleanup is complete.

**THE FOLLOWING ACTIVE SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE SEARCH RADIUS FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM, OR STORMS. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.**

FACILITY ID	FACILITY NAME	STREET	CITY
No dropped spills found for this category			



**CLOSED STATUS TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 5**      **HOLTSVILLE IC SITE**      **Spill Number: 8909479**      **Close Date: 02/06/1990**  
 180A MORRIS AVENUE      HOLTSVILLE, NY      TT-Id: 520A-0179-091

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL      Spiller: LILCO      Spiller Phone:  
 Notifier Type: Responsible Party      Notifier Name:      Notifier Phone:  
 Caller Name: FRED WEDLEY      Caller Agency: LILCO      Caller Phone: (516) 933-4007  
 DEC Investigator: HOFMANN      Contact for more spill info:      Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/02/1990	02/06/1990	TANK FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

FIRE PROTECTION SYSTEM FAILED, FLOODING THE U/G PUMP TANK. NO AGENCY ON SCENE OR NOTIFIED. MPC CLEANING BLUE STONE & NOTIFIED SCDH. WILL CALL BACK IF REQUESTED. SCHD ON SITE, BRIAN ROBINSON, 1/2/90

DEC Investigator Remarks:

1/3/90 TELECON WITH ANGELA, MPC, BROOKHAVEN LF, 50 BAGS OF OIL SPILL DEBRIS ON SITE, AWAITING DISPOSAL LETTER, NO LIQUIDS

RECOVERED, CHECK WITH BRIAN ROBINSON,CLEANUP COMPLETE  
COUNTY #1990-001

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

\*\*ALL INFORMATION INCLUDED IN DATABASE\*\*



**CLOSED STATUS TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 6** **NORTHVILLE INDUSTRIES** **Spill Number: 8604808** **Close Date: 03/27/1989**  
 UNION AVENUE MOSF HOLTSVILLE, NY TT-Id: 520A-0179-073

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NORTHVILLE INDUSTRIES Spiller Phone: (516) 475-5060  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: CXONEILL Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/23/1986	03/27/1989	TANK TEST FAILURE	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

**Caller Remarks:**

15K GAL TANK FAILED AT -.614GPH/

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "O'NEILL FD"  
 / / : DEC INVEST.

03/27/89: 15K GAL TANK WAS REMOVED.GM WAS ON SITE.HE SAID IT WAS CLEAN BUT DID NOT WRITE UP ANY NOTES.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 7** **LAILAW TREE SERVICE** **Spill Number: 9001991** **Close Date: 07/05/1990**  
 9 CLAREMONT AVENUE HOLBROOK, NY TT-Id: 520A-0166-227

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 764 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: LAIDLAW TREE SERVICE Spiller Phone: (516) 981-1242  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: LAURA Caller Agency: LEAK DETECTION Caller Phone:  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/18/1990	07/05/1990	TANK TEST FAILURE	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

**TANK TEST INFORMATION**

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

**Caller Remarks:**

WILL DISCONTINUE USE, ISOLATE LINES WILL TANK ONLY TEST. 2K FAILED AT -.3885. LEAK DETECTION TESTER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LEUNG"  
 06/20/90: TANK REMOVED, SOIL CLEAN. NO FURTHER ACTION NECESSARY.

**Map Identification Number 8**  **LILCO HOLTSVILLE STATION** **Spill Number: 8800823** **Close Date: 06/09/1988**  
 MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-087

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO HOLTSVILLE STATION Spiller Phone: (516) 420-6138  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: TOM TYREE Caller Agency: Caller Phone: (516) 249-3150  
 DEC Investigator: KDGORTZ Contact for more spill info: Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/26/1988	06/09/1988	TANK TEST FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

TANK TEST INFORMATION

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
		Unknown	0.00	UNKNOWN

Caller Remarks:

1K GROSS LEAK -.347

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "GOERTZ FD"  
 05/25/88: BOTH SYSTEMS RETESTED BY TYREE AFTER FILL PIPES WERE REPAIRED & BOTH PASSED. DEC NOT PRESENT DURING RETESTS.



FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 9** **VANE RESIDENCE** **Spill Number: 9912070** **Close Date: 03/22/2000**  
 40 AVENUE C HOLBROOK, NY TT-Id: 520A-0159-375

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2283 feet to the WNW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: PRIVATE DWELLING Spiller: MONTY VANE – MONTY VANE RESIDENCE Spiller Phone: (516) 585-4527  
 Notifier Type: Tank Tester Notifier Name: Notifier Phone:  
 Caller Name: ABBY VANSPRUNDEL Caller Agency: ANS TANK SERVICES Caller Phone: (516) 249-5443  
 DEC Investigator: T/T/F Contact for more spill info: MONTY VANE Contact Person Phone: (516) 585-4527

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/19/2000		TANK TEST FAILURE	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

TANK TEST INFORMATION

Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure
1	550	Horner EZ Check I or II	0.00	UNKNOWN

Caller Remarks:

GROSS FAILURE. HOMEOWNER ADVISED AND RETEST WILL BE SCHEDULED.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.



**CLOSED STATUS UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 10**      **TOSCO PIPELINE COMP**      **Spill Number: 9809923**      **Close Date: 02/20/2004**  
 586 UNION AVENUE      HOLTSVILLE, NY      TT-Id: 520A-0179-065

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: UNKNOWN      Spiller: UNKNOWN      Spiller Phone:  
 Notifier Type: Affected Persons      Notifier Name: PETE MILOSKI      Notifier Phone: (516) 475-5060  
 Caller Name: PETE MILOSKI      Caller Agency: TUSCO PIPELINE INC      Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO      Contact for more spill info: PETE MILOSKI      Contact Person Phone: (516) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/06/1998		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
MTBE (METHYL-TERT-BUTYL ETHER)	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	SOIL

Caller Remarks:

contaminated soil around a tank

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"

ADDITIONAL INVESTIGATION AND CLEANUP HANDLED UNDER SPILL 86-04710

**Map Identification Number 11** **NORTHVILLE/TOSCO** **Spill Number: 9505415** **Close Date: 12/01/1995**  
 **UNION AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0255-364**

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NORTHVILLE/TOSCO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: CARL HESS Caller Agency: TOSCO PIPELINE Caller Phone: (908) 523-6318  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Unknown RP - DEC Field Response - DEC Corrective Action Required


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/01/1995		UNKNOWN	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER

Caller Remarks:

RECOV WELL 35 RESTARTED IN 7/95, NORTHVILLE FOUND 20 FT OF GASOLINE TYPE LIQUID IN FACILITY WELL#4, TOSCO TO IDELL 3 GASOLINE A/G STORAGE TANKS IN AREA & DO TRACER GAS SURVEY

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LEUNG"  
 INVESTIGATION REVEALED THAT SPILL IS THE "OLD" SPILL BEING HANDELD BY BILL SPITZ

**Map Identification Number 12** **NORTHVILLE**  
 586 UNION AVE

HOLTSVILLE, NY

**Spill Number: 8604710**

**Close Date: 07/11/2014**  
 TT-Id: 520A-0179-072

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: KJGOMEZ

Spiller: NORTHVILLE IND  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info:

Spiller Phone: (516) 475-5060  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/21/1986		UNKNOWN	YES	YES

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	750000	GALLONS	0	GALLONS	SOIL, GROUNDWATER
MTBE (METHYL-TERT-BUTYL ETHER)	HAZARDOUS MATERIAL	0	UNKNOWN	0	UNKNOWN	
BTEX	OXYGENATES	0	UNKNOWN	0	UNKNOWN	

Caller Remarks:


18INCHES IN SITE WELLS INSTALLED AS LIC COND/ SUSPECT TANK 10?/

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "HAAS WELL"

3/3/05 FILE REASSIGNED

From 1986 to 2001 Northville completed an extensive investigation, conducted product recovery, installed a groundwater extraction and treatment system that pumped and treated up to 650 gpm, and also installed an air sparge/soil vapor extraction system. Through these efforts they recovered more than 170,000 gallons of free phase product; completed source area cleanup in 2006; and completed post remedial monitoring in 2011 in accordance with Consent Order requirements.

**Map Identification Number 13** **NORTHVILLE INDUSTRIES**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0906688**

**Close Date: 04/21/2010**  
 TT-Id: 520A-0232-445

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: njacampo

Spiller: NORTHVILLE INDUSTRIES  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: DAN BEALEY

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (637) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/12/2009		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	0	UNKNOWN	0	UNKNOWN	

**Caller Remarks:**

1430 The caller advised dispatch the spill cause is unknown. The spill is contained. Clen up is inprogress. No water ways affected.

**DEC Investigator Remarks:**

14:40 Spoke with Nick Acampora – He received info by way of NRC report, and has already made call backs. –KY

09/12/2009 @ 14:30: Acampora had telecon with Dan Bealey and Tom Maus @ Northville regarding the report received via NRC. Intial inspection indicates that the spill is minor and that it may be due to ongoing painting work (primer used is oil based) Product also entered two drainage basins within the containment area. Spill was discovered when Dan was ready to empty the drainage basins and upon inspection found floating product on standing strom water. Sample taken for fingerprint analysis. Spill contained.

09/12/2009 @ 17:00: Acampora had telecon with Tom Maus. No known source at this time. Investigation will continue. Will provide update on Monday 09/14/2009. Acampora indicated that a follow-up inspection by this office will also be conducted.

09/14/2009 @ 09:45: Acampora had telecon with Peter Miloski, Terminal Manager at Northville. Cause of release identified. An

unused pipe which was still connected at one end was compromised. Work to isolate the pipe is ongoing. Advised him that I would be on-site this afternoon.

09/14/2009 @ 13:55: Acampora met with Pete Miloski and Tom Maus. Following is the outcome of the inspection:

The "Tell-Tale" associated with an unused pipeline which penetrates the north dike wall to the west rack (pump #7) was found to have contained product. Product was observed around the PVC line for the tell-tale located at the western pipe manifold area located northeast of Tank 17. Product apparently flowed under the cover stone and on top of the liner into the pump stations (see diagram and pix for locations of pumping stations and involved pipe). The involved pipe is 10" diameter and has been out of service for an extended period of time. The pump (#7) had been removed and the associated valve shut. However, the pipeline while unused was still connected to an active line so it was always filled with product. therefore, at this point, it is unknown how much was released. It is also unknown when the release actually began to occur.

Curently, crews are working to remove short section of pipe to facilitate isolation of compromised pipe and to pu the active line back in service. (all gasoline distribution is shut down). Instructed Northville on the following:

- Will have to remove all cover stone in the pipe manifold area to insect the liner for deficiencies or failures, must also stoppile containinated cover stone for disposal.
- All water collected in containment area for the pipe manifold and two pump stations must be treated prior to discharge.
- The compromised pipe must be thoroughly inspected to determine cause and impact. Initial work will be to pressure test the line. Explained that the area maybe required to be exposed. Additional actions sill be determined based on outcome of testing.
- Work must be completed as soon as possible.

In addition, during response to this event, it was determined that a weld on a 10" diameter ethanol line adjacent to the subject line failed causing a "misting" of ethanol. The line has been removed from service until appropriate permanant repairs using a "clock spring" can be completed.

Tom Maus will provide further updates tomorrow.

14:54: Acampora left site.

CLEANUP COMPLETED, REMOVAL OF APPROX 82.50 TONS OF SOIL, DISPOSAL RECPTS REC'VD ON 4/19/2010, NO FURTHER ACTIONS REQ'D

**Map Identification Number 14**



**NORTHVILLE INDUSTRIES**

586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0610714**

**Close Date: 06/08/2007**

TT-Id: 520A-0174-976

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: GARY PECORINO – NORTHVILLE INDUSTRIES  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: GARY PECORINO

Spiller Phone: (631) 475-5060  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/21/2006		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	SOIL
GASOLINE ADDITIVE	OTHER	100.00	GALLONS	86.00	GALLONS	SOIL

Caller Remarks:

LIQUID FUEL ADDITIVE – 86 GALLONS: WENT TO CONTAINMENT AREA NO SPILL TO WATER: STILL INVESTIGATING WHO WILL BE TAKING RESPONSIBILITY

DEC Investigator Remarks:

12/21/06 11:00 JENNIFER SPOKE WITH MR PECORINO. THEY WERE TRANSFERRING FUEL ADDITIVE FROM TANK TRUCK TO TANK 35. THERE WAS AN OVERFILL OF 85 GALLONS WHICH WENT INTO SECONDARY CONTAINMENT. ADDITIVE WAS FOR MOTOR FUEL, PURADDAP 6000, HAS BEEN PUMPED OUT OF SECONDARY CONTAINMENT

28 DRUMS SOLIDS/LIQUIDS GENERATED, DISPOSAL COMPUTED, NO ADDITIONAL ACTIONS

**Map Identification Number 15**  **NORTHVILLE OIL TERMINAL**  
 586 UNION AVENUE

**Spill Number: 0509871** **Close Date: 12/02/2005**  
 HOLTSVILLE, NY TT-Id: 520A-0179-083

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK	Spiller: MIKE – CONSOLIDATED OIL COMP	Spiller Phone: (631) 265–2930
Notifier Type: Local Agency	Notifier Name: TIM CASSIDY	Notifier Phone: (631) 475–5060
Caller Name: TIM CASSIDY	Caller Agency: NORTHVILLE INDUSTRIES	Caller Phone: (631) 475–5060
DEC Investigator: NJACAMPO	Contact for more spill info: PETE MILOSKI	Contact Person Phone: (631) 475–5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/17/2005		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	15.00	GALLONS	15.00	GALLONS	SOIL

Caller Remarks:

WAS CONTAINED AND WENT THROUGH AN OIL SEPERATOR. HAS BEEN CLEANED UP.


DEC Investigator Remarks:

11/17/05 15:45 TELECON WITH TIM CASSIDY FROM NORTHVILLE, APPROX 15 GALS OF FUEL OIL SPILLED ONTO CONCRETE SURFACE AND TRAVELED INTO AN OIL SEPERATOR AT THE ABOVE LOCATION. IMPACTED AREA HAS BEEN CLEANED UP. ALL PRODUCT WAS PROPERLY PUMPED OUT FROM THE SEPERATOR. NO PRIVATE WELLS/OR DRAINS IMPACTED

12/2/05 09:30 ACAMPORA ON SITE, MET WITH PETE MILOSKI SPILL AT RACK 8 DUE TO HUMAN ERROR. OVERFILL BY DRIVER OF CONSOLIDATED OIL WHILE AT RACK,NO EQUIPMENT FAILURE NOTED.

12/2/05 10:11 LEFT SITE AFTER INSPECTION OF UNRELATED SPILL AT SITE

SPILL CLEANED UP NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 16** **NORTHVILLE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0485193**

**Close Date: 11/19/2004**  
 TT-Id: 520A-0179-078

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742



Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: NORTHVILLE	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name: PETE MILOSKI	Notifier Phone: (631) 475-5060
Caller Name: NATIONAL RESPONSE CENTER	Caller Agency: NATIONAL RESPONSE CENTER	Caller Phone: (800) 424-8802
DEC Investigator: NJACAMPO	Contact for more spill info: PETE MILOSKI	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/17/2004		UNKNOWN	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

DEC RECEIVED AN NRC REPORT THAT NORTHVILLE HAD REPORTED "ETHANOL RELEASED FROM AN UNDERGROUND PIPELINE DUE TO UNKNOWN CAUSES." APPARENTLY, THE LEAK WAS WITHIN A CONTAINMENT AREA.

DEC Investigator Remarks:

SAME AS 04-09205

11/17 CALLED SECRETARY AT NORTHVILLE, LEAK ABOVEGROUND, WILLHAVE MILOSKI CALL WITH DETAILS SUCH AS AMOUNT, CONTAINED OR NOT, BEING CLEANED UP  
 11/17 MILOSKI-LEFT MESSAGE, SPILL WAS ABOVEGROUND AND CONTAINED, LESS THAN 50 GALS OR 15, INSTALLING NEW LINE

SEE 04-09205 FOR DETAILS

**Map Identification Number 17**      **NORTHVILLE INDUSTRIES**  
 586 UNION AVENUE

**Spill Number: 0409205**      **Close Date: 11/19/2004**  
 HOLTSVILLE, NY      TT-Id: 520A-0179-079

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: PETER MOLOWSKI – NORTHVILLE INDUSTRIES	Spiller Phone: (631) 475–5060
Notifier Type: Responsible Party	Notifier Name: PETER MOLOWSKI	Notifier Phone: (631) 475–5060
Caller Name: PETER MOLOWSKI	Caller Agency: NORTHVILLE INDUSTRIES	Caller Phone: (631) 475–5060
DEC Investigator: NJACAMPO	Contact for more spill info: PETER MOLOWSKI	Contact Person Phone: (631) 475–5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/17/2004		UNKNOWN	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

UNSURE WHAT HAPPENED, MAY BE CORROSION: ETHONOL : LEAKING FROM A HOSE, ALL IS CONTAINED: LESS THEN 1 PINT PER MINUTE

DEC Investigator Remarks:

SAME AS 04–85193

11/19/04 ACAMPORA HAD TELECON WITH TOM MAUS AT NORTHVILLE, PRIMARY ETHANOL LINE FAILED WHERE IT PASSES UNDER ACCESS ROAD NEAR TANK #11. PRODUCT WAS OBSERVED LEACHING OUT FROM SECONDARY CONTAINMENT SLEEVE. PIPE WAS REMOVED FROM SERVICE AND TEMP LINE INSTALLED UNTIL PERMANENT REPAIRS CAN BE MADE. MEG REMOVED APPROX 2000 GALLONS OF CONTAMINATED WASH WATER. NO ADDITIONAL ACTIONS NEEDED

**Map Identification Number 18**      **NORTHVILLE GAS TERMINAL**  
 587 UNION AVENUE

**Spill Number: 1501146**      **Close Date: 05/01/2015**  
 HOLTSVILLE, NY      TT-Id: 520A–0309–536

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 248 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: 587 UNION AVE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Citizen  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: NORTHVILLE  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: MARIA PALMIERI

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 666–0920

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/01/2015		UNKNOWN	NO	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

Caller advised can smell fumes from the gas terminal where gasoline tankers are stored.

DEC Investigator Remarks:

05/01/15 1516 Hrs: Copy of this report emailed to Merlange Genece (DEC Air Resources). DR

<b>Map Identification Number 19</b>	<b>TOSCO PIPE LINE TERMINAL</b>	<b>Spill Number: 0103374</b>	<b>Close Date: 07/02/2003</b>
	587 UNION AVENUE	HOLTSVILLE, NY	TT-Id: 520A-0179-060

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 248 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: JOSEPH BENITEZ – TOSCO PIPE LINE TERMINAL	Spiller Phone: (631) 475-5060
Notifier Type: Responsible Party	Notifier Name: JOSEPH BENITEZ	Notifier Phone: (631) 475-5060
Caller Name: JOSEPH BENITEZ	Caller Agency: TOSCO PIPE LINE	Caller Phone: (631) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info: JOSEPH BENITEZ	Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
06/27/2001		OTHER	YES	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	40.00	GALLONS	40.00	GALLONS	SOIL

Caller Remarks:

rack was overloaded...spill was contained to containment area. 1 employee did get gas into his eyes.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
NO ENV IMPACT, IN CONTAINMENT AREA

**Map Identification Number 20** **GUY PRATT** **Spill Number: 9010383** **Close Date: 02/11/1992**  
 608 UNION AVENUE/MORIRS AVENUE HOLTSMILLE, NY TT-Id: 520A-0160-900

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 711 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: 608 UNION AVENUE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: BOB PRATT – GUY PRATT	Spiller Phone:
Notifier Type: Health Department	Notifier Name:	Notifier Phone:
Caller Name: WALTER PETRULE	Caller Agency: SCDH	Caller Phone:
DEC Investigator: WJPARISH	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/26/1990	02/11/1992	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

SCDH INSPECTOR ON SITE DIRECTING STOCKPILING OF CONT SOIL FROM AROUND FILL PIPES. ALL CONT SOIL TO BE STOCKPILED.SCHD WILL CALL IF ADDITIONAL WORK NEEDS TO BE DONE.OTHERWISE FOLLOWUP ON STOCKPILED SOIL NEED BY DEC 12/31/90 AS PER WALTER PETRULE, TANKS OK, NO HOLES, CONT SOIL FROM SURFACE SPILLS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "PARISH"  
12/31/90: 10 YDS STOCKPILED ON SITE, SELF REMOVAL, TYREE CLEANED OUT TANK AS PER W. PETRULE, NO ADDITIONAL WORK NEEDED.

**Map Identification Number 21** **NY POWER AUTHORITY** **Spill Number: 1502257** **Close Date: 06/01/2015**  
 608 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0309-424

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 711 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/29/2015		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	155.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

An external disturbance caused a release to air.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE POWER PLANT'S PERMIT LIMITATION\*\*\* DR

06/01/15 1012 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (Div of Air Resources). DR

**Map Identification Number 22** **NY POWER PLANT** **Spill Number: 9405031** **Close Date: 07/13/1994**  
 **LONG ISLAND AVE** **HOLTSVILLE, NY** **TT-Id: 520A-0271-369**

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **955 feet to the N**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **11742**

Source of Spill: **UNKNOWN** Spiller: **UNK** Spiller Phone:  
 Notifier Type: **Citizen** Notifier Name:  
 Caller Name: **ROBERT MAURELLI** Caller Agency: **CITIZEN** Notifier Phone:  
 DEC Investigator: **UNASSIGNED** Contact for more spill info: **Contact Person Phone: (516) 698-8227**

Category: **Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.**  
 Class: **Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/13/1994	07/13/1994	UNKNOWN	UNKNOWN	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	AIR

**Caller Remarks:**

**"OBNOXIOUS FOUL ODOR" IN AIR/SEVERAL PLANTS IN AREA.**

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"

**Map Identification Number 23** **HOLTSVILLE L&G PLANT**  
 **UNION AVENUE**

HOLTSVILLE, NY

**Spill Number: 9112183**

**Close Date: 04/14/1992**  
 TT-Id: 520A-0312-221

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **955 feet to the N**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **UNKNOWN**

Source of Spill: **COMMERCIAL/INDUSTRIAL**  
 Notifier Type: **Responsible Party**  
 Caller Name: **GLEN PRATT**  
 DEC Investigator: **NJACAMPO**

Spiller: **JAMES FINNERTY – LILCO**  
 Notifier Name:  
 Caller Agency: **LILCO**  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: **(516) 933-4272**  
 Contact Person Phone:

Category: **Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.**  
 Class: **Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/27/1992	04/14/1992	OTHER	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
HYDROGEN CHLORIDE	HAZARDOUS MATERIAL	100.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**

**ACID WASH OF 1000 GAL TANK FLANGE ON TANK FAILED DURING WASH, SPILL DIKED NUTRALIZED WITH SODA ASH, LILCO PUMPING UP LIQUID, SCHD NOTIFIED PSC NOTIFIED SOIL TO BE EXCAVATED 2/28/92**

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"

**Map Identification Number 24** **LILCO**  
 **UNION AVENUE**

HOLTSVILLE, NY

**Spill Number: 9008510**

**Close Date: 11/05/1990**  
 TT-Id: 520A-0255-365

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **955 feet to the N**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: LILCO	Spiller Phone: (516) 588-0555
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: STEVE MILNE	Caller Agency: LILCO	Caller Phone: (516) 933-4272
DEC Investigator: UNASSIGNED	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/04/1990	11/05/1990	UNKNOWN	UNKNOWN	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

HOLTSVILLE F.D ON SCENE.DRILL EXERCISE ONLY. NO RESPONSE NEEDED


DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"  
 10/10/95: This is additional information about material spilled from the translation of the old spill file: LIQUID NATURAL GAS.

AT HOLTSVILLE LIQUID NATURAL GAS PLANT, DIKED AREA ON SITE

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

\*\*ALL INFORMATION INCLUDED IN DATABASE\*\*

**Map Identification Number 25**      **HOLTSVILLE LNG PLANT**  
      605 UNION AVENUE

HOLTSVILLE, NY      **Spill Number: 0104352**      **Close Date: 07/24/2001**  
 TT-Id: 520A-0179-106

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 955 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE



Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NORTSHORE INSULATION Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: Notifier Phone:  
 Caller Name: MARTIN BRUSCELLA Caller Agency: KEY SPAN ENERGY Caller Phone: (516) 545-2401  
 DEC Investigator: UNASSIGNED Contact for more spill info: MARTIN BRUSCELLA Contact Person Phone: (516) 545-2401

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/24/2001		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
PERLITE	OTHER	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

approx 1 yd soil contaminated after overfilling a tank with material. clean up completed by the contractor.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"  
 TELECON MARTY BRUSCELLA: FAXING MSDS, MATERIAL HAS BEEN VACUUMED BY CONTRACTOR ( THOMAS J DONNELLY, NORTH SHORE INSULATION) ~  
 1YARD SPILLED AND CLEANED UP. MATERIAL IS SOLID NON HAZ MATERIAL

**Map Identification Number 26** **HOLTSVILLE COMBINED CYCLE** **Spill Number: 9310739** **Close Date: 07/14/1994**  
 UNION AVE/LILCO PLANT HOLTSVILLE, NY TT-Id: 520A-0179-097

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: UNKNOWN Spiller: HOLTSVILLE COMBINED CYCLE Spiller Phone: (516) 289-0160  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: TONY LEUNG Caller Agency: NYSDEC Caller Phone: (516) 444-0320  
 DEC Investigator: AYLEUNG Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/04/1993	07/14/1994	UNKNOWN	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
WHITE CAUSTIC	HAZARDOUS MATERIAL	200.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

ALLEN SMITH CALLED SCDH, HE WAS NOTIFIED BY CONTRACTOR, INFORM VERY LIMITED, FOUND SPILLAGE AT HOLTSMVILLE COMBINED CYCLE PLANT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LEUNG"  
 07/14/94: EMERGENCY CLEANED UP, LAB RESULTS OBTAINED, SPILL REFERRED TO HAZ WASTE FOR EVALUATION.

<b>Map Identification Number 27</b>	<b>POWER PLANT</b>	<b>Spill Number: 1305543</b>	<b>Close Date: 08/23/2013</b>
	607 UNION AVENUE	HOLTSMVILLE, NY	TT-Id: 520A-0289-929

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: WALTER SOTO – LIPA OR NY POWER?	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALTER SOTO	Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/22/2013		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	210.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

210 POUNDS OVER THE ALLOWABLE LIMIT. OUTSIDE DISTURBANCE ON THE GRID. SHUT DOWN A COUPLE FEEDERS.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR EMISSIONS PERMIT\*\*\* DR

08/23/13 1436 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air Resources). DR

**Map Identification Number 28** **FLYNN POWER PLANT** **Spill Number: 1216769** **Close Date: 03/27/2013**  
 607 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0286-641

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: WALTER SOTO – NEW YORK POWER AUTHORITY	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALTER SOTO	Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/26/2013		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	226.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Air Emmisions release from outside grid disturbance.

DEC Investigator Remarks:

03/27/13 @13:55 M.Genece, Div. of Air has been notified via e-mail.(VP)  
 COPY OF SPILL REPORT SENT VIA EMAIL TO AIR

**Map Identification Number 29**      **POWER PLANT**      **Spill Number: 1009876**      **Close Date: 12/16/2010**  
      607 UNION AVE      HOLTSVILLE, NY      TT-Id: 520A-0258-623

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER      Spiller: JOSHUA RAMOS – NY POWER AUTHORITY      Spiller Phone:  
 Notifier Type: Responsible Party      Notifier Name:      Notifier Phone:  
 Caller Name:      Caller Agency:      Caller Phone:  
 DEC Investigator: Unassigned      Contact for more spill info: JOSHUA RAMOS      Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/16/2010		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	17.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

17 ppm released to the outdoor air due to switchng overfuels

DEC Investigator Remarks:

\*\*\*SAME AS 1009875? SIMILAR PRIOR REPORTS HERE\*\*\* DR

12/16/10 pm: Copy of this report given to Merlange Genese (DEC Div of Air). DR

**Map Identification Number 30** **POWER PLANT** **Spill Number: 1009875** **Close Date: 12/16/2010**  
 607 UNION AVE HOLTSVILLE, NY 11724 TT-Id: 520A-0259-624

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: JOSHUA REYNOLDS – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA REYNOLDS Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/14/2010		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	24.00	POUNDS	0.00	POUNDS	AIR


**Caller Remarks:**

24 ppm released to outdoor air

**DEC Investigator Remarks:**

\*\*\*SAME AS 1009876? SIMILAR PRIOR REPORTS HERE\*\*\* DR

12/16/10 pm: Copy of this report given to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 31** **FLYNN POWER PLANT**  
 607 UNION AVE

HOLTSVILLE, NY

**Spill Number: 1008727**

**Close Date: 11/19/2010**  
 TT-Id: 520A-0258-586

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: JOSHUA RAMOS – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOSHUA RAMOS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/17/2010		OTHER	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	53.80	UNKNOWN	0.00	UNKNOWN	AIR
CARBON MONOXIDE	OTHER	17.50	UNKNOWN	0.00	UNKNOWN	AIR

**Caller Remarks:**

Caller advised a release of 17.5 ppm of carbon monoxide and 53.8 ppm of nitrogen dioxide was released into the air.

**DEC Investigator Remarks:**

\*\*\*THERE HAVE BEEN A NUMBER OF PRIOR SIMILAR REPORTS HERE FOR EXCEEDANCES OF THE PLANT'S AIR PERMIT\*\*\* DR

Referred to Air Unit. (BD)

**Map Identification Number 32**      **RICHARD FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0910686**

**Close Date: 12/31/2009**  
 TT-Id: 520A-0234-399

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: NICK RELLA – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: NICK RELLA

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (914) 681-6408

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/30/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	88.00	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

in excess of permit – emergency fuel swap from natural gas to oil – 2nd incident at 1400 when went from oil to natural gas (78 lbs)

**DEC Investigator Remarks:** NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 33**      **RICHARD FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0909322**

**Close Date: 11/19/2009**  
 TT-Id: 520A-0234-391

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NICK RELLA – RICHARD FLYNN POWER PLANT Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: NICK RELLA Contact Person Phone: (914) 681-6408

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/19/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

CALLER STATES THEY EXCEEDED TITLE 5 PERMIT. 62.1 PPM READING. LIMIT IS 42.0 PPM

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 34** **NY POWER AUTHORITY** **Spill Number: 0902331** **Close Date: 05/28/2009**  
 UNION STREET HOLTSMVILLE, NY TT-Id: 520A-0271-368

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: KOLLI RAO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: KOLLI RAO Contact Person Phone: (914) 681-6387

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required



Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/24/2009		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

RELEASE EXCEEDING LIMITS MORE THAN 10.5PPM.

DEC Investigator Remarks:

\*\*\*SEE 0902303: SIMILAR REPORT RECEIVED 5/27/09\*\*\* DR

05/28/09 1000 Hrs: Called Rao– line busy. DR

05/28/09 1020 Hrs (A): Called Rao– they measured 10.5ppm of nitrogen dioxide during testing; the DEC permit limit is 9.0ppm.

05/28/09 1020 Hrs (B): THEY BELIEVE THIS IS RELATED TO YESTERDAY’S PROBLEM. DR

05/28/09 1035 Hrs: Copy of this report given to DEC Air. DR

**Map Identification Number 35** **RICHARD FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0900189**

**Close Date: 04/06/2009**  
 TT-Id: 520A-0227-005

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Local Agency  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: NICK RELLA – NYPA  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: NICK RELLA

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (914) 681-6408

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/03/2009		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

CALLER STATES THAT THERE WAS A ONE HOUR RELEASE ABOVE THE LIMITS OF NOX.

DEC Investigator Remarks:

03/06/09-11:18am NH Spokje with Nikk Rella, Friday there was a storm caused the generators at the plant to work in sfae mode. Air Emissions exceed allowance (48.4 ppm) will refer to Air

**Map Identification Number 36** **RICHARD M FLYN PLANT** **Spill Number: 0813129** **Close Date: 03/06/2009**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0227-004

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NICK RELLA – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: NICK RELLA Contact Person Phone: (914) 681-6408

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/05/2009		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

EXCEEDED THE PERMIT LEVEL FOR 2 HOURS.

DEC Investigator Remarks:

3/6/09 @ 14:08 – called Mr Rella. Left message

3/6/09 @ 1434 – Spoke with Mr Rella. Exceed NOX emission for approx 2 hours on 3/5/09 starting at 09:00. Firing on #2F/O permit limit is 42ppm and 09:00 reading was 79.0 ppm and 10:00 reading was 47.2 ppm. (JP)

REFERRED TO AIR UNIT

**Map Identification Number 37** **RICHARD M FLYNN POWER STATION** **Spill Number: 0811477** **Close Date: 01/20/2009**  
 UNION AVENUE HOLTSVILLE, NY 11742 TT-Id: 520A-0225-303

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: STEVE WARLICK – RICHARD M FLYNN POWER STATION Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: STEVE WARLICK Contact Person Phone: (718) 626-8258

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/17/2009		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

CALLER STATES THAT DURING MAINTENANCE MORE THAN THE ACCEPTABLE LEVELS WERE RELEASED.

DEC Investigator Remarks:

1/19/09 @ 1648 – Spoke with Steve Warlick. According to Mr. Warlick – On Sat 1/17/09 hydraulic leak on steam turbine and induction control valve. Sprayed oil creating potential for fire. Not much oil was released and was all cleaned up. Had to ramp down of turbine to make the necessary repairs. Operated in diffusion mode, made repairs and ramped system back up. During the repairs between 17:00 and 22:00 there were exceedences of NOX and CO emissions. Max NOX emmsion allowed is 42 ppm, they reached 88.6ppm. Max CO emission allowed is 8.5ppm they reached 92.1 ppm. Dan Rozell DEC region 1, in charge of facility.

**Map Identification Number 38** **MYSTIC/NORTHVILLE** **Spill Number: 8806942** **Close Date: 11/28/1988**  
 **UNION AVENUE & LONG ISLAND AVENUE** **HOLTSVILLE, NY** **TT-Id: 520A-0156-932**

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING  
 Approximate distance from property: 1357 feet to the ENE

ADDRESS CHANGE INFORMATION

Revised street: UNION AVENUE / LONG ISLAND AVENUE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK	Spiller: MYSTIC/NORTHVILLE	Spiller Phone:
Notifier Type: Police Department	Notifier Name:	Notifier Phone:
Caller Name: OFFICER OERTLI	Caller Agency: NAT RESPONSE CENTER	Caller Phone: (800) 424-8802
DEC Investigator: LICATA	Contact for more spill info:	Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/18/1988	11/28/1988	OTHER	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	5000	GALLONS	0	GALLONS	GROUNDWATER


Caller Remarks:

TANK TRUCKS HIT RACKS-FIRE-INTO RECHARGE BASIN

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LICATA FD"

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 39** **THE COLONIE (CONDO COMPLEX)** **Spill Number: 9305894** **Close Date: 07/17/1997**  
 FURROWS ROAD/PATCHOGUE HOLBROOK RD HOLBROOK, NY TT-Id: 520A-0271-362

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1479 feet to the SSE

ADDRESS CHANGE INFORMATION  
 Revised street: FURROWS ROAD  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NEIL SCADERE MAINTENANCE – THE COLONIE (CONDOSpiller Phone: (516) 447-5151  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: ANONY Caller Agency: Caller Phone:  
 DEC Investigator: CAMPBELL Contact for more spill info: Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/13/1993		UNKNOWN	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

OIL SEEPING OUT OF GROUND IN THE ISLAND IN FRONT OF GUARD BOOTH ON EXIT SIDE, HAS NOTICED FOR A WEEK, SEEMS TO BE GETTING WORSE, ODOR

DEC Investigator Remarks:

SHEEN WAS IRON

**Map Identification Number 40** **HOLTSVILLE GENERATING PLANT** **Spill Number: 9008713** **Close Date: 12/12/1990**  
 180A MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-092

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: DOUG VOOS – LILCO Spiller Phone: (516) 933-4007  
 Notifier Type: Responsible Party Notifier Name: DOUG VOOS – LILCO Notifier Phone:  
 Caller Name: DOUG VOOS Caller Agency: LILCO Caller Phone: (516) 933-4007  
 DEC Investigator: HOFMANN Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/08/1990	12/12/1990	UNKNOWN	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NON PCB OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

UNDERGROUND PIPE, 25 GALS OIL & WATER SPILLED INTO SOIL EXCAVATION WHEN PIPE ACCIDENTALLY BROKE.LILCO CLEANING OUT CONTAMINATION. FLOOR DRAIN FOR GENERATOR UNIT, DAN MCCARTY SUPER ON SITE

DEC Investigator Remarks:

MPC HIRED FOR CLEANUP

**Map Identification Number 41**  **LILCO** **Spill Number: 8910618** **Close Date: 02/09/1990**  
 GAS TURBINE ON MORRIS AVE HOLTSVILLE, NY TT-Id: 520A-0179-103

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: LILCO Notifier Phone:  
 Caller Name: DOUG VOOS Caller Agency: LILCO Caller Phone: (516) 933-4007  
 DEC Investigator: KJGOMEZ Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/07/1990	02/09/1990	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

2K SUMP TANK OVERFILL WATER WASHING TURBINE PUMPING UP WATER/OIL EXCAVATING

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "GOMEZ"

02/09/90: MPC ON SITE TO REMOVE CONT SOIL. REMOVED 2 YDS NO OTHER AREA AFFECTED. NO FURTHER CLEANUP NECESSARY.

Map Identification Number 42

LILCO  
180 MORRIS AVENUE

HOLTSVILLE, NY

Spill Number: 8904523

Close Date: 08/08/1989  
TT-Id: 520A-0179-090

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE  
Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Citizen  
Caller Name: DEAN FOWLER  
DEC Investigator: AIR UNIT

Spiller: LILCO  
Notifier Name:  
Caller Agency: CITIZEN  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (516) 757-4385  
Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/1989	08/08/1989	UNKNOWN	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

YELLOW CLOUD APPEARS AT ALL TIMES OF THE DAY. REFERRED TO R.CAPP AIR UNIT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "AIR UNIT FD"  
 10/10/95: This is additional information about material spilled from the translation of the old spill file: YELLOW CLOUD.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 43**      **HOLTSVILLE COMBUSTION**      **Spill Number: 0207219**      **Close Date: 10/11/2002**  
      MORRIS AVENUE      HOLTSVILLE, NY      TT-Id: 520A-0179-096

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: SAME – KEYSpan	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name: PAUL LYNCH	Notifier Phone: (516) 545-2564
Caller Name: PAUL LYNCH	Caller Agency: KEYSpan ENERGY	Caller Phone: (516) 545-2564
DEC Investigator: UNASSIGNED	Contact for more spill info: PAUL LYNCH	Contact Person Phone: (516) 545-2564

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/11/2002		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
SULFURIC ACID	HAZARDOUS MATERIAL	7500	POUNDS	0	POUNDS	AIR

Caller Remarks:

daily release into air. #625788 cr-erns. no call back needed.

DEC Investigator Remarks:



Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"

**Map Identification Number 44** **PRIMA ASPHALT** **Spill Number: 9010623** **Close Date: 01/07/1991**  
 615 FURROWS ROAD HOLTSVILLE, NY TT-Id: 520A-0164-414

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1712 feet to the ESE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: CHIP FEHR – PRIMA ASPHALT Spiller Phone: (516) 289-3406  
 Notifier Type: Health Department Notifier Name: Notifier Phone:  
 Caller Name: JOHN MION Caller Agency: SCDH Caller Phone: (516) 451-4640  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/04/1991	01/07/1991	OTHER	UNKNOWN	NO


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Spilled	Units	Recovered	Units	
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

2-10K GALLON TANKS REMOVED. NO HOLES FOUND IN TANKS. 60 CU YDS OF CONT SOIL STOCKPILED ON SITE. SCDH SATISFIED THAT ALL CONT SOIL HAS BEEN REMOVED.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"  
 STOCKPILED SOIL DISPOSAL REFERRED TO J FISCHERA, HAZ WASTE

**Map Identification Number 45**  **PAVCO** **Spill Number: 0605858** **Close Date: 08/21/2006**  
**FURROWS ROAD** **HOLBROOK, NY** **TT-Id: 520A-0172-889**

**MAP LOCATION INFORMATION**  
 Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **1712 feet to the ESE**

**ADDRESS CHANGE INFORMATION**  
 Revised street: **NO CHANGE**  
 Revised zip code: **11741**

Source of Spill: **COMMERCIAL/INDUSTRIAL** Spiller: **RICHARD – PAVCO** Spiller Phone: **(631) 472-2216**  
 Notifier Type: **Other** Notifier Name:  Notifier Phone:   
 Caller Name:  Caller Agency:  Caller Phone:   
 DEC Investigator: **Unassigned** Contact for more spill info: **RICHARD** Contact Person Phone: **(631) 472-2216**

Category: **Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.**  
 Class: **Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/21/2006		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ASPHALT	PETROLEUM	0	GALLONS	0	GALLONS	AIR

**Caller Remarks:**

strong odor since 4am this morning and has been going on for a while:

**DEC Investigator Remarks:**

8/21 REFERRED TO AIR UNIT

RELATED TO OTHER ODOR COMPLAINTS ?

06-05375  
 06-05379

**Map Identification Number 46**



**SPILL NUMBER 9711355**

1 CLUBHOUSE ROAD

HOLBROOK, NY

**Spill Number: 9711355**

**Close Date: 01/30/1998**

TT-Id: 520A-0176-261

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 2105 feet to the SSE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Affected Persons

Caller Name: AMY CLARK

DEC Investigator: DONOVAN

Spiller: PAV CO ASPHALT

Notifier Name:

Caller Agency: THE COLONY

Contact for more spill info: MR CLARK

Spiller Phone: (516) 289-3406

Notifier Phone:

Caller Phone: (516) 447-5151

Contact Person Phone: (516) 447-5151

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/04/1998		OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	SURFACE WATER

**Caller Remarks:**

during rain 4-5 days ago, "gray murky water" came from PAV Co

and entered 3 ponds at The Colony. Turned the ponds greenish

gray not known if its oil concerned about the fish in the ponds

none dead yet

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 47** **RICHETTI RESIDENCE**  
 208 FAIRFIELD DRIVE

HOLBROOK, NY

**Spill Number: 0606136**

**Close Date: 03/08/2007**  
 TT-Id: 520A-0271-363

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2105 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: 8 FAIRFIELD DR  
 Revised zip code: 11741

Source of Spill: UNKNOWN  
 Notifier Type: Citizen  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: UNKNOWN - UNKNOWN  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: FRANCINE RICHETTI

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 475-3451

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/28/2006		UNKNOWN	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	AIR


Caller Remarks:

AROUND 3:30 AN ODOR APPEARED IN HER HOME AND AROUND THE SURROUNDING AREA: CONCERN OF SPILL AND CONTAMINATION.

DEC Investigator Remarks:

SEE 06-05858 ETC IN THIS AREA, SIMILAR COMPLAINTS REGARDING PAVCO,  
 06-05379 COLONY DRIVE  
 0605375 EARLIER COMPLAINT BY RICHETTI

REFERRED TO AIR UNIT/SOLID & HAZ MATERIAL

**Map Identification Number 48** **RICHETTI RESIDENCE**  
 208 FAIRFIELD DRIVE

HOLBROOK, NY 11741

**Spill Number: 0605375**

**Close Date: 08/08/2006**  
 TT-Id: 520A-0271-364

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2105 feet to the SE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Affected Persons  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: FRANCENE RICHETTI - UNKNOWN  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: FRANCENE RICHETTI

Spiller Phone: (631) 475-3451  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (631) 475-3451

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP - No DEC Field Response - Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/08/2006		OTHER	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
UNKNOWN MATERIAL	OTHER	0	GALLONS	0	GALLONS	AIR

Caller Remarks:

CALLER REPORTS THERE IS A ASPHALT PLANT WITHIN A MILE OF HER HOME: THERE IS A VERY STRONG ODOR IN THE AIR, AS WELL AS DEBRIS, AIR IS GRITTY: THIS IS AN ONGOING COMPLAINT: DEC HAS BEEN CONTACTED PREVIOUSLY:THE SMELL IS REALLY BAD TODAY AND THE AIR IS GRITTY AND BROWN AND IS FLOWING DOWN HER STREET. SHE WANTS CALL BACK PLEASE. EDITED @11:32 8/9/06

DEC Investigator Remarks:

SAME COMPLAINT AS 0605379?

**Map Identification Number 49** **SYMBOL TECHNOLOGIES**  
 1 SYMBOL PLAZA

HOLTSVILLE, NY

**Spill Number: 9911886**

**Close Date: 01/13/2000**  
 TT-Id: 520A-0255-363

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 2335 feet to the NNW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: GLENN SPETTA – SYMBOL TECHNOLOGIES Spiller Phone: (516) 738–5926  
 Notifier Type: Affected Persons Notifier Name: GLENN SPETTA Notifier Phone: (631) 738–5926  
 Caller Name: GLENN SPETTA Caller Agency: SYMBOL TECHNOLOGIES Caller Phone: (631) 738–5926  
 DEC Investigator: UNASSIGNED Contact for more spill info: GLENN SPETTA Contact Person Phone: (516) 738–5926

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/13/2000		UNKNOWN	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
HYDRAULIC OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL


Caller Remarks:

HYDRAULIC OIL LEAK IN ELEVATOR SHAFT. MATERIAL CONFINED TO ELEVATOR SERVICE ROOM. BOOMS AND ABSORBANT PADS APPLIED. DOVER ELEVATOR NOTIFIED FOR REPAIR.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"

1/13/00 16:15 TELECON BD, GLEN SPETTA, NOT IN, AS PER SECRETARY CALL FRANK PAOLICELLI AT 738–5461 IN AM FOR UPDATE

**Map Identification Number 50** **SYMBOL TECHNOLOGIES INC** **Spill Number: 9805541** **Close Date: 11/20/1998**  
 1 SYMBOL PLAZA HOLTSVILLE, NY TT–Id: 520A–0255–368

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 2335 feet to the NNW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: TANK TRUCK Spiller: MR RUTTERA – RUTTERA CONSTRUCTION Spiller Phone:  
 Notifier Type: Affected Persons Notifier Name: GLEN SPETTA Notifier Phone: (516) 738–5926  
 Caller Name: GLEN SPETTA Caller Agency: SYMBOL TECHNOLOGIES Caller Phone: (516) 738–5926  
 DEC Investigator: DONOVAN Contact for more spill info: GLEN SPETTA Contact Person Phone: (516) 738–5926

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/31/1998		OTHER	YES	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	2.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

TANK WAS BROUGHT IN TO FILL CONSTRUCTION EQUIPMENT AND DURING THE COURSE OF THIS PROCESS THE SPILL OCCURRED THE GROUND CONTAMINATED HAS SINCE BEEN REMOVED BY THE CONTRACTOR

DEC Investigator Remarks:

APPROX 1 YARD SOIL REMOVED AS PER SYMBOL TECHNOLOGIES, SOIL SAMPLES TAKEN AND AVAILABLE FROM JIM RHODES AND PW GROSSER TWO DRUMS TAKEN TO JAMAICA RECYCLING, 10.5 TONS OF SOIL TAKEN TO POSILLICO

<b>Map Identification Number 51</b>	<b>KALMEYER QUALITY FLEET</b>	<b>Spill Number: 9211984</b>	<b>Close Date: 01/08/2004</b>
	178 MORRIS AVENUE	HOLTSVILLE, NY	TT-Id: 520A-0169-901

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 2579 feet to the NE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: KALMEYER QUALITY FLEET	Spiller Phone:
Notifier Type: Local Agency	Notifier Name:	Notifier Phone:
Caller Name: FM CHUCK DORSEY	Caller Agency: BROOKHAVEN FM	Caller Phone: (516) 451-6262
DEC Investigator: RDDECAND	Contact for more spill info:	Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

---

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended		
01/18/1993		UNKNOWN	YES		NO		

---

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
MOTOR OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

---

Caller Remarks:

WRECK TRUCKS, LARGE SPILL LEAK LEADING FROM PRP'S PROPERTY OFF INTO THE WOODS

---

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "DECANDIA"  
 CLEANUP COMPLETE, DISPOSAL REC'D





**CLOSED STATUS HAZARDOUS SPILLS – MISC. SPILL CAUSES – EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM AND STORMS – WITHIN 1/2 MILE SEARCH RADIUS.**  
 All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 52** **TOSCO PIPELINE** **Spill Number: 9901380** **Close Date: 11/01/1999**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-069

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: PETE MOLOSKI – TOSCO PIPELINE Spiller Phone: (516) 475-5060  
 Notifier Type: Responsible Party Notifier Name: PETE MILOSKI Notifier Phone: (516) 475-5060  
 Caller Name: PETE MILOSKI Caller Agency: TUSCO PIPELINE INC Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: PETE MOLOSKI Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
05/05/1999		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

LOOSE CONNECTION ON PIPE FITTING FOR PUMP – PRODUCT IS COMBINATION OF OIL,GAS AND WATER / MILLER ENVIRONMENTAL CONTACTED FOR CLEAN UP– SPILL WAS CAUSED BY GTI/IT GROUP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
LEAK FROM 1" PIPE, LEAKS BEEN STOPPED, ONTO PEA GRAVEL, 15 GALLONS, MEG ENROUTE

**Map Identification Number 53** **TOSCO** **Spill Number: 9825166** **Close Date: 01/28/2004**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-067

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: DAVID LAWRENSEN – TOSCO Spiller Phone: (516) 475-5060  
 Notifier Type: Responsible Party Notifier Name: DAVID LAWRENSEN Notifier Phone:  
 Caller Name: DAVID LAWRENSEN Caller Agency: TOSCO Caller Phone: (516) 475-5060  
 DEC Investigator: NJACAMPO Contact for more spill info: DAVID LAWRENSEN Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/16/1998		EQUIPMENT FAILURE	YES		NO	


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	628.00	GALLONS	628.00	GALLONS	SOIL

Caller Remarks:

TRUCK WAS LOADING AT TERMINAL. VALVE ON LOADING RACK DID NOT CLOSE PROPERLY, CAUSING OVERFILL OF TRUCK. OIL WENT ONTO PAVEMENT AND INTO CONTAINMENT TROUGH LEADING TO WASTE TANK. ALL OIL HAS BEEN PUSHED TO THE WASTE TANK (CLEANUP COMPLETE). ASKED HIM TO SEND DEC A REPORT.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA 98-162"  
12/18/98 ACAMPORA SPOKE WITH PETE MCLÖSKY AT TOSCO, CONTROL VALVE FOR RACK #1 EAST RACK FAILED DURING FILLING, RACK 1 OUT OF SERVICE UTNIL REPAIRS MADE, ALL PRODUCT ENTERED CONTAINMENT DRAINAGE AND INTO OILY WATER/WASTE OIL TANK

**Map Identification Number 54** **TOSCO PIPELINE COMPANY**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9810083**

**Close Date: 11/10/1998**  
 TT-Id: 520A-0179-066

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL	Spiller: PETE MILOSKI – TOSCO PIPELINE COMPANY	Spiller Phone: (516) 475-5060
Notifier Type: Responsible Party	Notifier Name: PHILLIP SPENPINATO	Notifier Phone: (516) 475-5060
Caller Name: PETE MILOSKI	Caller Agency: TUSCO PIPELINE INC	Caller Phone: (516) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info: PETE MILOSKI	Contact Person Phone: (516) 475-5060

**Category:** Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
**Class:** Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/10/1998		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	252.00	GALLONS	252.00	GALLONS	SOIL

**Caller Remarks:**

CALLER STATED THE LOADING VALVE DID NOT SHUT OFF CAUSING SPILL. SPILL IS CONTAINED AND CLEANED UP.

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
 SPILL OCCURED UNDER THE RACK #12, NO DRAINAGE WAS AFFECTED. WAS DOWN INTO A RACK DRAIN INTO COLLECTION TANK

11/10/98 13:46 ACAMPORA/PARISH ON SITE, MET WITH PETE MILOSKI OF TOSCO, SPILL CONTAINED IN RACK AREA, OIL/WATER ENTERED RACK SLIT DRAIN AND PUMPED TO WASTE OIL TANK #29 FOR DISPOSAL. NO ENVIRONMENTAL IMPACTE, NO ADDITIONAL ACTIONS REQ'D, CAN CLOSE 14:45 LEFT SITE

**Map Identification Number 55** **TOSCO PIPELINE COMPANY**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9806066**

**Close Date: 05/06/1999**  
 TT-Id: 520A-0179-064

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: RICHARD MARASAK  
 DEC Investigator: NJACAMPO

Spiller: RICHARD MARASAK – TOSCO PIPELINE COMPANY  
 Notifier Name: RICHARD MARASAK  
 Caller Agency: TOSCO PIPELINE CO  
 Contact for more spill info: RICHARD MARASAK

Spiller Phone: (516) 475-5060  
 Notifier Phone: (516) 475-5060  
 Caller Phone: (516) 475-5060  
 Contact Person Phone: (516) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/15/1998		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	25.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

2" VALVE ACCIDENTALLY LEFT OPEN – DISCHARGED INTO VALVE PIT THAT CONTROLS VALVES THAT HOLDS TANK FOR OILY WATER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
 2" BALL VALVE, PUMP CAME ON. OILY RAINWATER FROM UNDER THE RACKS GOES INTO A 200K TANK. THEY WERE PUMPING WATER FROM PRODUCT TANKS. 400-500 GALLONS PUMPED OUT OF THE VALVE PIT, SEEPED OUT AROUND PVC PIPE WHICH WAS CUT THROUGH THE RING WALL. 2 CY WAS STOCKPILED

**Map Identification Number 56** **TOSCO PIPELINE INC**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9709921**

**Close Date: 12/03/1997**  
 TT-Id: 520A-0179-070

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Affected Persons  
 Caller Name: PETE MILOSKI  
 DEC Investigator: JEHAAS

Spiller: BENNETT FUEL SALES  
 Notifier Name: THOMAS J MAGER  
 Caller Agency: TOSCO PIPELINE INC  
 Contact for more spill info: PETE MILOSKI

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 475-5060  
 Contact Person Phone: (516) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/26/1997		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	360.00	GALLONS	360.00	GALLONS	SOIL

Caller Remarks:

NOTIFIER WAS FILLING HIS TANK TRUCK AND CLAIMS THAT THE FLOAT VALVE ON THE FUEL RACK MUST HAVE GOTTEN STUCK. ONTO SEALED CONCRETE. CLEANED UP. CALLER HAS NOT CONFIRMED AT THIS POINT IF HIS EQUIPMENT IS DEFECTIVE OR NOT AND THEREFORE BLAMES IT ON THE DRIVER.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "HAAS"  
 PER PETE MILOSKI SPILL WAS ON CONCRETE, WAS WASHED DOWN WITH WATER INTO CONTAINMENT AREA, THEN INTO A HOLDING TANK

CC TL MOSF

**Map Identification Number 57**

**SPILL NUMBER 9707824**

**Spill Number: 9707824**

**Close Date: 10/14/1997**



586 UNION AVENUE

HOLTSVILLE, NY

TT-Id: 520A-0179-068

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL VEHICLE  
 Notifier Type: Responsible Party  
 Caller Name: PETE MILOSKI  
 DEC Investigator: AYLEUNG

Spiller: RHUE LEASING /PETROLIUM  
 Notifier Name: NICK COPPOLA  
 Caller Agency: TUSCO PIPELINE INC  
 Contact for more spill info:

Spiller Phone: (516) 454-0450  
 Notifier Phone:  
 Caller Phone: (516) 475-5060  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/02/1997		EQUIPMENT FAILURE	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	35.00	GALLONS	35.00	GALLONS	SOIL

**Caller Remarks:**

WHEN DRIVER DISCONNECTED HOSE THE DISCONNECT VALVE FAILED ON TRUCK SPILL IS CLEANED UP

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LEUNG"  
 TELECON WITH TUSCO PIPELINE, SPILL HOSED INTO OIL WATER SEPERATOR

**Map Identification Number 58** **TOSCO TERMINAL**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9406916**

**Close Date: 02/20/2004**  
 TT-Id: 520A-0179-063

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: 586 UNION AVE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Other  
 Caller Name: PETE MILOSKI  
 DEC Investigator: NJACAMPO

Spiller: TOSCO TERMINAL  
 Notifier Name:  
 Caller Agency: TOSCO PIPELINE CO  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 475-5060  
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/22/1994		EQUIPMENT FAILURE	YES		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL MTBE (METHYL-TERT-BUTYL ETHER)	PETROLEUM HAZARDOUS MATERIAL	100.00 0	GALLONS UNKNOWN	0.00 0	GALLONS UNKNOWN	SOIL SOIL

Caller Remarks:

GASKET FAILURE WHILE PRESSURE TESTING PIPE, SPILL ONTO SOIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
 ADDITIONAL INVESTIGATION AND CLEANUP HANDLED UNDER SPILL 86-04710

**Map Identification Number 59** **TOSCO PIPELINE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9312654**

**Close Date: 04/21/1997**  
 TT-Id: 520A-0179-071

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: TOSCO PIPELINE	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name: PETE MILOWSKI	Caller Agency: TOSCO PIPELINE	Caller Phone: (516) 475-5060
DEC Investigator: ACLAMANN	Contact for more spill info:	Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/27/1994		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
			Units		Units	
GASOLINE	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
GASOLINE ADDITIVE	OTHER	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

PRESSURE GAUGE BROKE, SPILL IS CONTAINMENT AREA, CURRENTLY SHOVELING PRODUCT/ICE COMBO INTO DRUMS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "LAMANNO"  
 NO OTHER ACTIONS NEEDED

<b>Map Identification Number 60</b>	<b>NORTHVILLE</b>		<b>Spill Number: 8604673</b>	<b>Close Date: 05/01/1987</b>
	UNION AVE MOSF	HOLTSVILLE, NY		TT-Id: 520A-0179-062

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: NORTHVILLE IND	Spiller Phone: (516) 475-5060
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: SCHD	Contact for more spill info:	Contact Person Phone:



Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/21/1986	05/01/1987	EQUIPMENT FAILURE	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

NVILLE NOTIFIED REG 1 ANS MACHINE/ SHOCK ARRESTER(?) AT LOADING RACK FAILED, AS PER SANTINO SCHD. CONTACT PETE NOLOWSKI.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "SCHD FD" / / : NORTHVILLE CLEANED UP. SCHD INVEST. MPC HIRED BY SPILLER 50 YDS REMOVED.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 61** **NORTHVILLE INDUSTRIES** **Spill Number: 1405138** **Close Date: 01/30/2015**  
 586 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0300-479

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NORTHVILLE INDUSTRIES Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: TOM MAUS Contact Person Phone: (631) 753-4364

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/11/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	35.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

Caller Remarks:

spill to containment areas/clean up underway

DEC Investigator Remarks:

8/12/14 @ 1015 WG called Mr. Tom Maus  
No answer. Left message.

14:52 Tank #36 holding Red Dye for the the Fuel Oil and Kerosene spilled on soil and rocks around the tank. Spill was caused by equipment failure..clean up in progress.

8/22/14 FILE REASSIGNED

CLEANUP COMPLETED, APPROX 15 YDS, 9 TONS, REMOVED AND PROPERLY DISPOSED. NO FURTHER ACTIONS REQ'D

**Map Identification Number 62** **HOLTSVILLE TERMINAL** **Spill Number: 1304746** **Close Date: 10/16/2013**  
 586 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0289-880

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: tom maus – northville industries	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: NJACAMPO	Contact for more spill info: TOM MAUS	Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/31/2013		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

RJP took call from Tom Maus. Due to equipment failure, release of oily water (fuel oil, possibly gasoline) to soil. Greater than 5 gallons. Cleanup pending.

DEC Investigator Remarks:

07/31/13 am: NA had inspected this facility and had directed Northville to report this incident. DR

SPILL IDENTIFIED DURING 2013 ANNUAL INSPECTION (MOSF) OF FACILITY TANK 27 CLEANUP PENDING

10/16/13 ACAMPORA REC'VD DISPOSAL RECPTS, APPROX 34 YARDS REMOVED AND PROPERLY DISPOSED, NO FURTHER ACTIONS REQ'D

**Map Identification Number 63**  **NORTHVILLE INDUSTRIES CORP – HOLTSVILLE TERMINAL** **Spill Number: 1303905** **Close Date: 12/20/2013**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0289-835

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: TOM MOUS – NORTHVILLE INDUSTRIES CORP Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: TOM MOUS Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/11/2013		HUMAN ERROR	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	100.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

-----  
Caller Remarks:

Tank overflow of gasoline additive spilled into containment. Cleanup is underway.

-----  
DEC Investigator Remarks:

07/12/13 @ 08:57: Acampora had telecon with Tom Maus at Northville. He provided the following details on the incident:

During off-loading of "BP Invigorate" gasoline additive to Tank 39, an overfill occurred resulting in a release to the containment area. Original estimates were approximately 5 gallons, however it is likely that the amount released will be increased.

Product overfilled tanks via the vent, ran down the shell and into the concrete containenta area. In addition, some product splashed over the concrete curbing into the cover stone of the main tank containment area. To date approximately 2.5 drums of liquid (water and product) collected fromt he concrete containment area and "several drums" of stone and sand removed from the main containment area. contamination did not advance or penetrate the liner of the main tank containment. Area of impact estimated at 10'Lx3'Wx1.5'D.

Investigation into cause has indicated that the Hi-Hi Alarm/Automatic Shut Off failed to function and restrict flow and the tank gauge was out of calibration. This resulted in an inaccurate and low reading at the remote gauge readout.

Additional clean-up to be completed. Acampora to conduct follow-up inspection to verify clean-up complete and to verify operability of all hi level alarms and confirm calibrations are accurate. Northville is evaluating options to upgrade the facility to safely conduct monthly inspections of the hi level alarm systems (possible cat-walk across all tank tops). currently completed with a ladder at the time of annual inspections by this office.

Maus to advise on progress and when ready for inspection. Area to be covered with plastic.

ACAMPORA CONDUCTED INSPECTION OF AREA DRUING 7/31/13 MOSF/CBS INSPECTION. ADDITIONAL SOIL REMOVED REQ'D, NORTHVILLE HAS REMOVED TANK 39 FROM SERVICE TO DETERMINE CAUSE OF RELEASE. WILL CONDUCT FOLLOWUP INSPECTION TO CONFIRM CLENAUP COMPLETE. NORTHVILLE TO ADVISE WHEN READY

**Map Identification Number 64**



**ROADWAY**  
586 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1300001**

**Close Date: 04/16/2013**  
TT-Id: 520A-0286-651

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: TANK TRUCK Spiller: HECTOR CAPINERI – ISLAND TRANSPORTATION CORP Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: RJPOCZKA Contact for more spill info: HECTOR CAPINERI Contact Person Phone: (516) 857-9775

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
 contamination of drinking water supplies, or significant release to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/2013		TRAFFIC ACCIDENT	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
DIESEL	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL
GASOLINE	PETROLEUM	5.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:


Spill caused by motor vehicle accident with a tanker truck

DEC Investigator Remarks:

04/01/13 @6:15 t/c to H.Carpinieri, he stated that loaded tractor-trailer tanker have got to colission with SUV right by the terminal, back compartment compromised, Cliff Rodd- ITC safety officer on the scene, 631-433-2109.  
 @6:30 t/c to RobP-secondary, he will respond to the scene. (VP)

0715 RJP on location. Tank is sound, spill of 3-5 gallons diesel from outside plumbing. Potential small gasoline spill from passenger vehicle (first SCPD on location reported gasoline odor), tank and lines intact other than engine compartment. No recoverable product on roadway or in drains, washed away by FD. Tanker being emptied upon arrival. 0905 RJP off location. RJP.

4/4/13 1150 Hrs: RJP took call from Jim W of Island Transportation. Disputes claim of up to 5 gallon release. Agree product loss is unknown and may be as little as 1 gallon. RJP.

**Map Identification Number 65** **NORTHVILLE INDUSTRIES**  
 586 UNION AVE

HOLTSVILLE, NY 11742

**Spill Number: 1010532**

**Close Date: 03/28/2011**  
 TT-Id: 520A-0258-665

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: IRENE WALSH – MNS FUEL CORP  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: TOM MAUS

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/11/2011		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	80.00	GALLONS	0.00	GALLONS	IMPERVIOUS SURFACE

Caller Remarks:

spill at loading rack/contained, clean up underway

DEC Investigator Remarks:

01/11/11 0930 Hrs: Left message for Maus. DR

01/11/11 0932 Hrs: Received NRC report 964236. DR

01/11/11 0932 Hrs (A): Maus called– this occurred at Lane 8 of the East rack.

01/11/11 0932 Hrs (B): The piping on the truck leaked just as the driver left the rack. The truck was brought back to the containment area at the rack, 'SO ALMOST ALL THE SPILLAGE WAS IN THE CONTAINMENT AREA'. The rest of the spillage was on concrete outside the containment area.


01/11/11 0932 Hrs (C): They have finished the cleanup in the containment area, and will now clean up the spillage outside the containment area. DR

1/12/11 15:55 ACAMPORA HAD TELECON WITH TOM MAUS, MAJORITY OF PRODUCT ENTERED "SLIT DRAIN" ALONG TRUCK RACK AREA, EAST RACK, ALL PRODUCT THEN FLOWED TO ON SITE O.W.S, HOWEVER, WHEN TANKER TRUCK PULLED UP TO OFFICE, ADDITIONAL OIL WAS FOUND SPILLING FROM REAR OF TANKER ONTO PAVEMENT. SOME PRODUCT ENTERED YARD DRAINAGE, UNK HOW MUCH, NORTHVILLE HIRED METRO TO PUMPED ALL DRAINS, NO PRODUCT FOUND AT ON SITE RECHARGE BASIN, BUT ABSORBANT BOOM DEPLOYED AS A PRECAUTION, UNK AMT OF SOLIDS GENERATED, HE WILL ADVISE WHEN KNOWN, WILL SET UP INSPECTION NEXT WEEK TO VERIFY STATUS

1/24/11 14:41 ACAMPORA ON SITE, MET WITH TOM MAUS, DISCUSSED CLEANUP ACTIONS TAKEN, ALL DRAINS APPEARED CLEAN,OUTFALL HAS BOOM DEPLOYED UNTIL NEXT PRECIPITATION EVENT. WIL SEND DISPOSAL OF SOLID WASTE ASAP, ALL LIQUID WASTE

3/15/11 10:51 ACAMPORA LEFT MESSAGE FOR T MAUS REGARDING STATUS OF DISPOSAL RECPTS

3/28/11 REC'VD CLOSURE REPORT AND DISPOSAL REPTS

**Map Identification Number 66** **NORTHVILLE TERMINAL** **Spill Number: 1008291** **Close Date: 03/28/2011**  
 586 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0258-572

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: NJACAMPO

Spiller: TOM MAUS – NORTHVILLE INDUSTRIES CORP  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: JOE INGARRA

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/08/2010		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ETHYLENE GLYCOL	HAZARDOUS MATERIAL	25.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Caller advised 25 gallons of ethylene glycol spilled onto concrete containment area. Clean is in process.

DEC Investigator Remarks:

11/8/10 TJD

T/C with Tom Maus @Northville. Seal leak on pump for Vapor Recovery Unit. Discovered inside secondary containment this morning. Northville personnel have stopped leak and are working on recovery into drums.

11/15/10 13:25 ACAMPORA HAD TELECON WITH TOM MAUS AT NORTHVILLE, PRODUCT USED AS A SEALANT FLUID FOR A VACUUM PUMP AT VRU, ON SEAL FAILED CAUSING RELEASE OF PRODUCT TO SECONDARY CONTAINMENT AREA, 2-55 DRUMS OF CONCENTRATED PRODUCT COLLECTED, 3-55 GAL DRUMS OF MIXTURE OF WATER AND PRODUCT, AWAITING DISPOSAL RECPTS, SEAL REPAIRED,

1/24/11 14:41 ACAMPORA ON SITE, MET WITH TOM MAUS OF NORTHVILLE, STILL AWAITING DISPOSAL, DELAYS DUE TO WEATHER, EXPECT DRUMS TO BE REMOVED SHORTLY, WILL SUBMIT DOCUMENTATION AS SOON AS POSSIBLE  
 NOTE: PART OF DELAY WAS DUE TO NORTHVILLE CONSOLIDATING WASTE GENERATED DUE TO THIS SPILL AND OTHER SIMILAR WASTE DUE  
 14:45 LEFT SITE

3/14/11 10:51 ACAMPORA LEFT MESSAGE FOR TOM MAUS REGARDING DISPOSAL RECPTS

**Map Identification Number 67** **NORTHVILLE INDUSTRIES** **Spill Number: 0906014** **Close Date: 09/13/2010**  
 586 UNION AVENUE HOLTSVILLE, NY 11742 TT-Id: 520A-0232-443

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: JASON BRAZIER – NORTHVILLE INDUSTRIES Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: TJDEMEO Contact for more spill info: JASON BRAZIER Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
08/23/2009		HUMAN ERROR	NO	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
ETHANOL	OTHER	200.00	GALLONS	0.00	GALLONS	
ETHANOL	OTHER	200.00	GALLONS	0.00	GALLONS	



-----  
Caller Remarks:

line was struck by vehicle; contained in loading rack containment area; cleaned up with water.

ECO Complaint number : 09-013686  
-----

## DEC Investigator Remarks:

08-23-09

As per Tim, several gallons of diesel spilled on the site due to human error. An unknown amount of diesel was discharged to the site drainage leading to the oil/water separator. Metro Environmental responded to the site and recovered approx. 35 gal of diesel from the pipe. Multiple agencies and DEC personal responded to the site. (WG)

8/23/09 TJD

Recall. Site inspection. Fuel delivery truck @loading rack rolled forward with open door causing damage to piping @loading rack. Product was determined to be regular gasoline. All discharged product was contained within rack area and was transferred via site drainage to a holding tank for decanting/reuse. No soil or uncontrolled drainage was impacted by discharge. Facility to make repairs to system prior to return to service of affected piping. Nick Acampora advised of inspection results and will perform follow-up during next MOSF inspection.

9/13/10 TJD

File review. No further action is required.

**Map Identification Number 68****NORTHVILLE INDUSTRIES CORP**

586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0810071****Close Date: 01/02/2009**

TT-Id: 520A-0224-475

## MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

## ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Other

Caller Name:

DEC Investigator: njacampo

Spiller: TOM MAUS - NORTHVILLE INDUSTRIES CORP

Notifier Name:

Caller Agency:

Contact for more spill info: TOM MAUS

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone: (631) 753-4364

-----  
Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/09/2008		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
ETHANOL	OTHER	5.00	GALLONS	0.00	GALLONS	

Caller Remarks:

CALLER STATES THAT DUE TO A LEAKING FLANGE GASKET ABOUT 5 GALLONS OF PRODUCT SPILLED TO THE SECONDARY CONTAINMENT AREA. CLEAN UP IS PENDING.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 69** **NORTHVILLE INDUSTRIES** **Spill Number: 0611245** **Close Date: 07/16/2008**  
 586 UNION AVENUE HOLTSMILLE, NY TT-Id: 520A-0174-978

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL) Spiller: NICK CARICOLA JR – ABOVE ALL HEATING Spiller Phone: (631) 363-6186  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: CHRIS OR JOE Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency


Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/09/2007		HUMAN ERROR	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	8.00	GALLONS	8.00	GALLONS	SOIL

Caller Remarks:

SPILLED DURING FILL UP FROM TANK TO TRUCK AND IS ALL CLEANED UP: DRAINS WERE NOT EFFECTED

DEC Investigator Remarks:

1/9 13:23 CALLED CHRIS, FUEL OIL TRUCK WAS TAKING ON 750 GALS OF FUEL OIL, DRIVER DID NOT PAY ATTENTION AND OVERFILLED TRUCK, CHRIS INSPECTED, 8-10 GALS ON PAVEMENT, OIL WAS FLUSHED TO OIL/WATER SEPARATOR

**Map Identification Number 70** **HOLTSVILLE TERMINAL NORTHVILLE** **Spill Number: 0608537** **Close Date: 12/06/2006**  
 586 UNION AVENUE HOLTSVILLE, NY 11742 TT-Id: 520A-0174-974

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL VEHICLE Spiller: JASON CHESNOWITZ (OWNER) – NATIONAL FUEL CORP Spiller Phone: (631) 244-8211  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: JOE INGARRA Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/25/2006		HUMAN ERROR	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	140.00	GALLONS	140.00	GALLONS	SOIL

Caller Remarks:

Driver error caused the spill. Material was released into a secondary containment unit within the terminal. Clean up is completed.

DEC Investigator Remarks:

25 OCT – 1510 CALLED PECORINO

- CONFIRMS ABOVE INFO
- AMOUNT IS ESTIMATE BASED ON WHAT DRIVER LOADED, HOW MUCH WAS IN TRUCK, ETC
- SPILLED OIL GOES TO OIL/WATER SEPARATOR

ACAMPORA HAD TELECON WITH PETE MILOSKI, SPILL IN RACK AREA, DIRECTLY TO OW SEP AND HOLDING TANK, NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 71** **NORTHVILLE INDUSTRIES** **Spill Number: 0510131** **Close Date: 02/06/2006**  
 586 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-081

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: INGARRA,JOE – NORTHVILLE INDUSTRIES	Spiller Phone: (631) 831-7822
Notifier Type: Responsible Party	Notifier Name: INGARRA, JOE	Notifier Phone: (631) 475-5060
Caller Name: INGARRA, JOE	Caller Agency: NORTHVILLE INDUSTRIES	Caller Phone: (631) 475-5060
DEC Investigator: NJACAMPO	Contact for more spill info: INGARRA,JOE	Contact Person Phone: (631) 831-7822

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/26/2005		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

Gasket failed at a butterfly valve. Over 5 gallons of fuel oil spilled into containment system ( Tank Farm) .

**DEC Investigator Remarks:**

11/26/05 TELECON WITH JOE AT NORTHVILLE, ALL IMPACTES INSIDE CONTAINMENT, NO POOLING PRODUCT, TRANSFER SHUT DOWN, LINE DEPRESSURIZED, CLEANUP TO START MONDAY

11/29/05 15:03 ACAMPORA HAD TELECON WITH JOE INGARRA OF NORTHVILLE, WHILE SWINGING PRODUCT FROM ENTERING TANK 5 TO TANK 17, GASKET ON VALVE FAILED CAUSING PRODUCT TO SPILL INTO CONTAINMENT AREA, 4'X8' AREA EXPOSED, AWAITING INSPECTION, APPARENTLY DID

NOT PENETRATE LINER

**Map Identification Number 72** **NORTHVILLE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0510058**

**Close Date: 11/28/2005**  
 TT-Id: 520A-0179-082

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name: JOE INGARRA  
 DEC Investigator: NJACAMPO

Spiller: JOE INGARRA – NORTHVILLE INDUSTRIES  
 Notifier Name: JOE INGARRA  
 Caller Agency: NORTHVILLE INDUSTRIES COR  
 Contact for more spill info: JOE INGARRA

Spiller Phone: (631) 475-5060  
 Notifier Phone: (631) 475-5060  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/23/2005		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	170.00	GALLONS	170.00	GALLONS	SOIL

Caller Remarks:

material all contained. no release into the environment.

DEC Investigator Remarks:

11/23 08:40 CALLED INGARRA, OCCURRED AT LOADING RACK WHILE FILLING TRUCK, VALVE WOULD NOT CLOSE, CONTAINED AROUND RACK, CLEANED UP

11/23/05 17:15 ACAMPORA LEFT MESSAGE FOR CALL BACK

11/23/05 18:00 ACAMPORA HAD TELECON WITH JOE INGARRA AT NORTHVILLE. SPILL WAS RESULT OF BAD VALVE, VALVE #1 AT RACK POSITION #1, DURING FILLING OPS, SPRAGUE TRUCK, VALVE STUCK IN OPEN POSITION.PRODUCT REMAINED IN RACK AREA AND DRAIN WHICH LEAD TO O/W SEP. SEP PUMPED OUT, APPROX 1 DRUMS OF SOLID WASTE GENERATED. WILL BE DISPOSED OF WITH OTHER MATERIALS

**Map Identification Number 73** **NORTHVILLE HOLDING CORP**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0407403**

**Close Date: 10/05/2004**  
 TT-Id: 520A-0179-080

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name: NEAL LAVAN  
 DEC Investigator: NJACAMPO

Spiller: NEAL LAVAN – NORTHVILLE HOLDING CORP  
 Notifier Name: NEAL LAVAN  
 Caller Agency: NORTHVILLE HOLDING CORP  
 Contact for more spill info: NEAL LAVAN

Spiller Phone: (631) 475-5060  
 Notifier Phone: (631) 475-5060  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/04/2004		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	75.00	GALLONS	0.00	GALLONS	SOIL


Caller Remarks:

CONTROL VALAVE DID NOT SHUT DOWN: ALL CONTAINED: CO. ENROUTE TO CLEAN UP: IT WAS WASHED INTO A WATER TREATMENT SYSTEM:

DEC Investigator Remarks:

10/04/04 TELECON WITH NEAL LAVAN, NORTHVILLE, CONTROL VALVE AT THE RACK FAILED, TRUCK OVERFILLED 75 GALLONS, SPILLAGE WAS WASHED INTO THE DRAINAGE AROUND THE RACK AREA WHICH IS CONTAINED AND TREATED

10/5/04 ACAMPORA HAD TELECON WITH NEAL LAVAN, SPILL AT WEST RACK, BAY 16, CONTROL VALVE FAILURE, BAY SHUT DOWN UNTIL REPAIRS ARE MADE, CLEANUP COMPLETE, NO ADDITIONAL ACTIONS REQ'D

**Map Identification Number 74**  **TOSCO PIPELINE**  
586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0303523**

**Close Date: 10/20/2003**  
TT-Id: 520A-0179-077

**MAP LOCATION INFORMATION**  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name: JOSEPH INGARRA  
DEC Investigator: NJACAMPO

Spiller: PETE MILOSKI – TOSCO PIPELINE  
Notifier Name: JOSEPH INGARRA  
Caller Agency: TOSCO PIPELINE CO  
Contact for more spill info: CALLER

Spiller Phone: (631) 475-5060  
Notifier Phone: (631) 475-5060  
Caller Phone: (631) 475-5060  
Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors),  
contamination of drinking water supplies, or significant release to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/03/2003		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	100.00	GALLONS	100.00	GALLONS	SOIL

**Caller Remarks:**

valve would not close on tank. all clean

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
SPOKE WITH INGARRA-SPILL TO CONTAINMENT AREA, AND HAS BEEN CLEANED UP, REPLACING VALVE  
SPILL AT RACK (TRUCK RACK) PRODUCT STORED IN WASTE WATER/OIL TANK,NO ENVIRONMENTAL IMPACT

**Map Identification Number 75** **UNKNOWN**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0300006**

**Close Date: 04/02/2003**  
 TT-Id: 520A-0179-076

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: PETE MILOSKI  
 DEC Investigator: NJACAMPO

Spiller: TOSCO  
 Notifier Name:  
 Caller Agency: TOSCO PIPELINE  
 Contact for more spill info: PETE MILOSKI

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/2003		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	55.00	GALLONS	55.00	GALLONS	SOIL


Caller Remarks:

appears a valve may have malfunctioned - they are investigating  
 all material contained to retainment area

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
 4/1 LEFT MESSAGE FOR MILOSKI  
 4/1 MILOSKI CALLED, CONTROL VALVE AT LOADING RACK, 55 GAL + 30 GALS SPILLED, INTO SECONDARY CONTAINMENT THAT HAS OIL/WATER SEPARATOR, HAS BEEN CLEANED UP  
 4/2/03 ACAMPORA ON SITE, MET WITH PETE MILOSKI-EQUIPMENT FAILURE VALVE AT ROCK #11, WEST RACK, SPILL ON CONCRETE CONTAINMENT. PRODUCT DIRECT TO SLIT DRAIN WHICH DISCHARGES TO D/W SEP. NO ADDITIONAL ACTIONS REQ'D



**Map Identification Number 76**  **TOSCO PIPELINE**  
586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0209559**

**Close Date: 12/17/2002**  
TT-Id: 520A-0179-075

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name: PETE MILOSKI  
DEC Investigator: UNASSIGNED

Spiller: PETE MILOSKI – TOSCO PIPELINE  
Notifier Name:  
Caller Agency: TOSCO PIPELINE  
Contact for more spill info: PETE MILOSKI

Spiller Phone: (631) 475-5060  
Notifier Phone:  
Caller Phone: (631) 475-5060  
Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/17/2002		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	100.00	GALLONS	100.00	GALLONS	SOIL

Caller Remarks:


MALFUNCTION OF CONTROL VALVE CAUSED RELEASE – SPILL WAS ON CONTAINMENT AND CLEANED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"

12/17/02 TELECON CALLER-SPILL TO IMPERVIOUS SURFACE, TOSCO PERSONNEL HANDLED CLEANUP, LOADING RACK IS SECURED, #2 FUEL, VALVE TO BE REPAIRED.

12:42 ACAMPORA HAD TELECON WITH PETE MILOSICI, SPILL AT RACK #15, CONTAINED IN RACK AREA, PRODUCT DIRECTED TO SUIT DRAIN INTO STORAGE TANK, EQ FAILURE, VALVE FAILED TO SHUT DOWN, REPLACEMENT PARTS ORDERED, RACK OF OUT SERVICE UNTIL REPAIRS COMPLETED, NO RESPONSE

**Map Identification Number 77** **TOSCO PIPELINE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0106880**

**Close Date: 03/06/2002**  
 TT-Id: 520A-0179-074

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: PETE MILOSKI  
 DEC Investigator: NJACAMPO

Spiller: PETE MILOSKI – TOSCO PIPELINE  
 Notifier Name: PETE MILOSKI  
 Caller Agency: TOSCO PIPELINE  
 Contact for more spill info: PETE MILOSKI

Spiller Phone: (631) 475-5060  
 Notifier Phone: (631) 475-5060  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
10/03/2001		EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
GASOLINE	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL


**Caller Remarks:**

still trying to locate source of the problem

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA"  
 NEAR VAPOR RECOVERY SYSTEM INTO SOIL, MEG ENROUTE TO CLEANUP THIS AFTERNOON

10/10/01 ACAMPORA ON SITE WITH PETE MILOSKI, HE ESCORTED DEC TO SUBJECT TANK AREA, VAPOR RECOVERY TANK LOCATED NEAR GASOLINE TRUCK RACK AREA, ACCORDING TO MR MILOSKI, VAPOR RECOVERY TANK HAS AND INTERNAL VAPOR BARRIER WHICH RISES AND FALLS ACCORDING TO THE AMT OF GASOLINE VAPORS PRESENT. THE BARRIER IS ATTACHED TO THE TANK AROUND THE ENTIRE CIRCUMFERENCE. IT ALSO HAS A SMALL WEIGHT IN THE MIDDLE TO HOLD IT DOWN WHEN NECESSARY. JUST PRIOR TO THE RELEASE A VALVE WAS INADVERTENTLY LEFT PARTIALLY OPEN ALLOWING AN EXCESSIVE AMT OF VAPOR TO ENTER THE TANK. THE INTERIOR BARRIER INFLATED AND PRODUCT WAS OBSERVED COMING OUT OF THE TANK VENTS. INVESTIGATION REVEALED THAT CONDENSATION OF PRODUCT COLLECTED ON TOP OF THE BARRIER BECAUSE THE BARRIER WAS POROUS. THE CONDENSATE THEN FLOWED OUT OF THE VENTS WHEN THE BARRIER WAS INFLATED. NO CRACKS FOR TEARS APPEAR TO BE THE CAUSE. AS PER PETE MILOSKI, THE BARRIER WILL BE REPLACED AS SOON AS POSSIBLE AS A PRECAUTION. THE SPILLAGE WAS ON SOIL AROUND TANK DIRECTLY BELOW VENTS, ADDITIONAL EXCAVATION WORK REQ'D

**Map Identification Number 78** **TOSCO- HOLTSVILLE**  
 586 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0025017**

**Close Date: 06/02/2000**  
 TT-Id: 520A-0179-061

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)  
 Notifier Type: Responsible Party  
 Caller Name: STEVE WUERTZ  
 DEC Investigator: NJACAMPO

Spiller: TIMUR TERPIS - CONSOLIDATED BULK CARRIER  
 Notifier Name:  
 Caller Agency: TOSCO- HOLTSVILLE  
 Contact for more spill info: STEVE WUERTZ

Spiller Phone: (631) 893-0091  
 Notifier Phone:  
 Caller Phone: (631) 475-5060  
 Contact Person Phone: (631) 475-5060

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/20/2000		HUMAN ERROR	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE	PETROLEUM	150.00	GALLONS	150.00	GALLONS	SOIL

Caller Remarks:

DRAINAGE PLUGS IN TANK TRUCK WERE NOT IN PLACE WHEN TRUCK WAS BEING FILLED. GAS WAS CONTAINED. TOSCO HAS CLEANED UP. (DEC NICK ACAMPORA WILL BE CHECKING TODAY).

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA 00-013"

**Map Identification Number 79** **RIVER AVE CONTRACTING**  
 CLAREMONT AVE/UNION AVE

HOLBROOK, NY

**Spill Number: 0025299**

**Close Date: 11/13/2000**  
 TT-Id: 520A-0159-034

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 764 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RIVER AVE CONTRACTING Spiller Phone:  
 Notifier Type: Citizen Notifier Name: Notifier Phone:  
 Caller Name: ANONYMOUS Caller Agency: CITIZEN Caller Phone: (000) 000-0000  
 DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone: (631) 585-9000

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/11/2000		HUMAN ERROR	YES		NO	


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
#2 FUEL OIL	PETROLEUM	50.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

NOTICED STRONG FUEL ODOR IN AREA. OBSERVED THAT SPILL HAD OCCURRED AT RIVER AVE CONSTRUCTION. APPARENTLY FROM A 55 GALLON DRUM. LOCATED IN THE AREA WHERE THEY PARK THEIR TRUCKS. \*\*\*SAME AS 0025298\*\*\*

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE 00-137"  
 \*\*\*SAME AS 0025298\*\*\*

**Map Identification Number 80** **EXCEL TRUCKING**  
 1 CLAREMONT AVENUE

**Spill Number: 9501927** **Close Date: 06/05/1995**  
 HOLTSVILLE, NY TT-Id: 520A-0170-553

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 774 feet to the WSW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11741

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: EXCEL TRUCKING  
 Notifier Type: Local Agency Notifier Name: Notifier Phone:  
 Caller Name: FM DARAY Caller Agency: TOWN OF BROOKHAVEN Caller Phone: (516) 451-6270  
 DEC Investigator: SCHULZ Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/16/1995	06/05/1995	HOUSEKEEPING	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

STAINS AROUND 275 GAL A/G TANK USED TO FILL TRUCKS, S.D LOCATED IN AREA WITH POSS CONTAMINATION PER FM

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

**Map Identification Number 81** **DAVID NAVA** **Spill Number: 9825044** **Close Date: 01/21/1999**  
 **UNION & CLAREMONT** **HOLBROOK, NY** **TT-Id: 520A-0170-552**

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 836 feet to the W

ADDRESS CHANGE INFORMATION  
 Revised street: UNION AV / CLAREMONT AV  
 Revised zip code: 11741

Source of Spill: COMMERCIAL VEHICLE	Spiller: DAVID NAVA – DAVID NAVA	Spiller Phone: (516) 738-0800
Notifier Type: DEC	Notifier Name:	Notifier Phone:
Caller Name: GARY ENRIGHT	Caller Agency: NYS CONSERVATION ECO	Caller Phone: (516) 444-0250
DEC Investigator: COSTELLO	Contact for more spill info:	Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
09/16/1998		DELIBERATE	YES	NO


Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
MOTOR OIL	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SEWER

Caller Remarks:

SPILLER WAS CAUGHT BY ECOS DUMPING OIL IN SEWER BEHIND NEXTEL BUILDING. SUMMONS ISSUED BY ECOS. SPILLER ON SITE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "COSTELLO 98-109"  
COSTELLO INSPECTED ON 1/15/99, NO FURTHER ACTION,CAN BE CLOSED

**Map Identification Number 82**      **UNKNOWN**      **Spill Number: 9900029**      **Close Date: 06/08/1999**  
      DEAD END CLAREMONT AVENUE      HOLBROOK, NY      TT-Id: 520A-0177-780

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (5)  
Approximate distance from property: 924 feet to the SW

ADDRESS CHANGE INFORMATION

Revised street: CLAREMONT AVENUE  
Revised zip code: 11741

Source of Spill: UNKNOWN	Spiller: UNKNOWN	Spiller Phone:
Notifier Type: Local Agency	Notifier Name: WASTE MANAGEMENT	Notifier Phone: (516) 451-6274
Caller Name: RICHARD HAHN	Caller Agency: TOWN OF BROOKHAVEN/	Caller Phone: (516) 451-6274
DEC Investigator: BMFORD	Contact for more spill info: RICHARD HAHN	Contact Person Phone: (516) 451-6262

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP - DEC Field Response - Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/01/1999		DELIBERATE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	8.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

END OF DEAD END SOMEONE THREW AWAY WASTE OIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "FORD"

1-5 GAL WATER BOTTLE HAD BEEN FULL BUT SPILLED ON GROUND, 1-5 GAL WATER BOTTLE APPROX 1/2 FULL NOW HAD SPILLED THE OTHER HALF HE PUT RAG IN TO SEAL, 1-275 GAL TANK EMPTY, TOWN TO TAKE, HAVE BEEN THERE SOMETIME

4/13/99 FORD ON SITE, 2-5 GAL JUGS 1 WITH WASTE OIL

**Map Identification Number 83** **UNK** **Spill Number: 9212143** **Close Date: 09/08/2004**  
 **SO END CLAREMONT AVENUE** **HOLBROOK, NY** **TT-Id: 520A-0177-781**

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING (5)**  
 Approximate distance from property: **924 feet to the SW**

**ADDRESS CHANGE INFORMATION**

Revised street: **SOUTH END OF CLAREMONT AVE**  
 Revised zip code: **11741**

Source of Spill: <b>UNKNOWN</b>	Spiller: <b>UNK</b>	Spiller Phone:
Notifier Type: <b>Health Department</b>	Notifier Name:	Notifier Phone:
Caller Name: <b>BRIAN COOKE</b>	Caller Agency: <b>SCDH</b>	Caller Phone: <b>(516) 854-2502</b>
DEC Investigator: <b>RDDECAND</b>	Contact for more spill info:	Contact Person Phone:

Category: **Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.**

Class: **Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency**

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/16/1992		DELIBERATE	YES		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
			Units		Units	
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL
DIESEL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

**Caller Remarks:**

**PILE OF SOIL 50-70 YDS W/DISTINCT ODOR OF DIESEL AND/OR #2 WAS DUMPED ON VACANT LOT, SCDH REC'VD COMPLAINT 11/16 TOOK SOIL TO LAB**

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "DECANDIA"

**Map Identification Number 84** **HOLTSVILLE LNG PLANT**  
 605 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 9100962**

**Close Date: 04/25/1991**  
 TT-Id: 520A-0179-105

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 955 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name: LILCO  
 DEC Investigator: UNASSIGNED

Spiller: FRED WILCOX – LILCO  
 Notifier Name:  
 Caller Agency: RICHARD COONEY  
 Contact for more spill info:

Spiller Phone:  
 Notifier Phone:  
 Caller Phone: (516) 933-4272  
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Unknown RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/23/1991	04/25/1991	EQUIPMENT FAILURE	UNKNOWN		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL

**Caller Remarks:**


LILCO WAS TRANSFERRING FUEL OIL FROM TANKER TRUCK TO 55 GAL DRUM. DRUM LEAKED, AREA AROUND DRUM CONTAMINATED. CLEANUP IN PROGRESS, DIGGING UP SOIL & PUTTING INTO DRUM

**DEC Investigator Remarks:**

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE"  
 04/25/91: PHONE CONV WITH BOB KOEBEL, LILCO, SPILL HAS BEEN CLEANED UP, DEBRIS DRUMMED.  
 DEBRIS DISPOSAL REFERRED TO JOE FISCHERA

NORTH SIDE OF UNION, 2000FT W/O MORRIS AVENUE



**Map Identification Number 85**  **LILCO**  
HOLTSVILLE LNG PLANT

HOLTSVILLE, NY

**Spill Number: 8908529**

**Close Date: 11/28/1989**  
TT-Id: 520A-0179-109

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 955 feet to the N

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Responsible Party  
Caller Name: EDWARD SINRAM  
DEC Investigator: UNASSIGNED

Spiller: LILCO  
Notifier Name:  
Caller Agency: LILCO  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (516) 933-4272  
Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
11/28/1989	11/28/1989	EQUIPMENT FAILURE	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL


Caller Remarks:

PACKING GLAND ON VALVE LEAKED. VALVE WAS FIXED. JUST FLOOD WITH BLEACH. NO RESPONSE NEEDED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "NONE FD"  
10/10/95: This is additional information about material spilled from the translation of the old spill file: GAS ODORANT.

FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES

**Map Identification Number 86**  **SUBSTATION**  
605 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 0703085**

**Close Date: 10/09/2008**  
TT-Id: 520A-0179-095

MAP LOCATION INFORMATION  
Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 955 feet to the N

ADDRESS CHANGE INFORMATION  
Revised street: NO CHANGE  
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL VEHICLE Spiller: ROB LOWE – SUBSTATION Spiller Phone: (646) 235-0404  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: ROB LOWE Contact Person Phone: (646) 235-0404

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/14/2007		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
HYDRAULIC OIL	PETROLEUM	30.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

LINE BLEW AND IS ALL CONTAINED AND WILL BE CLEANED UP

DEC Investigator Remarks:

15:40 PER LOWE, HYDRAULIC LINE BURST, SPILL TO BLUESTONE, APPROX 20 ' RADIUS IMPACTED, CREW ENROUTE WITH GUZZLER

**Map Identification Number 87** **FERAD CONCRETE** **HOLTSVILLE, NY** **Spill Number: 9825215** **Close Date: 07/07/1999**  
 620 UNION AVENUE TT-Id: 520A-0172-888

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 1200 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: 11742

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MANUEL FERREIRA – FERAD CONCRETE Spiller Phone: (516) 654-8181  
 Notifier Type: DEC Notifier Name: CHAD DONK Notifier Phone: (516) 744-5142  
 Caller Name: CHAD DONK Caller Agency: NYS DEC Caller Phone: (516) 444-0250  
 DEC Investigator: COSTELLO Contact for more spill info: MANUEL FERREIRA Contact Person Phone: (516) 654-8181

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/28/1999		HOUSEKEEPING	YES		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL
WASTE OIL/USED OIL	PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

SLOPPY HOUSEKEEPING / SPILL TO CONCRETE AND SOIL / ECO HAS CONTACTED RP AND EXPLAINED THAT THE SPILLS UNIT HAS BEEN NOTIFIED AND A CLEAN-UP WILL BE NECESSARY.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "COSTELLO 98-183" CONTAMINATED SOIL SCRAPPED UP AND PROPERLY DISPOSED OF. CONCRETE CONTAINMENT SET UP FOR OILS

Map Identification Number 88



LILCO  
HOLTSVILLE PLANT

HOLTSVILLE, NY

Spill Number: 9507224

Close Date: 09/22/1995  
TT-Id: 520A-0179-100

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE  
Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Federal Government  
Caller Name: PETTY OFFICER  
DEC Investigator: WJPARISH

Spiller: LILCO  
Notifier Name:  
Caller Agency: USCG  
Contact for more spill info:

Spiller Phone:  
Notifier Phone:  
Caller Phone: (203) 468-4460  
Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
Class: Unknown RP - DEC Field Response - DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/13/1995	09/22/1995	EQUIPMENT FAILURE	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NATURAL GAS	OTHER	0	GALLONS	0	GALLONS	SOIL
UNKNOWN PETROLEUM	PETROLEUM	50000	GALLONS	0	GALLONS	SOIL

Caller Remarks:

A/G STORAGE TANK RUPTURED CAUSING PRODUCT TO RELEASED, MEG ON SITE CLEANING UP INSULATING MATERIAL PERLITE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "PARISH"  
09/22/95: NO OTHER ACTION NEEDED BY SPILL UNIT.

**Map Identification Number 89** **NY POWER AUTHORITY** **Spill Number: 1503198** **Close Date: 06/23/2015**  
 607 UNION AVE HOLTSVILLE, NY TT-Id: 520A-0309-460

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: WALTER SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALTER SOTO Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
06/22/2015		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	171.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Nox was released to air. The repairs were completed within 2 hours.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S PERMIT LIMIT FOR NOX\*\*\* DR

06/23/15 1100 Hrs: Copy of this report emailed to Merlange Genece and Shaun Snee (DEC Div of Air Resources). DR

**Map Identification Number 90**      **RICHARD M FLYNN POWER STATION**      **Spill Number: 1500277**      **Close Date: 04/09/2015**  
      607 UNION AVE      HOLTSVILLE, NY      TT-Id: 520A-0307-011

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER      Spiller: WALTER SOTO – RICHARD M FLYNN POWER STATION      Spiller Phone:  
 Notifier Type: Responsible Party      Notifier Name:  
 Caller Name:      Caller Agency:      Notifier Phone:  
 DEC Investigator: Unassigned      Contact for more spill info: WALTER SOTO      Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/08/2015		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	182.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

repairs complete

DEC Investigator Remarks:

\*\*\*THIS IS FOR AN EXCEEDANCE OF THE FACILITY'S NITROGEN OXIDE PERMIT EMISSIONS LIMIT\*\*\* DR

Brian D. Referred to Air via E-mail

**Map Identification Number 91** **POWER PLANT** **Spill Number: 1410982** **Close Date: 02/18/2015**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0306-897

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOSHUA RAMOS – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA RAMOS Contact Person Phone: (718) 640-6990

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
02/14/2015		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	58000	POUNDS	0	POUNDS	AIR

Caller Remarks:


Nitrogen oxide was released over the weekend 02/14-02/17.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR EMISSION PERMIT LIMITS\*\*\* DR

02/18/15 NH will refer to Air Unit.

REFERRED TO AIR UNIT

**Map Identification Number 92** **POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1405901**

**Close Date: 09/03/2014**  
 TT-Id: 520A-0300-530

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NEW YORK POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 627-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
09/01/2014		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITRIC OXIDE	HAZARDOUS MATERIAL	206.00	POUNDS	0.00	POUNDS	AIR


Caller Remarks:

Air release

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF AN AIR EMISSIONS PERMIT AT A POWER PLANT\*\*\* DR

09/04/14 1505 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 93** **FACILITY**  
 607 UNION AVENUE

HOLTSVILLE, NY 11742

**Spill Number: 1405722**

**Close Date: 08/26/2014**  
 TT-Id: 520A-0300-516

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER  
 Notifier Type: Responsible Party  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTHORITY  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/25/2014		EQUIPMENT FAILURE	NO		NO	


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN	OTHER	148.80	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

Caller advised aprx 148.8 lbs of Nitrogen Oxide went into the air due to an equipment failure. Equipment has been fix and was back in compliance with in an hour.

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF THE FACILITY'S AIR EMISSIONS PERMIT\*\*\* DR  
 08/26/14 pm: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 94**  **NY POWER AUTH/LIPA**  
 607 UNION AVE

**Spill Number: 1404101** **Close Date: 07/16/2014**  
 HOLTSMVILLE, NY 11742 TT-Id: 520A-0300-443

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: WALTER SOTO – NY POWER AUTH/LIPA  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER SOTO

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone: (718) 267-5681



Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
07/15/2014		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	131.50	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

exceedance of permit, unit repaired

DEC Investigator Remarks:

Copy of the spill report sent to Merlange Genece, Air unit via e-mail. (BD)

<b>Map Identification Number 95</b> 	<b>POWER PLANT</b> 607 UNION AVE	HOLTSVILLE, NY 11742	<b>Spill Number: 1401173</b>	<b>Close Date: 05/05/2014</b> TT-Id: 520A-0298-692
---	-------------------------------------	----------------------	------------------------------	---

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER	Spiller: WALTER SOTO – NY POWER AUTHORITY	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: WALTER SOTO	Contact Person Phone: (716) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/02/2014		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	102.30	POUNDS	0.00	POUNDS	AIR


-----  
 Caller Remarks:

repairs complete

-----  
 DEC Investigator Remarks:

\*\*\*THIS IS A VIOLATION OF THE PERMITTED AIR EMISSION LEVEL FOR NITROGEN OXIDE AT A POWER PLANT OWNED/OPERATED BY THE POWER AUTHORITY\*\*\* DR

05/05/14 1146 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

<b>Map Identification Number 96</b> 	<b>NYS POWER AUTHORITY</b> 607 UNION AVENUE	HOLTSVILLE, NY	<b>Spill Number: 1312176</b>	<b>Close Date: 03/31/2014</b> TT-Id: 520A-0296-984
<b>MAP LOCATION INFORMATION</b> Site location mapped by: MANUAL MAPPING – LARGE SITE Approximate distance from property: 1211 feet to the NNE		<b>ADDRESS CHANGE INFORMATION</b> Revised street: NO CHANGE Revised zip code: UNKNOWN		
Source of Spill: COMMERCIAL/INDUSTRIAL	Notifier Type: Responsible Party	Spiller: JOSH – NYS POWER AUHORITY	Spiller Phone:	
Caller Name:	DEC Investigator: Unassigned	Notifier Name:	Notifier Phone:	
		Caller Agency:	Caller Phone:	
		Contact for more spill info: JOSH	Contact Person Phone: (718) 640-6990	

-----  
 Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/24/2014		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	200.00	POUNDS	0.00	POUNDS	AIR


CARBON DIOXIDE OTHER 85.00 POUNDS 0.00 POUNDS AIR

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

\*\*\*THIS IS AN EXCEEDANCE OF A POWER PLANT'S AIR-EMISSIONS PERMIT LIMITS\*\*\* DR

03/31/14 1010 Hrs: Copy of this report emailed to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 97** **FLYNN POWER PLANT**  
 607 UNION AVENUE

HOLTSVILLE, NY

**Spill Number: 1207864**

**Close Date: 05/10/2013**  
 TT-Id: 520A-0279-119

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
 Notifier Type: Other  
 Caller Name:  
 DEC Investigator: Unassigned

Spiller: FLYNN POWER PLANT  
 Notifier Name:  
 Caller Agency:  
 Contact for more spill info: WALTER

Spiller Phone:  
 Notifier Phone:  
 Caller Phone:  
 Contact Person Phone:

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/31/2012		STORM	NO	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	3026	POUNDS	0	POUNDS	AIR

Caller Remarks:

due to storm

DEC Investigator Remarks:

Hurricane Sandy Spill

**Map Identification Number 98**  **RICHARD M FLYNN POWER PLANT** **Spill Number: 1113908** **Close Date: 03/14/2012**  
 607 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0272-066

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: W(INVALID)SOTO – NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: WALT SOTO Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
03/14/2012		EQUIPMENT FAILURE	NO	NO


Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	168.20	POUNDS	0.00	POUNDS	AIR

**Caller Remarks:**

situation back to normal

**DEC Investigator Remarks:**

3/14/12 @ 1525 WG spoke Mr. Soto.  
 As per Mr. Soto, the plant is back to its normal operational condition where the release of the nitrogen dioxide is less than 46 pound per hour.  
 The Spill was also referred to the Air Unit.

**Map Identification Number 99** **NY POWER AUTHORITY FLYNN FACILITY** **Spill Number: 1103407** **Close Date: 06/27/2011**  
 607 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0264-243

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: NEW YORK POWER AUTHORITY Spiller Phone:  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: JOSHUA RAMOS Contact Person Phone: (718) 267-5681

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
06/25/2011		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
OTHER	OTHER	6.20	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

repair done –

DEC Investigator Remarks:

06/27/11 am: Copy of this report given to Merlange Genece (DEC Div of Air). DR

**Map Identification Number 100** **NYPA INDUSTRIAL POWER PLANT** **Spill Number: 1005148** **Close Date: 08/09/2010**  
 607 UNION AVE HOLTSVILLE, NY 11742 TT-Id: 520A-0256-016

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: NYPA	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: JOSHUA RAMOS	Contact Person Phone: (718) 267-5681

Category: Investigation indicates there was no spill.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/05/2010		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	UNKNOWN	0	UNKNOWN	AIR
OTHER	OTHER	0	UNKNOWN	0	UNKNOWN	AIR

Caller Remarks:

totals released – Carbon Monoxide 63ppm and Nitrous Oxide 56.3ppm – startup of power plant

DEC Investigator Remarks:

Referred the spill to the Air Unit. (WG)

<b>Map Identification Number 101</b>	<b>FLYNN POWER PLANT</b>	<b>Spill Number: 1000977</b>	<b>Close Date: 04/26/2010</b>
	607 UNION AVE	HOLTSVILLE, NY	TT-Id: 520A-0250-113

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: MAJOR OIL FACILITY (>400,000 GAL)	Spiller: JOSH RAMOS – NEW YORK POWER AUTHORITY	Spiller Phone:
Notifier Type: Responsible Party	Notifier Name:	Notifier Phone:
Caller Name:	Caller Agency:	Caller Phone:
DEC Investigator: Unassigned	Contact for more spill info: JOSH RAMOS	Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.  
 Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
04/25/2010		DELIBERATE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	POUNDS	0	POUNDS	AIR
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

release of 25.5ppm N2o/ 20.1ppm carbon monoxide.

DEC Investigator Remarks:

4/26/10 @ 13:40 T/c with Josh Ramos from Flynn Power Plant.

As per Josh, the plant was testing the same generator at a different loads causing release of those combustible gases listed above. The air quality is back to its normal range. No further action.

Referred the spill to the Air Unit.(WG)

Map Identification Number 102



**RICHARD M FLYNN POWER PLANT**

607 UNION AVE

HOLTSVILLE, NY

Spill Number: 0908820

Close Date: 11/06/2009

TT-Id: 520A-0234-390

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Local Agency

Caller Name:

DEC Investigator: Unassigned

Spiller: NY POWER AUTHORITY

Notifier Name:

Caller Agency:

Contact for more spill info: CALLER

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/04/2009		EQUIPMENT FAILURE	NO		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
CARBON MONOXIDE	OTHER	0	POUNDS	0	POUNDS	AIR
OTHER	OTHER	0	POUNDS	0	POUNDS	AIR

Caller Remarks:

Released in to atmosphere – 9.0 parts per million– 4 permit limits exceeded. Notification required. For CO for three hrs exceeded limit of 75 lbs. Notification required.

DEC Investigator Remarks:

11/6/09 TJD  
Referred to Division of Air.

**Map Identification Number 103**

**POWER PLANT  
UNION STREET**

HOLTSVILLE, NY

**Spill Number: 0902303**

**Close Date: 05/27/2009**  
TT-Id: 520A-0271-367

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL  
Notifier Type: Local Agency  
Caller Name:  
DEC Investigator: Unassigned

Spiller: POWER AUTHORITY OF NY  
Notifier Name:  
Caller Agency:  
Contact for more spill info: NICK ELLA

Spiller Phone:  
Notifier Phone:  
Caller Phone:  
Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
05/22/2009		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NITROGEN DIOXIDE	HAZARDOUS MATERIAL	0	POUNDS	0	POUNDS	




Caller Remarks:

Equipment Malfunction.

DEC Investigator Remarks:

\*\*\*SEE 0902331: SIMILAR REPORT RECEIVED 5/28/09\*\*\* DR

05-28-09 @ 2:30 PM -WG to Mr. Kolli Rao for NY Power Authority.  
 -Per Kolli, 21.4 ppm of nitrogen dioxide has been released to the atmosphere due to equipment malfunction.  
 -Repair is in progress at this time.  
 -Referred the spill to the Air Unit. (WG)

**Map Identification Number 104** **NY POWER AUTHORITY** **Spill Number: 0803322** **Close Date: 07/03/2008**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0216-275

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING - LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RUSS BAHN - NY POWER AUTHORITY Spiller Phone:  
 Notifier Type: Other Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: njacampo Contact for more spill info: RUSS BAHN Contact Person Phone: (631) 687-1901

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP - No DEC Field Response - Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
06/19/2008		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
SULFURIC ACID	HAZARDOUS MATERIAL	1.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Employee was working on a line and it broke. Spill is contained, and is being cleaned now. A personal injury was involved, and

patient was transported to the hospital.

DEC Investigator Remarks:

6/19/08 19:50 SPOKE WITH ED DEAL, LINE BURST INSIDE OF BUILDING ONTO FLOOR, HAS NOT REACHED FLOOR DRAINS, 1 EMPLOYEE IN HOSPITAL, MILLER ENV HAS BEEN HIRED, ENROUTE, TOB FIRE MARSHALL WALTER DUNN ON SITE  
 20:30 SPOKE WITH WALTER DUNN, FM, PIPE BROKE DURING REPAIR, SPILL LIMITED TO CONTAINMENT AREA, HAVE NEUTRALIZED TO ACID, FLUSHED WITH WATER INTO HOLDING TANKS, MILLER WILL MAKE SURE NO RESIDUAL ACID LEFT (JP)

6/23/08 15:35 ACAMPORA HAD TELECON WITH MR BAHN, CLEANUP COMPLETED, NO ENV IMPACT HOWEVER, WILL CONDUCT CBS INSPECTION WILL CONTACT MR MIELE TO SET DATE, LEFT MESSAGE FOR CALL BACK

7/2/08 11:05 ACAMPORA ON SITE, MET WITH NYPA REPS, KEITH MCCOY, PHIL THOMPSON, NICK RELLA, JOE DOSSO, SPILL EVENT DUE TO EQ FAILURE IN DEMIN BLDG AT ACID SKID, EVENT INVESTIGATION UNDERWAY TO DETERMINE ROOT CAUSE ALTHOUGH METAL FAILURE/FATIGUE EXPECTED. SEE PIC FOR AREA OF FAILURE. SPILL CONTAINED WITHIN BLDG, ESTIMATED LOSS OF APPROX 1 GALLON, PERIONNAL INJURY TO ONE EMPLOYEE. NO ADDITIONAL ACTIONS REQ'D FOR CLEANUP, NO SIGNIFICANT DEBRIS GENERATED. ACID SKID OUT OF SERVICE UNTIL ROOT CAUSE DETERMINED. CONDUCTED ROUTINE CBS INSPECTION  
 13:24 LEFT SITE

**Map Identification Number 105** **FLYNN POWER PLANT** **Spill Number: 0710874** **Close Date: 09/08/2008**  
 607 UNION AVENUE HOLTSVILLE, NY TT-Id: 520A-0210-782

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1211 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MR. RUSS BAHM – FLYNN POWER PLANT Spiller Phone: (631) 687-1901  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: Unassigned Contact for more spill info: MR. RUSS BAHM Contact Person Phone: (631) 687-1901

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.  
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
12/18/2007		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
LUBE OIL	PETROLEUM	40.00	GALLONS	40.00	GALLONS	SOIL

Caller Remarks:

HAS BEEN CLEANED;

DEC Investigator Remarks:

NH SPOKE WITH WILLIAM SLADE  
 1/14/08 14:39 LEFT MESSAGE ON MACHINE, OIL MIST ELIMINATOR FAILED CAUSING LUBE OIL TO BE PRESSURIZED AND THEN SPRAYED OUT ON THE ROOF, THEN THE VENT LINE THRU THE GUTTERS ON THE BLDG, THEN SPILLED ON THE GRAVEL OUTSIDE THE BLDG, ALL CLEANED UP, SPILL WAS NOT REPORTED EARLIER BECAUSE PERSON HANDLING ENV ISSUE QUIT UNEXPECTEDLY, 9 DRUMS, CRUSHED GRAVEL CONT WITH LUBE OIL, ADVISED TO SEND MANIFEST TO OFFICE (NH)

**Map Identification Number 106** **LILCO** **Spill Number: 8602274** **Close Date: 10/26/2010**  
 180A MORRIS AVENUE HOLTSVILLE, NY TT-Id: 520A-0179-088

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1527 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LILCO Spiller Phone: (516) 933-4600  
 Notifier Type: Responsible Party Notifier Name: Notifier Phone:  
 Caller Name: Caller Agency: Caller Phone:  
 DEC Investigator: NJACAMPO Contact for more spill info: Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/07/1986		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	1000	GALLONS	0	GALLONS	SOIL

Caller Remarks:

FAULTY VALVE IN SUMP PUMP.

## DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ACAMPORA WELL"  
 / / : LILCO TO DIG UP SOIL & INSTALL SITE WELLS.

/ / : LILCO TO DIG UP SOIL & INSTALL SITE WELLS. SITE WELLS HAVE BEEN INSTALLED.

02/29/88: SITE WELLS INSTALLED.

**THE FOLLOWING CLOSED SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, VANDALISM OR STORMS. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.**

FACILITY ID	FACILITY NAME	STREET	CITY
9009392	HOLTSVILLE GENERATING SITE	180 A MORRIS AVENUE	HOLTSVILLE
8704064	LILCO	180A MORRIS AVENUE	HOLTSVILLE
8702453	LILCO	HOLTSVILLE GAS TURBINE	HOLTSVILLE
1401645	HOLTSVILLE COMBUSTION TURBINE SITE	180-A MORRIS AVE	HOLTSVILLE
0204364	8 KU GAS TURBINE SITE	180 ALPHA MORRIS AVENUE	HOLTSVILLE
0203363	LIPA-KEYSPAN POWER PLANT	180 A MORRIS AVENUE	HOLTSVILLE
9600445	PRIDE SOLVENT & CHEMICAL	6 LONG ISLAND AVENUE	HOLTSVILLE
0601521	PRIMA ASPHALT	FURROWS ROAD	HOLTSVILLE
0001948	PRIMA ASPHALT	FURROWS ROAD	HOLTSVILLE
9711998	SPILL NUMBER 9711998	194 MORRIS AVENUE	HOLTSVILLE
9407483	MAG-MULTI PROPERTY	194 MORRIS AVE/SO SERV RD	HOLTSVILLE
1110725	GOLDMAN RESIDENCE	45 AVE C	HOLTSVILLE
8907534	UNKNOWN	21 LONG ISLAND AVENUE	HOLTSVILLE
9810066	RICHETTI RESIDENCE	37 AVENUE B	HOLTSVILLE
9612922	SPILL NUMBER 9612922	26 AVENUE B	HOLTSVILLE
9907663	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	HOLTSVILLE
9516173	SYMBLE TECK	ONE SYMBLE PLAZE	HOLTSVILLE
0400630	SYMBOL TECHNOLOGIES	1 SYMBOL PLAZA	HOLTSVILLE
9008976	DURA CON CONTRACT INC	193 MORRIS AVENUE	HOLTSVILLE
0803124	COMMERCIAL BLDG	182 MORRIS AVENUE	HOLTSVILLE
9001266	AP CESSPOOL	23 AVENUE A	HOLTSVILLE
0400008	UNKNOWN	SINGINWOOD DRIVE/FORROWS	HOLTSVILLE
0007144	UNKNOWN	33 AVENUE A	HOLTSVILLE



### OIL STORAGE FACILITIES LARGER THAN 400,000 GALLONS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

#### Map Identification Number 107



**HOLTSVILLE TERMINAL**  
586 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: 1-2000**

TT-Id: 600A-0000-464

#### MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

#### ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11741

Facility's License Expiration Date: 03/31/2017

Site Type: Storage Terminal/Petroleum Distributor

Site Status: Active

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Operator Name: PETE MILOSKI

Facility Phone #: (516) 475-5060

TANK NUMBER	TANK STATUS	PETROLEUM PRODUCT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE
1	IN SERVICE	DIESEL	630000	ABOVEGROUND	09/69
2	IN SERVICE	#1 2 OR 4 FUEL OIL	630000	ABOVEGROUND	11/67
3	IN SERVICE	DIESEL	630000	ABOVEGROUND	06/69
4	IN SERVICE	KEROSENE	630000	ABOVEGROUND	11/69
5	IN SERVICE	UNLEADED GASOLINE	630000	ABOVEGROUND	11/69
6	IN SERVICE	UNLEADED GASOLINE	840000	ABOVEGROUND	12/71
7	IN SERVICE	#1 2 OR 4 FUEL OIL	1050000	ABOVEGROUND	11/73
8	IN SERVICE	#1 2 OR 4 FUEL OIL	1050000	ABOVEGROUND	11/73
9	IN SERVICE	#1 2 OR 4 FUEL OIL	2100000	ABOVEGROUND	01/70
10	IN SERVICE	UNLEADED GASOLINE	2100000	ABOVEGROUND	11/71
11	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	12/76
12	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	12/76
13	IN SERVICE	UNLEADED GASOLINE	966000	ABOVEGROUND	01/77
17	IN SERVICE	UNLEADED GASOLINE	1386000	ABOVEGROUND	04/78
18	IN SERVICE	#1 2 OR 4 FUEL OIL	1386000	ABOVEGROUND	04/78
21	CLOSED-REMOVED	DIESEL	20000	UNDERGROUND	09/69
22	CLOSED-REMOVED	#5 OR 6 FUEL OIL	15000	UNDERGROUND	09/69
23	CLOSED-REMOVED	UNLEADED GASOLINE	10000	UNDERGROUND	09/69
24	CLOSED-IN PLACE	OTHER	2000	UNDERGROUND	10/72
25	CLOSED-IN PLACE	UNLEADED GASOLINE	2000	UNDERGROUND	10/77

26	CLOSED-REMOVED	UNLEADED GASOLINE	500	UNDERGROUND	07/76
27	CLOSED-IN PLACE	UNLEADED GASOLINE	10000	UNDERGROUND	01/60
28	CLOSED-REMOVED	OTHER	500	ABOVEGROUND ON CRIB RACK ETC	06/77
29	IN SERVICE	OTHER	200000	ABOVEGROUND	10/89
42	IN SERVICE	UNLEADED GASOLINE	60000	ABOVEGROUND	01/91
43	IN SERVICE	DIESEL	1000	ABOVEGROUND ON CRIB RACK ETC	09/91
33-CLOSED	CLOSED-REMOVED	OTHER	1000	ABOVEGROUND ON CRIB RACK ETC	05/86
33	IN SERVICE	OTHER	10000	ABOVEGROUND	07/89
34	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
35	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
36	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
37	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
38	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
39	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
40	IN SERVICE	OTHER	5000	ABOVEGROUND	07/89
41	IN SERVICE	OTHER	5000	ABOVEGROUND	11/94

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
DIESEL	68334305	X	X			X	
KEROSENE	8008206	X	X	X		X	
UNLEADED GASOLINE	113373000	X	X			X	



**PETROLEUM BULK STORAGE FACILITIES LESS THAN 400,000 GALLONS IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 108**      **NORTHVILLE IND**      **Facility Id: NYSF04379**      **Source: SUFF. HEALTH DEPT**  
 586 UNION AVE      HOLTSVILLE, NY 11742      Facility Ref. No.: 14754  
 TT-Id: 640A-0075-004

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.  
 Site Status:      Operating Permit Expiration:  
 Owner Name: NORTHVILLE INDUSTRIES      Facility Phone #:  
 Owner Address:      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed – Marked for Removal 2005	GASOLINE	5000	UNDER – OUT			04/14/2005
2	Removed – Marked for Removal 2005	SULFURIC ACID	5000	UNDER – OUT			04/14/2005

TANK NUMBER: 1      Detailed tank data not provided for this tank

TANK NUMBER: 2      Detailed tank data not provided for this tank

**Map Identification Number 109**      **NORTHVILLE IND CORP HOLTSVILLE TERM**      **Facility Id: NYSF04555**      **Source: SUFF. HEALTH DEPT**  
 586 UNION AVE      HOLTSVILLE, 11742      Facility Ref. No.: 02089  
 TT-Id: 640A-0075-003

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active      Operating Permit Expiration:  
 Owner Name: NORTHVILLE INDUSTRIES COR      Facility Phone #:  
 Owner Address: , MELVILLE, NY 11747      Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
Current tank information for this site is RESTRICTED by the Suffolk County Health Dept.							
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
1	Permitted - Expired 1992	DIESEL	630000	ABOVE - OUT	69		
10	Permitted - Expired 1992	GASOLINE	2100000	ABOVE - OUT	71		
11	Permitted - Expired 1992	GASOLINE	966000	ABOVE - OUT	71		
12	Permitted - Expired 1992	GASOLINE	966000	ABOVE - OUT	71		
13	Permitted - Expired 1992	GASOLINE	966000	ABOVE - OUT	76		
17	Permitted - Expired 1992	#2 FUEL OIL	1386000	ABOVE - OUT	78		
18	Permitted - Expired 1992	#2 FUEL OIL	1386000	ABOVE - OUT	78		
19	Removed - Marked for Removal 1990 (Confirmed)	DIESEL	20000	UNDER - OUT	69		10/25/1990
2	Removed - Marked for Removal 2005	#2 FUEL OIL	630000	ABOVE - OUT	67		01/01/2005
20	Removed - Marked for Removal 1986 (Confirmed)	#4 FUEL OIL	15000	UNDER - OUT	69		11/01/1986
21	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	10000	UNDER - OUT	69		09/25/1990
22	Removed - Marked for Removal 1990 (Confirmed)	ADDITIVE	2000	UNDER - OUT	72		05/01/1990
23	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	2000	UNDER - OUT	71		04/30/1990
24	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	500	UNDER - OUT	71		05/23/1990
25	Removed - Marked for Removal 1991 (Confirmed)	ORGANIC SOLVENT	10000	UNDER - OUT	72		09/23/1991
26	Removed - Marked for Removal 1994 (Confirmed)	#2 FUEL OIL	550	UNDER - OUT	74		05/13/1994
27	Permitted - Expired 1996	OILY WATER	8000	UNDER - OUT			
28	Exempt	FOAM	900	ABOVE - IN	71		
29	Permitted - Expires 2006	OILY WATER	200000	ABOVE - OUT	69		
3	Permitted - Expired 1992	DIESEL	630000	ABOVE - OUT	69		
30	Exempt	WATER	200000	ABOVE - OUT	69		
31	Exempt	FOAM	1000	ABOVE - IN			
32	Removed - Marked for Removal 1990 (Confirmed)	GASOLINE	10000	ABOVE - OUT	86		10/25/1990
33	Permitted - Expired 1996	ADDITIVE	10000	ABOVE - OUT	91		
34	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT		01/01/1994	
35	Permitted - Expired 1994	FUEL ADDITIVES	5000	ABOVE - OUT	89		
36	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT	89		
37	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT	89		
38	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT	89		
39	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT	89		
4	Permitted - Expired 1992	KEROSENE	630000	ABOVE - OUT	69		
40	Permitted - Expired 1994	ADDITIVE	5000	ABOVE - OUT	89		
41	Permitted - Expires 2004	ADDITIVE	5000	ABOVE - OUT	91	12/09/1999	
42	Permitted - Expired 1996	GASOLINE	60000	ABOVE - OUT	91		
43	Permitted - Expires 2006	DIESEL	1000	ABOVE - OUT		08/16/2001	
44	Permitted - Expires 2006	ADDITIVE BRC	300	ABOVE - OUT	88	08/16/2001	
45	Removed - Marked for Removal 2006	GASOLINE	5000	ABOVE - OUT	92		03/27/2006
46	Removed - Marked for Removal 2005	FOAM FIRE PROTECTION	300	ABOVE - IN			04/14/2005
47	Permitted - Expires 2006	#2 FUEL OIL	500	ABOVE - OUT		08/24/2001	

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*



48	Removed – Marked for Removal 2005	FOAM FIRE PROTECTION	300	ABOVE – OUT			04/14/2005
49	Never Installed	MOTOR FUEL ADDITIVE	300	ABOVE – OUT			
5	Permitted – Expired 1992	GASOLINE	630000	ABOVE – OUT	69		
50	Never Installed	SULFURIC ACID	5000	ABOVE – OUT			
51	Permitted – Expires 2006	GASOLINE/DISTILLATE	2000	ABOVE – OUT			04/17/2001
52	Permitted – Expires 2006	OIL/WATER SEPARATOR	297	ABOVE – IN			04/17/2001
53	Exempt/Permitted	EAST TRANSFER FACILIT	15500	ABOVE – OUT			
54	Exempt/Permitted	WEST TRANSFER FACILI	15500	ABOVE – OUT			
55	Permitted – Expires 2008	XYLENE DYE	200	ABOVE – IN			10/09/2003
56	Permitted – Expires 2008	XYLENE DYE	200	ABOVE – IN			10/09/2003
57	Exempt	RAIN WATER	601	ABOVE – OUT			
58	Exempt	EMERGENCY CONTAINMEN	1001	ABOVE – IN			
59	Permitted – Expires 2010	ETHYLENE GLYCOL	200	ABOVE – OUT	2005		12/13/2005
6	Permitted – Expired 1992	GASOLINE	840000	ABOVE – OUT	71		
60	Permitted – Expires 2010	ETHYLENE GLYCOL	200	ABOVE – OUT	2005		12/13/2005
61	Exempt	GASOLINE VAPORS	101	ABOVE – OUT			
62	Non-Complying – Compliance Req'd as of 1981	GAS/WATER CONDENSATE	100	UNDER – OUT			
63	Removed – Marked for Removal 2005	FOAM	550	ABOVE – IN			04/14/2005
64	Removed – Marked for Removal 2005	FOAM	150	ABOVE – IN			04/14/2005
65	Exempt	RAIN WATER	501	ABOVE – OUT			
66	Exempt	JET FUEL FILTER VESS	400	ABOVE – OUT			
67	Exempt	JET FUEL FILTER VESS	400	ABOVE – OUT			
68	Exempt	JET FUEL FILTER VESS	150	ABOVE – OUT			
69	Exempt	JET FUEL FILTER VESS	150	ABOVE – OUT			
7	Permitted – Expired 1992	KEROSENE	1050000	ABOVE – OUT	73		
70	Permitted – Expires 2011	#2 FUEL OIL	630000	ABOVE – OUT			04/07/2006
8	Permitted – Expired 1992	#2 FUEL OIL	1050000	ABOVE – OUT	73		
9	Permitted – Expired 1992	#2 FUEL OIL	2100000	ABOVE – OUT	69		

The following tank data pertains to a tank or tanks that were either deleted from the reported data or the tank number was re-assigned.

TANK NUMBER: 1 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:  
 PIPING TYPE: PIPING LOCATION:  
 OVERFILL PROTECTION: SPILL PREVENTION: DISPENSER METHOD: Suction

TANK NUMBER: 10 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:  
 PIPING TYPE: PIPING LOCATION:  
 OVERFILL PROTECTION: SPILL PREVENTION: DISPENSER METHOD: Suction

TANK NUMBER: 11 TANK TYPE: STEEL TK INT. PROTECTION:  
 TANK EXT. PROTECTION: TANK LEAK DETECTN: TK SEC. CONTAINMNT:  
 PIPING EXT. PROTECTN: PIPING LEAK DETECTN: PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE: OVERFILL PROTECTION:	PIPING LOCATION: SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 12 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 13 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 17 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 18 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 19 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 2 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 20 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 21	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 22	TANK TYPE: FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 23	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 24	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 25	TANK TYPE: FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 26	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 27	TANK TYPE: FRP / FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 28	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE: OVERFILL PROTECTION:	PIPING LOCATION: SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 29 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 3 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 30 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 31 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 32 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 33 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction
TANK NUMBER: 34 TANK EXT. PROTECTION: PIPING EXT. PROTECTN: PIPING TYPE: OVERFILL PROTECTION:	TANK TYPE: STEEL TANK LEAK DETECTN: PIPING LEAK DETECTN: PIPING LOCATION: SPILL PREVENTION:	TK INT. PROTECTION: TK SEC. CONTAINMNT: PIPE SEC. CONTAINMNT: DISPENSER METHOD: Suction

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 35	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 36	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 37	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 38	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 39	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 4	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 40	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	
OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 41	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 42	TANK TYPE:	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 43	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Gravity
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 44	TANK TYPE:	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Other
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 45	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	Suction
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 46	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 47	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	
OVERFILL PROTECTION:	SPILL PREVENTION:		
TANK NUMBER: 48	TANK TYPE: STEEL	TK INT. PROTECTION:	
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:	
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:	
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:	
OVERFILL PROTECTION:	SPILL PREVENTION:		

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER: 49	TANK TYPE:	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 5	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 50	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 51	TANK TYPE:	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Gravity
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 52	TANK TYPE: FRP / FRP	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 53	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 54	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD:
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 55	Detailed tank data not provided for this tank	
TANK NUMBER: 56	Detailed tank data not provided for this tank	


\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*

TANK NUMBER:	57	Detailed tank data not provided for this tank	
TANK NUMBER:	58	TANK TYPE: CONCRETE	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER:	59	Detailed tank data not provided for this tank	
TANK NUMBER:	6	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER:	60	Detailed tank data not provided for this tank	
TANK NUMBER:	61	Detailed tank data not provided for this tank	
TANK NUMBER:	62	TANK TYPE: STEEL / STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	
OVERFILL PROTECTION:		SPILL PREVENTION:	DISPENSER METHOD:
TANK NUMBER:	63	Detailed tank data not provided for this tank	
TANK NUMBER:	64	Detailed tank data not provided for this tank	
TANK NUMBER:	65	Detailed tank data not provided for this tank	
TANK NUMBER:	66	Detailed tank data not provided for this tank	
TANK NUMBER:	67	Detailed tank data not provided for this tank	
TANK NUMBER:	68	Detailed tank data not provided for this tank	
TANK NUMBER:	69	Detailed tank data not provided for this tank	
TANK NUMBER:	7	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:		TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:		PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:		PIPING LOCATION:	

\*\*\*\* TANK INFO FOR THIS SITE CONTINUES ON NEXT PAGE \*\*\*\*



OVERFILL PROTECTION:	SPILL PREVENTION:	DISPENSER METHOD: Suction
TANK NUMBER: 70	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 8	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	
TANK NUMBER: 9	TANK TYPE: STEEL	TK INT. PROTECTION:
TANK EXT. PROTECTION:	TANK LEAK DETECTN:	TK SEC. CONTAINMNT:
PIPING EXT. PROTECTN:	PIPING LEAK DETECTN:	PIPE SEC. CONTAINMNT:
PIPING TYPE:	PIPING LOCATION:	DISPENSER METHOD: Suction
OVERFILL PROTECTION:	SPILL PREVENTION:	

**Map Identification Number 110** **GUY PRATT INC**  
 608 UNION AVE

**Facility Id: NYSF05073** **Source: SUFF. HEALTH DEPT**  
 HOLTSVILLE, 11742  
 Facility Ref. No.: 04784  
 TT-Id: 640A-0066-638

**MAP LOCATION INFORMATION**  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 725 feet to the ENE

**ADDRESS CHANGE INFORMATION**  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Site Status: Active  
 Owner Name: GUY PRATT INC  
 Owner Address: 608 UNION AVE, HOLTSVILLE, NY 11742

Operating Permit Expiration: 10/31/2014  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
10	Removed	MOTOR OIL	1200	ABOVE - OUT	77		01/01/1991
11	Removed	KEROSENE	275	ABOVE - OUT	77		01/01/1991
12	In Service	DIESEL	20000	UNDER - OUT	91	05/03/1991	
13	In Service	GASOLINE	15000	UNDER - OUT	91	05/03/1991	
14	Removed	WASTE OIL	300	ABOVE - OUT			01/01/1991
15	Removed	WASTE OIL	4000	ABOVE - OUT	91	05/22/1991	06/01/2012
16	In Service	MOTOR OIL	500	ABOVE - OUT	91	05/22/1991	
17	In Service	OTHER OIL	500	ABOVE - OUT	91	05/22/1991	
18	Removed	WASTE OIL	2000	ABOVE - OUT			01/01/1991

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

19	Removed	WASTE OIL	2000	ABOVE - OUT			01/01/1991
2	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
20	In Service	#2 FUEL OIL	1000	UNDER - OUT			
22	In Service	#2 FUEL OIL	275	ABOVE - IN		10/23/1997	
3	Removed	GASOLINE	6000	UNDER - OUT	77		12/26/1990
4	Removed	GASOLINE	6000	UNDER - OUT	77		12/26/1990
5	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
6	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
7	Removed	DIESEL	10000	UNDER - OUT	77		12/26/1990
8	In Service	#2 FUEL OIL	1000	UNDER - OUT	74		
9	Removed	WASTE OIL	275	ABOVE - OUT	83		01/01/1991
The following tank(s) were either deleted from the reported data or the number was re-assigned.							
21	Removed - Marked for Removal 1996 (Confirmed)	ASPHALT ADDITIVE	275	ABOVE - OUT			03/25/1996
23	Removed - Marked for Removal 1995 (Confirmed)	DRUM STORAGE	605	ABOVE - OUT			12/11/1995
24	Permitted - Expires 2001	DRUM STORAGE	1320	ABOVE - IN		10/23/1997	
25	Unregistered	DRUM STORAGE	500	ABOVE - IN			

**Map Identification Number 111**

**LIDLAW TREE SERVICE (OOB)**

**Facility Id: NYSF04485**

**Source: SUFF. HEALTH DEPT**



9 CLAIRMONT AVE

HOLBROOK, NY 11741

Facility Ref. No.: 01647

TT-Id: 640A-0057-571

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 751 feet to the W

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:

Operating Permit Expiration:

Owner Name: LEWIS TREE SERVICE INC

Facility Phone #:

Owner Address:

Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Removed - Marked for Removal 1990 (Confirmed)	#2 FUEL OIL	2000	UNDER - OUT			06/20/1990
2	Removed - Marked for Removal 1987 (Confirmed)	WASTE OIL	300	ABOVE - IN	83		01/01/1987
3	Removed - Marked for Removal 1987 (Confirmed)	DRUM STORAGE	800	ABOVE - IN	81		01/01/1987
4	Removed - Marked for Removal 1998	TRANSMISSION FLUID	250	ABOVE - IN	89		10/01/1998
5	Removed - Marked for Removal 1998	MOTOR OIL	250	ABOVE - IN	89		10/01/1998
6	Exempt	#2 FUEL OIL	275	ABOVE - IN			

**Map Identification Number 112** **BROOKVILLE PLUMBING & HEATING INC**  
 1 CLAREMONT AVE

**Facility Id: NYSF04992** **Source: SUFF. HEALTH DEPT**  
 HOLBROOK, NY 11741  
 Facility Ref. No.: 04294  
 TT-Id: 640A-0075-005

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (4)  
 Approximate distance from property: 754 feet to the WSW

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE


This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: BROOKVILLE PLUMBING & HEA  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 113** **H & J BUS**  
 CLAIRMONT

**Facility Id: NYSF04455** **Source: SUFF. HEALTH DEPT**  
 HOLBROOK, NY 11741  
 Facility Ref. No.: 15118  
 TT-Id: 640A-0069-400

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (5)  
 Approximate distance from property: 829 feet to the WSW

ADDRESS CHANGE INFORMATION  
 Revised street: CLAREMONT AVE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status:  
 Owner Name: H & J BUS  
 Owner Address:

Operating Permit Expiration:  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

RECENT TANK INFORMATION IS NOT AVAILABLE FOR THIS SITE

**Map Identification Number 114** **ACME PRECAST**  
 612 UNION AVE

**Facility Id: NYSF05995** **Source: SUFF. HEALTH DEPT**  
 HOLTSVILLE, NY 11742  
 Facility Ref. No.: 09346  
 TT-Id: 640A-0066-640

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING (3)  
 Approximate distance from property: 907 feet to the ENE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status: Operating Permit Expiration:  
 Owner Name: ACME PRECAST Facility Phone #:  
 Owner Address: , HOLTSVILLE, NY 11742 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Permitted – Expired 1991	#2 FUEL OIL	275	ABOVE – OUT	86	06/15/1987	
2	Permitted – Expired 1991	OTHER OIL	275	ABOVE – OUT	86	06/15/1987	

**Map Identification Number 115** **KEYSPAN HOLTSVILLE** **Facility Id: NYSF06467** **Source: SUFF. HEALTH DEPT**  
 605 UNION AVE HOLTSVILLE, NY 11742 Facility Ref. No.: 09865  
 TT-Id: 640A-0075-009

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 949 feet to the N

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

This site was reported in previously released Suffolk County Dept. of Health data. The following data is historic.

Site Status: Operating Permit Expiration:  
 Owner Name: KEYSPAN ATTN: M LAURO Facility Phone #:  
 Owner Address: 175 E OLD COUNTRY RD, HICKSVILLE, NY 11801 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
1	Temporarily Out of Service Beginning 2008*	BUTANE	4700	ABOVE – OUT	71		
10	Permitted – Expires 2000	50% ETHYLENE GLYCOL/	500	ABOVE – OUT		11/29/1995	
11	Removed – Marked for Removal 2001	GAS ODORIZER MERCAPT	120	ABOVE – IN			07/06/2001
12	Exempt	WATER	5000	UNDER – OUT			
13	Exempt	LNG	7350000	ABOVE – OUT			
14	Permitted – Expires 2006	OTHER OIL	120	ABOVE – IN		07/06/2001	
15	Permitted – Expires 2006	LUBE OIL	150	ABOVE – OUT		12/03/2001	
16	Permitted – Expires 2006	LUBE OIL	650	ABOVE – IN	2001	12/03/2001	
17	Permitted – Expires 2006	CONTAMINATED WATER	70	ABOVE – OUT	2001	12/03/2001	
18	Permitted – Expires 2006	CONTAMINATED WATER	70	ABOVE – OUT	2001	12/03/2001	
19	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
2	Temporarily Out of Service Beginning 2008*	PENTANE	4700	ABOVE – OUT	71		
20	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
21	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
22	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
23	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
24	Never Installed	#2 FUEL OIL	18000	ABOVE – OUT			
3	Temporarily Out of Service Beginning 2008*	METHANOL	2300	ABOVE – OUT	71		

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

4	Permitted – Expired 1995	HEAVY HYDROCARBONS	4800	ABOVE – OUT	71		
5	Permitted – Expired 1995	HEAVY HYDROS	3500	ABOVE – OUT			
6	Removed – Marked for Removal 2002	REFRIGERANT	1850	ABOVE – OUT	71		12/12/2002
7	Removed – Marked for Removal 1990 (Confirmed)	WASTE OIL	550	UNDER – OUT			10/01/1990
8	Removed – Marked for Removal 2000	INDUSTRIAL WASTE	700	ABOVE – OUT		06/24/1993	08/14/2000
9	Removed – Marked for Removal 1992 (Confirmed)	METHANOL	550	ABOVE – OUT	72		09/10/1992

\* – Temporarily out of service tank: Remove Date refers to when tank went out of service.

**Map Identification Number 116**      **RICHARD M. FLYNN POWER PLANT**  
 607 UNION AVENUE

**Facility Id: 1-000629**      **Source: NYS DEC**  
 HOLTSVILLE, 11742      TT-Id: 640A-0088-947

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1225 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Facility Type: Other  
 Site Status: Active  
 Expiration Date of the facility's registration certificate: 05/31/2019  
 Operator Name: RUSSELL BAHM  
 Owner Name: TIM ZANDES – REGIONAL MANAGER, SENY  
 Owner Company: NEW YORK POWER AUTHORITY  
 Owner Address: 123 MAIN STREET, WHITE PLAINS, NY 10601

Operator Phone #: (631) 687-1901  
 Owner Type:

TANK NUMBER	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	TEST DATE	CLOSE DATE
1	In Service	Lube Oil	4162	Aboveground on Crib Rack or Cradle	09/01/1992		
2	In Service	Lube Oil	2900	Aboveground on Crib Rack or Cradle	09/01/1992		
3	In Service	Lube Oil	6355	Aboveground on Crib Rack or Cradle	09/01/1992		
4	In Service	Lube Oil	6355	Aboveground on Crib Rack or Cradle	09/01/1992		
7	In Service	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
8	In Service	Diesel	250	Aboveground on Crib Rack or Cradle	09/01/1992		
29	In Service	#2 Fuel Oil	275	Aboveground on Crib Rack or Cradle	09/01/1992		
36	In Service	HYDRAULIC OIL	100	Aboveground on Crib Rack or Cradle	09/01/1992		
39	In Service	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
40	In Service	Lube Oil	55	Aboveground on Crib Rack or Cradle	09/01/1992		
38	In Service	Waste Oil/Used Oil	50	Aboveground on Crib Rack or Cradle	09/01/1992		

**Map Identification Number 117** **RICHARD M FLYNN POWER PLANT**  
 607 UNION AVE

**Facility Id: NYSF04292** **Source: SUFF. HEALTH DEPT**  
 Facility Ref. No.: 13938  
 TT-Id: 640A-0075-010

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1225 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Site Status: Active  
 Owner Name: NEW YORK POWER AUTHORITY  
 Owner Address:

Operating Permit Expiration: 05/31/2014  
 Facility Phone #:  
 Owner Phone #:

TANK NO.	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	PERMIT ISSUED	REMOVED DATE
----------	-------------	--------------	------------------	---------------	--------------	---------------	--------------

Current tank information for this site is RESTRICTED by the Suffolk County Health Dept.

The following tank(s) were either deleted from the reported data or the number was re-assigned.

1	Permitted – Expires 2000	LUBE OIL	4162	ABOVE – IN		03/16/1995	
10	Permitted – Expires 2000	LUBE OIL	60	ABOVE – IN		03/16/1995	
11	Permitted – Expires 2000	LUBE OIL	70	ABOVE – IN		03/16/1995	
12	Permitted – Expires 2000	LUBE OIL	210	ABOVE – IN		03/16/1995	
13	Permitted – Expires 2000	LUBE OIL	160	ABOVE – IN		03/16/1995	
14	Permitted – Expires 2000	#2 FUEL OIL	420	ABOVE – IN		03/16/1995	
15	Permitted – Expires 2000	#2 FUEL OIL	30	ABOVE – IN		03/16/1995	
16	Permitted – Expires 2000	#2 FUEL OIL	40	ABOVE – IN		03/16/1995	
17	Permitted – Expires 2000	LUBE OIL	210	ABOVE – IN		03/16/1995	
18	Permitted – Expires 2000	LUBE OIL	160	ABOVE – IN		03/16/1995	
19	Exempt	DIELECTRIC FLUID	8300	ABOVE – OUT		03/16/1995	
2	Permitted – Expires 2000	LUBE OIL	2100	ABOVE – IN		03/16/1995	
20	Exempt	DIELECTRIC FLUID	6500	ABOVE – IN		03/16/1995	
21	Permitted – Expires 2000	SULFURIC ACID	2000	ABOVE – IN		03/16/1995	
22	Permitted – Expires 2000	CAUSTIC	2000	ABOVE – IN		03/16/1995	
23	Permitted – Expires 2000	ACIDIC/CAUSTIC WATER	23000	ABOVE – OUT		03/16/1995	
24	Permitted – Expires 2000	ACIDIC/CAUSTIC WATER	460	UNDER – IN		03/16/1995	
25	Permitted – Expires 2000	HCTDS WATER	100000	ABOVE – OUT		03/16/1995	
26	Permitted – Expires 2000	NEUTRALIZED ACID	55	UNDER – IN		03/16/1995	
27	Permitted – Expires 2000	SODIUM HYPO CLORITE	2500	ABOVE – IN		03/16/1995	
28	Permitted – Expires 2000	POTASSIUM HYDROXIDE	600	ABOVE – IN		03/16/1995	
29	Permitted – Expires 2000	#2 FUEL OIL	275	ABOVE – IN		03/16/1995	
3	Permitted – Expires 2000	LUBE OIL	5000	ABOVE – IN		03/16/1995	
30	Non-Complying – Compliance Req'd as of 1982	TRI-BASIC SODIUM PHO	400	ABOVE – IN			
31	Exempt	BIOMASS COLLECTION T	900	ABOVE – IN			
32	Exempt	DRUM STORAGE	220	ABOVE – IN			
33	Non-Complying – Compliance Req'd as of 1982	HYDRAZINE DAY TANK	60	ABOVE – IN	1994		
34	Non-Complying – Compliance Req'd as of 1982	HYDRAZINE TOTE	350	ABOVE – IN	1994		

\*\*\*\* TANK INFO CONTINUES ON NEXT PAGE \*\*\*\*

35	Non-Complying – Compliance Req'd as of 1982	AMMONIUM HYDROXIDE	60	ABOVE – IN	1994		
36	Non-Complying – Compliance Req'd as of 1982	HYDRAULIC OIL	700	ABOVE – IN	1992		
37	Temporarily Out of Service Beginning 2007*	SODA ASH	50	ABOVE – IN	1995		
38	Non-Complying – Compliance Req'd as of 1982	WASTE OIL	50	ABOVE – IN	1992		
39	Non-Complying – Compliance Req'd as of 1982	LUBE OIL	55	ABOVE – IN	1999		
4	Permitted – Expires 2000	WASTE OIL	5000	ABOVE – IN		03/16/1995	
40	Non-Complying – Compliance Req'd as of 1982	LUBE OIL	55	ABOVE – IN	1999		
41	Permitted – Expires 2009	TRANSFER FACILITY	9700	ABOVE – OUT	1999	01/23/2004	
42	Removed – Marked for Removal 2000	DRUM STORAGE	1100	ABOVE – OUT			12/20/2000
43	Exempt	OIL/WATER SEPARATOR	501	UNDER – OUT			
44	Exempt	SULFURIC ACID	8	ABOVE – IN	2000		
45	Exempt	OTHER OIL	115	ABOVE – IN			
5	Permitted – Expires 2000	INDUSTRIAL WASTE	5000	UNDER – IN		03/16/1995	
6	Permitted – Expires 2000	DRUM STORAGE	1100	ABOVE – IN		03/16/1995	
7	Permitted – Expires 2000	COMPRESSOR LUBE OIL	55	ABOVE – IN		03/16/1995	
8	Permitted – Expires 2000	DIESEL	250	ABOVE – IN		03/16/1995	
9	Permitted – Expires 2000	OIL/WATER SEPARATOR	700	UNDER – IN		03/16/1995	

\* – Temporarily out of service tank: Remove Date refers to when tank went out of service.



**HAZARDOUS WASTE GENERATORS/TRANSPORTERS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 118**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**TOSCO PIPELINE COMPANY**

586 UNION AVE SITE A

TOSCO PIPELINE CO – HOLTSVILLE TERMINAL

586 UNION AVENUE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NY000096123**

TT-Id: 740A-0053-113

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11741

US EPA RCRA Type: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 01/12/1994

Incinerator:

Transporter:

Contact Name: ROBIN CALLAGHAN

Source Type: Implementer

Contact Phone: 908-523-5769

Contact Info Date: 01/01/2007

Contact Name: PETE MILOSKI

Source Type: Notification

Contact Phone: 516-475-5060

Contact Info Date: 01/12/1994

Contact Name: ROBIN CALLAGHAN

Source Type: Annual/Biennial Report

Contact Phone: 908-523-5769

Contact Info Date: 02/24/2004

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

SMALL QUANTITY GENERATOR

**US EPA RCRA Violations:**

Violation Type: Generators – General

Violation Number: 0001 Location: NY

Former Citation:

Responsible Agency: STATE

Violation Determination Date: 05/18/1999

Violation Return to Compliance: 07/26/1999

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D008	Lead	2000	POUNDS	GENERATED	2003		
D018	BENZENE	42706	GALLONS	GENERATED	2003	418341	2001
D018	BENZENE	3600	POUNDS	GENERATED	2003	6850	2001



NYS DEC Manifested Waste Transactions for NY0000096123 continued ---

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	3130	GALLONS	GENERATED	2002	4645	2001
D001	Solid waste that exhibits the characteristic of ignitability	6900	POUNDS	GENERATED	2002		
D008	Lead	3	CUBIC YDS	GENERATED	1993		

**Map Identification Number 119**

**NYSDEC Name:**  
NYSDEC Address:

**TOSCO PIPELINE CO**  
586 UNION AVE

HOLTSVILLE, NY 11742

**Facility Id: NYD000096123**  
TT-Id: 740A-0049-699

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
------------	-------------------	--------------	-------------	------------------	------	-------------------------	------

NONE No hazardous waste activity reported by NYS up to 8/3/2015.

**Map Identification Number 120**

**NYSDEC Name:**  
NYSDEC Address:  
EPA (RCRA) Name:  
EPA (RCRA) Address:

**NORTHVILLE INDUSTRIES CORPORATION**  
586 UNION AVE  
NORTHVILLE HOLTSVILLE TERMINAL  
586 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD980646129**  
TT-Id: 740A-0053-115

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: 586 UNION AVENUE  
Revised zip code: NO CHANGE

US EPA RCRA Type: LARGE QUANTITY GENERATOR

Land Disposal: Receives offsite waste:  
Storer: Treatment facility:

Notification date: 11/18/1980

Incinerator:  
Transporter:

Contact Name: TOM MAUS  
Contact Name: TOM MAUS  
Contact Name: TOM MAUS  
Contact Name: TOM MAUS

Source Type: Annual/Biennial Report update with Notification  
Source Type: Implementer  
Source Type: Notification  
Source Type: Annual/Biennial Report

Contact Phone: 631-753-4364  
Contact Phone: 631-753-4364  
Contact Phone: 631-753-4364  
Contact Phone: 631-753-4364

Contact Info Date: 03/04/2014  
Contact Info Date: 01/01/2007  
Contact Info Date: 11/04/2003  
Contact Info Date: 02/27/2008

Historically listed as the following USEPA RCRA Generator Size(s) as well:

SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D018	BENZENE	3800	POUNDS	GENERATED	2015	49920	1992
More than one waste code was reported for the following waste amount:							
D001	Solid waste that exhibits the characteristic of ignitability	300	POUNDS	GENERATED	2015	13800	2011
D018	BENZENE						
More than one waste code was reported for the following waste amount:							
D001	Solid waste that exhibits the characteristic of ignitability	3575	POUNDS	GENERATED	2014	18500	2011
More than one waste code was reported for the following waste amount:							
D001	Solid waste that exhibits the characteristic of ignitability	600	POUNDS	GENERATED	2013		
D013	Lindane (1,2,3,4,5,6-hexachlorocyclohexane, gamma isomer).						
More than one waste code was reported for the following waste amount:							
D018	BENZENE	1253	POUNDS	GENERATED	2012		
D022	Chloroform						
D001	Solid waste that exhibits the characteristic of ignitability						
D001	Solid waste that exhibits the characteristic of ignitability	2730	GALLONS	GENERATED	2009	3475	2005
D018	BENZENE	55	GALLONS	GENERATED	2006	5077	2004
D002	Solid waste that exhibits the characteristic of corrosivity	165	GALLONS	GENERATED	2005	830	2003
D008	Lead	6000	GALLONS	GENERATED	1993		
K052	Tank bottoms (leaded) from the petroleum refining industry.	685	GALLONS	GENERATED	1983		

NOTE: 2015 waste amounts are for 1/1/2015 to 8/3/2015 only

Map Identification Number 121



NYSDEC Name:

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**NORTHVILLE INDUSTRIES CORP**

586 UNION AVE

NORTHVILLE INDUSTRIES CORP

586 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

Facility Id: NYD986912483

TT-Id: 740A-0053-114

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11741

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 09/11/1990  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: JOHN LOVE Source Type: Notification Contact Phone: 609-866-3233 Contact Info Date: 09/11/1990

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	632	POUNDS	GENERATED	2007		
D018	BENZENE						

**Map Identification Number 122**  **NYSDEC Name: GUY PRATT INCORPORATED** **Facility Id: NYD986951390**  
 NYSDEC Address: 608 UNION AVENUE HOLTSMVILLE, NY 11742 TT-Id: 740A-0046-637  
 EPA (RCRA) Name: GUY PRATT INC  
 EPA (RCRA) Address: 608 UNION AVE HOLTSMVILLE, NY 11742

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION  
 Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE  
 Approximate distance from property: 710 feet to the ENE Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 05/08/1991  
 Land Disposal: Receives offsite waste: Incinerator:  
 Storer: Treatment facility: Transporter:  
 Contact Name: GUY PRATT Source Type: Implementer Contact Phone: 516-289-6100 Contact Info Date: 01/01/2007  
 Contact Name: GUY PRATT Source Type: Notification Contact Phone: 516-289-6100 Contact Info Date: 05/08/1991

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	165	GALLONS	GENERATED	1991		

**Map Identification Number 123**



**NYSDEC Name:**

NYSDEC Address:

**GUY PRATT INC**

608 UNION AVE

HOLTSVILLE, NY 11742

**Facility Id: NYN10001A349**

TT-Id: 740A-0046-705

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 710 feet to the ENE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

This facility has been deleted from the reported data. Data reflects last reported information.

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

**NYS DEC Manifested Waste Summary:**

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
------------	-------------------	--------------	-------------	------------------	------	-------------------------	------

NONE No hazardous waste activity reported by NYS up to 8/3/2015.

**Map Identification Number 124**



**NYSDEC Name:**

NYSDEC Address:

EPA (RCRA) Name:

EPA (RCRA) Address:

**TOSCO PIPELINE COMPANY**

605 UNION AVENUE

HOLTSVILLE LNG FACILTIY

UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 11742

**Facility Id: NYD980648240**

TT-Id: 740A-0053-116

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE

Approximate distance from property: 858 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: UNKNOWN

US EPA RCRA Type: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

Land Disposal:

Receives offsite waste:

Storer:

Treatment facility:

Notification date: 08/30/1982

Incinerator:

Transporter:

Contact Name: CORINNE BYRNES

Source Type: Implementer

Contact Phone:

Contact Info Date: 01/01/2006

Contact Name: RAYMOND J DRISCOLL

Source Type: Notification

Contact Phone: 516-733-4137

Contact Info Date: 08/30/1982

Contact Name: CORINNE BYRNES

Source Type: Annual/Biennial Report

Contact Phone: 631-391-6173

Contact Info Date: 01/01/2001

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	300	POUNDS	GENERATED	2015	800	2012
D039	Tetrachloroethylene	13	GALLONS	GENERATED	2011	44	1996
D002	Solid waste that exhibits the characteristic of corrosivity	60	POUNDS	GENERATED	2009		
D001	Solid waste that exhibits the characteristic of ignitability	532	GALLONS	GENERATED	2001	13440	1983
D008	Lead	35	POUNDS	GENERATED	2001		
B003	Petroleum oil or other liquid containing 500 ppm or greater of PCBs.	5284	KILOGRAMS	GENERATED	1999		
D002	Solid waste that exhibits the characteristic of corrosivity	55	GALLONS	GENERATED	1995		
B002	Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm	100	POUNDS	GENERATED	1989		
F001	Spent halogenated solvents used in degreasing	85	GALLONS	GENERATED	1987		

NOTE: 2015 waste amounts are for 1/1/2015 to 8/3/2015 only

**Map Identification Number 125**



**NYSDEC Name:**

NYSDEC Address:  
EPA (RCRA) Name:  
EPA (RCRA) Address:

**ALLSTATE & SIGN PLAQUE**

614 UNION AVENUE  
ALLSTATE SIGN & PLAQUE CORP  
614 UNION AVE

HOLTSVILLE, NY 11742

HOLTSVILLE, NY 117421421

**Facility Id: NYD097532907**

TT-Id: 740A-0046-434

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (4)  
Approximate distance from property: 1025 feet to the ENE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN

Land Disposal: Receives offsite waste:  
Storer: Treatment facility:

Contact Name: JOSEPH PAULIN

Source Type: Notification

Notification date: 10/08/1986

Incinerator:  
Transporter:

Contact Phone: 516-654-5055 Contact Info Date: 10/08/1986

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D004	Arsenic	110	GALLONS	GENERATED	1987		

**Map Identification Number 126**  **NYSDEC Name:** NAB/OVER A JOINT VENTURE **Facility Id:** NYD987034659  
 NYSDEC Address: 607 UNION AVE HOLTSMVILLE, NY 11742 TT-Id: 740A-0053-118  
 EPA (RCRA) Name: RICHARD M FLYNN POWER PLANT  
 EPA (RCRA) Address: UNION AVE HOLTSMVILLE, NY 11747

MAP LOCATION INFORMATION  
 Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1072 feet to the NNE

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

US EPA RCRA Type: SMALL QUANTITY GENERATOR  
 Land Disposal: Receives offsite waste:  
 Storer: Treatment facility:  
 Contact Name: DONALD SYTKOWSKI Source Type: Implementer  
 Contact Name: ELIZABETH FORTE Source Type: Notification  
 Contact Name: DONALD SYTKOWSKI Source Type: Annual/Biennial Report

Notification date: 11/20/1995  
 Incinerator:  
 Transporter:  
 Contact Phone: 718-626-8258 Contact Info Date: 01/01/2007  
 Contact Phone: 718-626-8220 Contact Info Date: 11/20/1995  
 Contact Phone: 718-626-8258 Contact Info Date: 02/23/2006

Historically listed as the following USEPA RCRA Generator Size(s) as well:  
 LARGE QUANTITY GENERATOR  
 CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:  
 Waste Codes, Waste Units, and Transaction Types are only shown for the most recently reported year.

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
D001	Solid waste that exhibits the characteristic of ignitability	206	POUNDS	GENERATED	2014	2000	2002
D002	Solid waste that exhibits the characteristic of corrosivity	900	POUNDS	GENERATED	2013	10500	1993
D009	Mercury	10	POUNDS	GENERATED	2013		
D005	Barium	30	POUNDS	GENERATED	2011		

NYS DEC Manifested Waste Transactions for NYD987034659 continued ----

WASTE CODE	WASTE DESCRIPTION	WASTE AMOUNT	WASTE UNITS	TRANSACTION TYPE	YEAR	HISTORIC MAXIMUM AMOUNT	YEAR
More than one waste code was reported for the following waste amount:		10	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D002	Solid waste that exhibits the characteristic of corrosivity						
More than one waste code was reported for the following waste amount:		10	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
D003	Solid waste that exhibits the characteristic of reactivity						
More than one waste code was reported for the following waste amount:		640	POUNDS	GENERATED	2011		
D001	Solid waste that exhibits the characteristic of ignitability						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		40	POUNDS	GENERATED	2011		
D002	Solid waste that exhibits the characteristic of corrosivity						
D006	Cadmium						
More than one waste code was reported for the following waste amount:		300	POUNDS	GENERATED	2010		
D008	Lead						
F003	Spent non-halogenated solvents						
More than one waste code was reported for the following waste amount:		1200	POUNDS	GENERATED	2008		
D001	Solid waste that exhibits the characteristic of ignitability						
D035	Methyl ethyl ketone						
D007	Chromium	19800	GALLONS	GENERATED	2003		
D002	Solid waste that exhibits the characteristic of corrosivity	950	GALLONS	GENERATED	1993		



**CHEMICAL STORAGE FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 127**     **HOLTSVILLE TERMINAL**  
 586 UNION AVE.

HOLTSVILLE, NY 11742

**Facility Id: 1-000202**  
 TT-Id: 780A-0003-664

MAP LOCATION INFORMATION  
 Site location mapped by: MAP COORDINATE (1)  
 Approximate distance from property: 0 feet

ADDRESS CHANGE INFORMATION  
 Revised street: NO CHANGE  
 Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 07/17/2017  
 Site Type: Storage Terminal/Petroleum Distributor

Site Status: Active

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: NORTHVILLE INDUSTRIES CORP.  
 Owner Address: 25 MELVILLE PARK ROAD  
 Operator Name: PETER MILOSKI  
 MELVILLE, NY 11747  
 Facility Phone #: (631) 475-5060

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
33	CONVERTED-NONREGULAT	XYLENE (MIXED)	10000	ABOVEGROUND	07/89	00/00
34	CONVERTED-NONREGULAT	BENZENE, 1,2,4-TRIMETHYL-	5000	ABOVEGROUND	07/89	08/94
35	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
36	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
37	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
38	CONVERTED-NONREGULAT	TOLUENE	5000	ABOVEGROUND	07/89	05/95
39	CONVERTED-NONREGULAT	TOLUENE	5000	ABOVEGROUND	07/89	05/95
40	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
41	IN SERVICE	NAPHTHALENE	5000	ABOVEGROUND	12/94	
44	IN SERVICE	XYLENE (MIXED)	300	ABOVEGROUND	01/95	

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
XYLENE (MIXED)	1330207	X	X		X	X	5 ug/L



BENZENE, 1,2,4-TRIMETHYL-	95636	X						5 ug/L
TOLUENE	108883	X	X	X	X	X		5 ug/L
NAPHTHALENE	91203	X	X		X	X		50 ug/L

**Map Identification Number 128**

**NORTHVILLE INDUSTRIES CORP.-HOLTSVILLE TERMINAL**

**Facility Id: 1-000356**



586 UNION AVENUE

HOLTSVILLE, NY 11742

TT-Id: 780A-0005-617

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

This facility has been deleted from the reported data. Data reflects last reported information.

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 02/09/1994

Site Status: Unknown

Site Type: STORAGE TERMINAL

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: NORTHVILLE INDUSTRIES CORP.

Owner Address: 25 MELVILLE PARK ROAD

Operator Name: PETER MILOSKI

MELVILLE, NY 11747

Facility Phone #: (516) 475-5060

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
33	IN SERVICE	XYLENE (MIXED)	10000	ABOVEGROUND	07/89	
34	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
35	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	
37	IN SERVICE	METHANOL	5000	ABOVEGROUND	07/89	
38	IN SERVICE	TOLUENE	5000	ABOVEGROUND	07/89	
39	IN SERVICE	TOLUENE	5000	ABOVEGROUND	07/89	
40	IN SERVICE	XYLENE (MIXED)	5000	ABOVEGROUND	07/89	

**Toxicity Information Summary**

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
XYLENE (MIXED)	1330207	X	X		X	X	5 ug/L
METHANOL	67561	X	X	X	X	X	50 ug/L
TOLUENE	108883	X	X	X	X	X	5 ug/L

**Map Identification Number 129** **HOLTSVILLE LNG PLANT**  
 **UNION AVENUE**

HOLTSVILLE, NY 11742

**Facility Id: 1-000361**  
 TT-Id: 780A-0002-626

**MAP LOCATION INFORMATION**

Site location mapped by: **MANUAL MAPPING – LARGE SITE**  
 Approximate distance from property: **900 feet to the N**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **UNKNOWN**

Expiration Date of the facility's registration certificate: **02/17/2002**  
 Site Type: **Utility (Other than Municipal)**

Site Status: **Unregulated/Closed**

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: **KEYSPAN**  
 Owner Address: **175 E. OLD COUNTRY ROAD**  
 Operator Name: **STEPHEN GRECO**

**HICKSVILLE, NY 11801**  
 Facility Phone #: **(631) 348-6360**

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
D11	CLOSED-IN PLACE	METHANOL	2320	ABOVEGROUND ON LEGS RACKS ETC	06/71	06/00

**Toxicity Information Summary**

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
METHANOL	67561	X	X	X	X	X	50 ug/L

**Map Identification Number 130** **NEW YORK POWER AUTHORITY-FLYNN**  
 **607 UNION AVENUE**

HOLTSVILLE, NY 11742

**Facility Id: 1-000444**  
 TT-Id: 780A-0003-733

**MAP LOCATION INFORMATION**

Site location mapped by: **MAP COORDINATE – LARGE SITE**  
 Approximate distance from property: **1176 feet to the NNE**

**ADDRESS CHANGE INFORMATION**

Revised street: **NO CHANGE**  
 Revised zip code: **NO CHANGE**

Expiration Date of the facility's registration certificate: **05/19/2017**  
 Site Type: **Utility (Other than Municipal)**

Site Status: **Active**

NOTE: The following detailed facility and tank information has not been made publicly available by the NYSDEC since 1/1/2002.

Owner Name: **NEW YORK POWER AUTHORITY**  
 Owner Address: **123 MAIN ST.**

**WHITE PLAINS, NY 10601**

Operator Name: MICHAEL MEDVEC

Facility Phone #: (516) 687-1901

TANK NUMBER	TANK STATUS	CHEMICAL NAME	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	DATE CLOSED
021	IN SERVICE	SULFURIC ACID	2000	ABOVEGROUND	05/93	
022	IN SERVICE	SODIUM HYDROXIDE	2000	ABOVEGROUND	05/93	
027	IN SERVICE	SODIUM HYPOCHLORITE	2500	ABOVEGROUND	05/93	
028	IN SERVICE	POTASSIUM HYDROXIDE	600	ABOVEGROUND	03/94	
030	IN SERVICE	SODIUM PHOSPHATE, TRIBASIC	400	ABOVEGROUND	05/93	

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
SULFURIC ACID	7664939	X		X	X	X	
SODIUM HYDROXIDE	1310732	X		X		X	
SODIUM HYPOCHLORITE	7681529	X	X	X		X	
POTASSIUM HYDROXIDE	1310583	X		X		X	
SODIUM PHOSPHATE, TRIBASIC	7601549	X		X			



***NO HAZARDOUS SUBSTANCE WASTE DISPOSAL SITES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS***


**TOXIC AIR, LAND AND WATER RELEASES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 131**
**CONOCOPHILLIPS CO. HOLTSVILLE TERMINAL**
**EPA Tri Id: 11747TSCPP586UN**


586 UNION AVE.

HOLTSVILLE, NY 11747

TT-Id: 860A-0002-792

Mail Name:

Mail Address:

HOLTSVILLE, NY 11747

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE

Revised zip code: 11742

Source: EPA

EPA Facility Status: OPEN

Public Contact: MICHAEL KARLOVICH

Public Contact Phone #: (908) 523-6041

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
BENZENE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
BENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
BENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
1,2,4-TRIMETHYLBENZENE	750*	2001	Fugitive or non-point air emissions	100000 to 999999
1,2,4-TRIMETHYLBENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
1,2,4-TRIMETHYLBENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
1,2,4-TRIMETHYLBENZENE	5*	2001	Incineration/Thermal Treatment	100000 to 999999
ETHYLBENZENE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
ETHYLBENZENE	255*	2001	Stack or Point air emissions	100000 to 999999
ETHYLBENZENE	260*	2001	Other Reuse or Recovery	100000 to 999999
ETHYLBENZENE	5*	2001	Incineration/Thermal Treatment	100000 to 999999
TOLUENE	255*	2001	Fugitive or non-point air emissions	1000000 to 9999999
TOLUENE	255*	2001	Stack or Point air emissions	1000000 to 9999999
TOLUENE	1005*	2001	Other Reuse or Recovery	1000000 to 9999999
TOLUENE	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
N-HEXANE	255*	2001	Fugitive or non-point air emissions	100000 to 999999
N-HEXANE	255*	2001	Stack or Point air emissions	100000 to 999999
N-HEXANE	510*	2001	Other Reuse or Recovery	100000 to 999999
CYCLOHEXANE	255*	2001	Fugitive or non-point air emissions	10000 to 99999
CYCLOHEXANE	255*	2001	Stack or Point air emissions	10000 to 99999
CYCLOHEXANE	510*	2001	Other Reuse or Recovery	10000 to 99999

BENZO(G,H,I)PERYLENE	0.100000	2001	Fugitive or non-point air emissions	100 to 999
XYLENE (MIXED ISOMERS)	750*	2001	Fugitive or non-point air emissions	1000000 to 9999999
XYLENE (MIXED ISOMERS)	255*	2001	Stack or Point air emissions	1000000 to 9999999
XYLENE (MIXED ISOMERS)	755*	2001	Other Reuse or Recovery	1000000 to 9999999
XYLENE (MIXED ISOMERS)	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
METHYL TERT-BUTYL ETHER	3600	2001	Fugitive or non-point air emissions	1000000 to 9999999
METHYL TERT-BUTYL ETHER	3300	2001	Stack or Point air emissions	1000000 to 9999999
METHYL TERT-BUTYL ETHER	1500*	2001	Other Reuse or Recovery	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2001	Incineration/Thermal Treatment	1000000 to 9999999
POLYCYCLIC AROMATIC COMPOUNDS	0.800000	2001	Fugitive or non-point air emissions	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.100000	2001	Stack or Point air emissions	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.200000	2001	Other Reuse or Recovery	1000 to 9999
1,2,4-TRIMETHYLBENZENE	5*	2000	Landfill/Disposal Surface Impoundment	100000 to 999999
ETHYLBENZENE	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
N-HEXANE	5*	2000	Landfill/Disposal Surface Impoundment	100000 to 999999
XYLENE (MIXED ISOMERS)	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2000	On-site surface impoundment disposal	1000000 to 9999999
METHYL TERT-BUTYL ETHER	5*	2000	Landfill/Disposal Surface Impoundment	1000000 to 9999999
POLYCYCLIC AROMATIC COMPOUNDS	0.400000	2000	Landfill/Disposal Surface Impoundment	1000 to 9999
BENZENE	5	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
BENZENE	9	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
BENZENE	22	1999	Other Waste Treatment	1000000 to 9999999
NAPHTHALENE	39	1999	Fugitive or non-point air emissions	1000000 to 9999999
NAPHTHALENE	27	1999	Stack or Point air emissions	1000000 to 9999999
NAPHTHALENE	320	1999	Other Waste Treatment	1000000 to 9999999
1,2,4-TRIMETHYLBENZENE	70	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
1,2,4-TRIMETHYLBENZENE	59	1999	Other Waste Treatment	1000000 to 9999999
CUMENE	5	1999	Fugitive or non-point air emissions	1000000 to 9999999
CUMENE	28	1999	Stack or Point air emissions	1000000 to 9999999
CUMENE	17	1999	Other Waste Treatment	1000000 to 9999999
ETHYLBENZENE	8	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
ETHYLBENZENE	16	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
ETHYLBENZENE	63	1999	Other Waste Treatment	1000000 to 9999999
TOLUENE	9	1999	Discharges to receiving streams or water bodies	1000000 to 9999999
TOLUENE	159	1999	Wastewater Treatment (Excluding POTW)	1000000 to 9999999
N-HEXANE	26	1999	Other Waste Treatment	1000000 to 9999999
CYCLOHEXANE	34	1999	Other Waste Treatment	1000000 to 9999999
XYLENE (MIXED ISOMERS)	42	1999	Discharges to receiving streams or water bodies	10000000 to 49999999
XYLENE (MIXED ISOMERS)	100	1999	Wastewater Treatment (Excluding POTW)	10000000 to 49999999
XYLENE (MIXED ISOMERS)	210	1999	Other Waste Treatment	10000000 to 49999999
METHYL TERT-BUTYL ETHER	74	1999	Discharges to receiving streams or water bodies	10000000 to 49999999
METHYL TERT-BUTYL ETHER	629	1999	Wastewater Treatment (Excluding POTW)	10000000 to 49999999
METHYL TERT-BUTYL ETHER	160	1999	Other Waste Treatment	10000000 to 49999999

\* The mid-point of at least one range was used to calculate this quantity

**Map Identification Number 132**      **KEYSPAN ENERGY HOLTSVILLE LNG FACILITY**



UNION AVE.  
 Mail Name: KEYSPAN ENERGY  
 Mail Address: 445 BROADHOLLOW RD.

HOLTSVILLE, NY 11742

MELVILLE, NY 11747

**EPA Tri Id: 11742HLTSVUNION**

TT-Id: 860A-0002-789

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 899 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source: EPA      EPA Facility Status: OPEN  
 Public Contact: ROBERT MAHONY

Public Contact Phone #: (718) 403-2522

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
METHANOL	50	2000	Fugitive or non-point air emissions	10000 to 99999
METHANOL	12850	2000	Energy Recovery	10000 to 99999
METHANOL	150	1999	Stack or Point air emissions	10000 to 99999

**Map Identification Number 133**      **RICHARD M. FLYNN POWER PLANT**



607 UNION AVE.

HOLTSVILLE, NY 117429998

**EPA Tri Id: 11742RCHRD607UN**

TT-Id: 860A-0002-790

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
 Approximate distance from property: 1214 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
 Revised zip code: UNKNOWN

Source: EPA      EPA Facility Status: OPEN  
 Public Contact: PETER BARDEN

Public Contact Phone #: (518) 433-6734

CHEMICAL NAME	AMOUNT (LBS/YR)	YEAR	RELEASE TYPE	MAXIMUM AMOUNT STORED (LBS)
METHANOL	5*	2001	Fugitive or non-point air emissions	1000 to 9999
METHANOL	5835	2001	Discharges to receiving streams or water bodies	1000 to 9999
POLYCYCLIC AROMATIC COMPOUNDS	0.300000	2001	Stack or Point air emissions	0 to 99

\* The mid-point of at least one range was used to calculate this quantity



**WASTEWATER DISCHARGES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS**

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

**Map Identification Number 134**

**HOLTSVILLE TERMINAL**  
586 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0110086**  
EPA(FINDS) Id: NYD980646129  
TT-Id: 880A-0005-059

EPA (FINDS) Name: HOLTSVILLE TERMINAL  
EPA (FINDS) Address: HOLTSVILLE TERMINAL UNION AVENUE

HOLTSVILLE, NY 11742

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: 11741

Contact Name: PETE MILOSKI TERMINAL MGR

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day): 1.261

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
PETROLEUM BULK STATIONS & TERM	INDUSTRIAL	MINOR	ACTIVE	09/09/1999	04/01/2005	03/28/1988

**Map Identification Number 135**

**KEYSPAN – HOLTSVILLE LIQUID**  
UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0109193**  
EPA(FINDS) Id: NYD980648240  
TT-Id: 880A-0005-151

EPA (FINDS) Name: HOLTSVILLE LIQUID NATURAL GAS  
EPA (FINDS) Address: UNION AVE

HICKSVILLE, NY 11742

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 896 feet to the N

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Contact Name: ROBERT TEETZ

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day): .001



Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
NATURAL GAS TRANSMISSION	INDUSTRIAL	MINOR	ACTIVE	11/22/1999	03/01/2005	01/01/1983

**Map Identification Number 136**  **RICHARD M FLYNN POWER PLANT**  
607 UNION AVENUE

HOLTSVILLE, NY 11742

**Facility Id: NY0225746**  
TT-Id: 880A-0005-150

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING – LARGE SITE  
Approximate distance from property: 1190 feet to the NNE

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

Contact Name: MICHAEL D MEDVEC

Contact Phone:

Receiving Waterbody: GW

Average Design Flow (in millions of gallons/day):

Standard Industrial Code Description	Facility Type	Discharge Indicator	Facility Status	Permit Issued Date	Permit Expiration Date	Date Permit First Issued
ELEC & OTHER SERVICES COMBINED	INDUSTRIAL	MINOR	ACTIVE	01/11/2002	09/01/2007	09/01/1992



### AIR DISCHARGE FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS

PLEASE NOTE: \* Compass directions can vary substantially for sites located very close to the subject property address.

#### Map Identification Number 137



#### NORTHVILLE IND HOLTSVILLE TERM

586 UNION AVENUE

EPA (FINDS) Name: NORTHVILLE IND HOLTSVILLE TERM

EPA (FINDS) Address: 25 MELVILLE PARK RD, BOX 2937

Facility Id: 3610300025

HOLTSVILLE, NY 11742

MELVILLE 117470398

State-county CDS Id: 3610300025

State-county NED id: 361033144

TT-ID: 900A-0007-292

#### MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 0 feet

#### ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 11741

CDS-ID: 00025

NED-ID: 3144

EPA-ID: NYD980233753

FINDS-ID: NYD980233753

Plant Phone #1: None Given

Plant Phone #2: (516)753-4336

Operating Status: OPERATING

EPA Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

State Classification: ACTUAL OR POTENTIAL EMISSIONS ARE ABOVE THE APPLICABLE MAJOR SOURCE THRESHOLDS

EPA Plant Compliance Status:

State Plant Compliance Status: UNKNOWN COMPLIANCE STATUS

#### AIR PROGRAM INFORMATION

Regulatory Air Program: SIP SOURCE

Regulatory Air Program: MACT (SECTION 63 NESHAPS)

Regulatory Air Program: TITLE V PERMITS

Program Status: OPERATING

Program Status: OPERATING

Program Status: OPERATING

#### POLLUTANT INFORMATION

Pollutant: TOTAL HAP POLLUTANT

State Pollutant Compliance for this pollutant: UNKNOWN COMPLIANCE STATUS

Pollutant: VOLATILE ORGANIC COMPOUNDS

State Pollutant Compliance for this pollutant: IN COMPLIANCE - INSPECTION

**Map Identification Number 138**      **NORTHVILLE INDUSTRIES TERMINAL**  
586 UNION AVE



**Facility Id: NY0012291**  
HOLTSVILLE, NY 11742

**State-county CDS Id:**  
State-county NED id:  
TT-ID: 900A-0007-293

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING (3)  
Approximate distance from property: 0 feet

CDS-ID: None Given                      NED-ID: None Given  
Plant Phone #1: None Given            Plant Phone #2: None Given  
Operating Status:  
EPA Classification:  
State Classification:  
EPA Plant Compliance Status:  
State Plant Compliance Status:

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: NO CHANGE

EPA-ID: None Given                      FINDS-ID: None Given

**AIR PROGRAM INFORMATION**

No air program information given.

**POLLUTANT INFORMATION**

No air pollutant information given.

**Map Identification Number 139**      **RICHARD M FLYNN POWER PLANT**  
607 UNION AVE



**Facility Id: NY0993855**  
HOLTSVILLE, NY 11742

**State-county CDS Id:**  
State-county NED id:  
TT-ID: 900A-0007-295

**MAP LOCATION INFORMATION**

Site location mapped by: MANUAL MAPPING - LARGE SITE  
Approximate distance from property: 1159 feet to the NNE

CDS-ID: None Given                      NED-ID: None Given  
Plant Phone #1: None Given            Plant Phone #2: None Given  
Operating Status:  
EPA Classification:  
State Classification:  
EPA Plant Compliance Status:  
State Plant Compliance Status:

**ADDRESS CHANGE INFORMATION**

Revised street: NO CHANGE  
Revised zip code: UNKNOWN

EPA-ID: None Given                      FINDS-ID: None Given

**AIR PROGRAM INFORMATION**

No air program information given.

POLLUTANT INFORMATION  
No air pollutant information given.



***NO CIVIL & ADMINISTRATIVE ENFORCEMENT DOCKET FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS***

U.S. EPA EMERGENCY RESPONSE NOTIFICATION SYSTEM (ERNS) SPILLS  
AT THE LOCATION OR POTENTIALLY AT THE LOCATION OF  
586 Union Avenue  
Holtsville, NY 11742

\* Any ERNS Spills listed below are NOT mapped in this report \*

ONSITE ERNS (A count of these spills can be found in the distance interval table):

\*\*\*\*\*

Spill Number (ID): 396929

Spill Date: 08/22/1994

Location: 586 UNION AVE  
Spill City: HOLTSMVILLE

NY 11742

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
OIL, FUEL: NO. 2	100.00	GAL	700.00	0.00	UNK	53897628

Potentially Responsible Party (Discharger): TOSCO PIPELINE CO

Discharger Address: 586 UNION AVE  
HOLTSMVILLE

NY 11742

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected:

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident:	F	Equipment Failure:	F
Operator Error:	T	Natural Phenomenon:	F
Dumping:	F	Other Cause:	F
Unknown:	F		

Cause of the incident:

Source of Release:

Type of Transportation Involved: PIPELINE RELATED

Action: PIPELINE SECURED/CREWS ENROUTE

Description: 12" INTRASTATE PIPELINE/GASKET RUPTURED DURING PRESSURE TESTING

Miscellaneous:

\*\*\*\*\*

Spill Number (ID): 555442

Spill Date: 10/02/1997

Location: 586 UNION AVE  
Spill City: HOLTSMVILLE

NY 11742

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
------------------	------------------	-------	--------	----------------------------	-------	-------

GASOLINE: AUTOMOTIVE (UNLEADED) 35.00 GAL 228.00 0.00 UNK 95952645

Potentially Responsible Party (Discharger): RHUE LEASING / OK PETRO.

Discharger Address: UNKNOWN

FARMINGDALE

NY

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: F Land: T Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected:

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: T

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident: VALVE

Source of Release: TANK

Type of Transportation Involved: HIGHWAY RELATED

Action: THE MATERIAL WAS CONTAINED AND HAS BEEN CLEANED UP

Description: TANKER TRUCK TANKER TRUCK / MANIFOLD VALVE ON THE TRUCK MALFUNCTIONED CAUSING THE RELEASE OF THE MATERIAL

Miscellaneous: WILL NOTIFY THE PUBLIC SERVICE COMMISSION AND THE DEPT OF HEALTH / THE CALLER HAD NO OTHER INFORMATION NYSDEC CASE# 9 7-07-824

\*\*\*\*\*

Spill Number (ID): 70105

Spill Date: 11/18/1988

Location: 2000 YARDS W OF MORRIS AVE OCCURRED AT THE TANKFARM

Spill City: NY

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
UNKNOWN OIL/GAS FIRE	0.00	UNK	0.00	0.00	UNK	

Potentially Responsible Party (Discharger): NORTHVILLE INDUSTRIES

Discharger Address: SOUTHSIDE OF UNION AVE

HOLTSVILLE

NY

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: ATMOSPHERE

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident:

Source of Release:

Type of Transportation Involved: FIXED FACILITY

Action: LOCAL POLICE AND FIRE DEPT O/S AND ARE EVACUATING A SMALL AREA

Description: EXPLOSION AT THE TANK FARM, POLICE AND FIRE DEPT O/S

Miscellaneous: EPA II REQUESTED NRC TO CONTACT THE NY STATE DEC

\*\*\*\*\*

POTENTIALLY ONSITE ERNS:

\*\*\*\*\*

Spill Number (ID): 128808

Spill Date: 11/28/1989

Location: UNION AVE WEST OF MORRIS AVE  
Spill City: HOLTSVILLE NY

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno
MERCAPTAN	0.00	UNK	0.00	0.00	NON	

Potentially Responsible Party (Discharger):  
Discharger Address:

Dun and Bradstreet Number: Organization Type:

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: AIR

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F  
Operator Error: F Natural Phenomenon: F  
Dumping: F Other Cause: F  
Unknown: F

Cause of the incident: Source of Release:

Type of Transportation Involved: PIPELINE RELATED

Action: TIGHTENED THE FLANGE TO STOP THE LEAK

Description: VALVE ON A PIPE / LEAK IN THE VALVE

Miscellaneous:

\*\*\*\*\*

Spill Number (ID): 158287

Spill Date: 04/16/1990

Location: UNION AVE  
Spill City: BROOK HEAVEN NY

Material Spilled	Quantity Spilled	Units	Pounds	Quantity Released in Water	Units	Casno



GASOLINE: AUTOMOTIVE (4.23G PB/G 1.00 GAL 6.00 0.00 NON

Potentially Responsible Party (Discharger): AC BERWICK

Discharger Address: 850 PORT READING AVE

PORT READING

NJ 07064

Dun and Bradstreet Number:

Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: F Land: T Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: PAVEMENT

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F

Operator Error: F Natural Phenomenon: F

Dumping: F Other Cause: F

Unknown: F

Cause of the incident:

Source of Release:

Type of Transportation Involved: HIGHWAY RELATED

Action: PUT SPEEDY DRY ON THE AFFECTED AREA

Description: SEMI TRUCK / LEAKING PRODUCT HOSE

Miscellaneous:

\*\*\*\*\*

Unmappable facilities for 'Suffolk' County

Solid Waste Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
	SYNCOR NUCLEAR PHARMACY S			UNKNOWN
	TRANS MED LIMITED RMW TS			UNKNOWN
52A00	ISLIP ASHFILL			UNKNOWN
52C03	DUNLOP AVE COMPOSTING			UNKNOWN
52C18	TOWN OF ISLIP			11779
52W54R	TRI-TOWN CARTING CORP.			UNKNOWN
52W69R	GLOBAL LAND MATERIALS			UNKNOWN
52W72R	C&A MATERIALS			UNKNOWN
52W74	HOLBROOK TRUCK & LEASING			UNKNOWN
52W76R	LONG ISLAND DIRT CORP.			UNKNOWN
52W77R	T.S. HAULERS, INC.			UNKNOWN
52W78	NORTH SHORE RECYCLING			UNKNOWN
52W80R	CALVERTON INDUSTRIES, LLC			UNKNOWN
52W81R	BELLI CONTRACTING CO, INC			UNKNOWN
52W85R	LONG ISLAND RECYCLING INC			UNKNOWN
52W98R	ALEXANDER AND ANTHONY IZZ			UNKNOWN
52Y18	TOWN OF ISLIP			11779
52I 0	ISLIP		ISLIP (T)	UNKNOWN
NY00000003098	JOSEPH MENAFRA MAN.	UNKNOWN	UNKNOWN	UNKNOWN

Hazardous Spills - TANK FAILURES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8703492	LILCO	MORRIS AVENUE	HOLTSVILLE	11742

Hazardous Spills - TANK TEST FAILURES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8800786	LILCO	MORRIS AVENUE	HOLTSVILLE	11742
9207335	TOWN OF ISLIP OWNER	FLIGHT SERVICE BLDG	ISLIP	UNKNOWN

Hazardous Spills - UNKNOWN CAUSE OR OTHER CAUSES - Closed

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8401635				UNKNOWN
8401564				UNKNOWN
8100603				UNKNOWN
1410480	SUFFOLK COUNTY EM. RES.	BUILDING 40 LOOP ROAD		UNKNOWN
9912293	UNKNOWN	7 EISENHOWER STREET	BROOKHAVEN	UNKNOWN
9211601	PRINT SHOP	25 UNION AVENUE	BROOKHAVEN	UNKNOWN
8702880	UNKNOWN	LAKE RONKONKOMA	BROOKHAVEN	11779
1207582	HURRICANE SPILLS	MULTIPLE	BROOKHAVEN	UNKNOWN
7800390			DUCK LAKE	UNKNOWN
8301247			FARMINGVILLE	UNKNOWN
0312381	VERTEX INDUSTRIES	PO BOX 297	FARMINGVILLE	11738
0207275	SPILL NUMBER 0207275	LIE EXIT 63 - EXIT 70	FARMINGVILLE	UNKNOWN
9410105	UNK ASPHALT PLANT	OFF PATCHOQUE HOLBROOK RD	HOLBROOK	UNKNOWN
8903365	HOLIDAY MGT	FURROWS ROAD	HOLBROOK	UNKNOWN
8001430			HOLBROOK	11741
0601504	KEYSPAN	UNION AVENUE	HOLBROOK	11741
9712913	SPILL NUMBER 9712913	MORRIS AVENUE	HOLTSVILLE	11742
9711845	SPILL NUMBER 9711845	LIE RTE 495	HOLTSVILLE	11742
9406452	UNK/TRUCK	LIE NO SVE RD EXIT 61/62	HOLTSVILLE	UNKNOWN
9309433	UNK	FURROWS RD & UNION AVE	HOLTSVILLE	11742
8806276	UNKNOWN	UNION AVENUE	HOLTSVILLE	UNKNOWN
8202212			HOLTSVILLE	11742

8201368		UNION AV	HOLTSVILLE	UNKNOWN
8000602		L. GOTLIEB (US GOVT)	HOLTSVILLE	11742
1404180	ROADWAY	LONG ISLAND EXPRESSWAY EXIT 62N	HOLTSVILLE	11742
1214807	JC DISCOUNT FUEL	LONG ISLAND AVENUE	HOLTSVILLE	11742
0411631	UNKNOWN	LONG ISLAND AVENUE	HOLTSVILLE	11742
9106530	MACSON	RAILROAD AVENUE	ISLIP	UNKNOWN
8600143	UNKNOWN	CORAL LAKE SOUTH BAY	ISLIP	UNKNOWN
0805292	EDGEWOOD MOTOR HOME PARK	WHITE CAP	ISLIP	UNKNOWN
0508461	UNKNOWN	HOLMES AVENUE	ISLIP	UNKNOWN
9801386	BOAT LAUNCH	ROSEVALE ROAD	LAKE RONKONKOMA	11779
9825028	UNKNOWN	LIE SOUTH SERVICE ROAD	LAKELAND	11779
9507272	UNK	LIE/NORTH SERVICE RD	MEDFORD	UNKNOWN
8300119			MEDFORD	UNKNOWN
8200354			MEDFORD	UNKNOWN
8101312			MEDFORD	UNKNOWN
8000875			MEDFORD	UNKNOWN
8000152			MEDFORD	UNKNOWN
8000127			MEDFORD	UNKNOWN
8201358			MEDFORD	UNKNOWN
9607951	SPILL NUMBER 9607951	SUNRISE HWY/LIE/NO OCEAN	NO. PATCHOGUE	UNKNOWN
9312905	MEENAN OIL	PARKING PLAZA #130	NORTH PATCHOGUE	UNKNOWN
7801072			NORTH PATCHOGUE	UNKNOWN
9706453	ISLIP COMPOST	RAILROAD AVENUE	PILOT STATION	UNKNOWN
9705547	ISLIP TOWN COMPOST FAC	SOUTH RAILROAD AVENUE	RONKONKOMA	UNKNOWN
9511098	BROOKHAVEN HWY YARD	UNION AVENUE	RONKONKOMA	11779
8903112	UNKNOWN	NORTH STREET	RONKONKOMA	UNKNOWN
8705379	UNKNOWN	LIE WB BTW 58-59	RONKONKOMA	11779
8602505	LAKE RONKONKOMA	LAKE RONKONKOMA	RONKONKOMA	11779
8302165		L. I. E.	RONKONKOMA	UNKNOWN
8300428		EXPRESSWAY DR	RONKONKOMA	UNKNOWN
8201508			RONKONKOMA	UNKNOWN
8201178	LIRR TRACKS	RAILROAD AVENUE	RONKONKOMA	11779
1300503	UNKNOWN NAME	ORVILLE DRIVE	RONKONKOMA	11779
0110941	CARO COLLISION	ROSEDALE EXTENTION	RONKONKOMA	11779
0001525	UNKNOWN	LIE EXITS 58/59	RONKONKOMA	11779
Hazardous Spills - MISC. SPILL CAUSES - Closed				
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
0904526	VACANT LOT AND ROADWAY	HIGHVIEW DRIVE APPROX. 1196	BROOKHAVEN	11719
9514214	SCHIERHORST RESIDENCE	7 1ST STREET	FARMINGVILLE	11738
9208009	UNK	LIE BTW EXITS 61-62 EB	FARMINGVILLE	UNKNOWN
8710227	TAURUS EXCAVATING CO	MORRIS AVE & WARREN AVE	FARMINGVILLE	UNKNOWN
8402588	GREEN TREE DISCOUNT FUEL	MORRIS AVENUE	FARMINGVILLE	11738
0400023	TULLIO PAGLIENI RESIDENCE	4D GATE	FARMINGVILLE	11738
9703440	GREEN GIANT TRUCKING	RANIEER S/O EAST AVENUE	HOLBROOK	11741
9004354	TOWN OF ISLIP COMPOST CENTER	RAILROAD AVENUE	HOLBROOK	11741
9001498	UNKNOWN	OLD HOLBROOK ROAD	HOLBROOK	11741
8606180	LILCO	EAST HOLBROOK ROAD	HOLBROOK	UNKNOWN
8600764	UNKNOWN	EXIT 60-61 LIE	HOLBROOK	UNKNOWN
0311395	UNKNOWN	UNION AVENUE	HOLBROOK	UNKNOWN
0303325	UNKNOWN	AVENUE C	HOLBROOK	UNKNOWN
0125137	UNKNOWN	LIE EXIT 61 W/O RAMP	HOLBROOK	11741
0101599	UNKNOWN	LIE EXIT 61/EXIT 62	HOLBROOK	UNKNOWN
9712908	SPILL NUMBER 9712908	MORRIS AVENUE	HOLTSVILLE	11742
9700693	SPILL NUMBER 9700693	WASHINGTON AVENUE	HOLTSVILLE	11742
9515314	SPILL NUMBER 9515314	EXPRESS DRIVE NORTH	HOLTSVILLE	UNKNOWN
9511194	FURROWS RD NEAR P.A.L.	1 EMPIRE SPORTS PLAZA	HOLTSVILLE	UNKNOWN
9508242	UNKNOWN	SOUTH SERVICE ROAD LIE	HOLTSVILLE	11742
9507484	PRINCETON RESTORATION ETC	LI AVENUE EXIT TO END	HOLTSVILLE	11742
9502508	LILCO	MORRIS AVENUE	HOLTSVILLE	11742

9500727	UNK	LONG ISLAND AVENUE	HOLTSVILLE	11742
9311548	UNK	LONG ISLAND AVENUE	HOLTSVILLE	11742
9204865	LILCO	MORRIS AVENUE	HOLTSVILLE	11742
9200214	SAFETY KLEEN	UNION AVENUE	HOLTSVILLE	UNKNOWN
9110874	UNKNOWN	FIK ROAD	HOLTSVILLE	11742
8906390	P&G FUEL OIL	LONG ISLAND AVENUE	HOLTSVILLE	11742
8903077	LILCO	S/O LIE BEFORE EXIT 62	HOLTSVILLE	UNKNOWN
8809352	UNKNOWN	SINGINGWOOD ROAD	HOLTSVILLE	11742
8805251	UNKNOWN	FURROWS ROAD	HOLTSVILLE	UNKNOWN
8710847	LILCO	UNION AVENUE	HOLTSVILLE	UNKNOWN
8603113	BOB'S GULF	LIE EXIT 52 NORTH SERVICE ROAD	HOLTSVILLE	11742
1111425	UNKNOWN	LIE SOUTH SERVICE ROAD	HOLTSVILLE	11742
0705261	UNKNOWN	EB LIE	HOLTSVILLE	11742
0610255	UNKNOWN	SOUTH LONG ISLAND EXPWY	HOLTSVILLE	11742
0203728	UNKNOWN	LIE SOUTH SERVICE ROAD	HOLTSVILLE	11742
0202034	UNKNOWN	RAILROAD AVE/LINCOLN AVE	HOLTSVILLE	UNKNOWN
9910626	UNKNOWN	LIE NORTH SERVICE ROAD	ISLANDIA	UNKNOWN
9206661	UNK	LIE BETW TERRY&OLD NICOLS	ISLANDIA	UNKNOWN
0425191	EXXON	EXIT 58 LIE NO SERVICE RD	ISLANDIA	UNKNOWN
9814932	UNKNOWN	LIE EASTBOUND	ISLIP	11751
1009566	UNKNOWN	CAPTAINS DRIVE	ISLIP	11751
9415381	GRANDNER RESIDENCE	53 CHERY DRIVE	LAKE RONKONKOMA	11779
9311125	UNK	RAYNORS BEACH/RONKONKOMA	LAKE RONKONKOMA	11779
9008781	LILCO	RAILROAD AVENUE/KNICKERBOCKER	LAKE RONKONKOMA	UNKNOWN
9109462	UNK	LONG ISLAND AVENUE	MEDFORD	UNKNOWN
8604356	PRECISE FUEL	47 LOCK PINE DRIVE	MEDFORD	UNKNOWN
9000020	UNKNOWN	FAIRVIEW ROAD	NORTH PATCHOGUE	11742
9204071	JOHN BYANK PASS VEHICLE	IN RP'S VEHICLE	NOT GIVEN	UNKNOWN
9912917	KNOB HILL NORTH APTS	KNOB HILL NORTH B-85	RONKONKOMA	11779
9805157	UNKNOWN	FURROWS ROAD	RONKONKOMA	UNKNOWN
9713552	SPILL NUMBER 9713552	LONG ISLAND EXPRESSWAY	RONKONKOMA	UNKNOWN
9710724	STORM DRAIN	PULASKI & 1ST STREET	RONKONKOMA	11779
9502054	DIAMOND POWER WASHING	DIAMOND POWER WASHING	RONKONKOMA	UNKNOWN
9406254	LIRR	RAILROAD AVENUE	RONKONKOMA	11741
9401944	TAMAZ TETSOSHIUVILA	EASTVIEW AVENUE	RONKONKOMA	11779
9303332	UNKNOWN	LIE NO SERVICE ROAD	RONKONKOMA	UNKNOWN
9107736	MICHAEL DONLIEK	30 EAUSS REOAD	RONKONKOMA	UNKNOWN
9104085	UNK	NEAR ST MARYS CHURCH	RONKONKOMA	UNKNOWN
8806255	MTA LIRR	NORTH OF RR STATION	RONKONKOMA	11779
8802816	UNKNOWN	RAILROAD AVENUE	RONKONKOMA	11779
8801181	LIRR	RAILROAD AVENUE	RONKONKOMA	UNKNOWN
8602984	SCPD	SUFF CTY SPECIAL PATROL	RONKONKOMA	UNKNOWN
1502748	UNKNOWN	518 EXPRESS DR SOUTH	RONKONKOMA	11779
1407331	RESIDENCE	1ST STREET	RONKONKOMA	11779
1215410	A&R MATERIALS	72 UNION STREET	RONKONKOMA	11779
1205699	VEHICLE FIRE	LIE WESTBOUND	RONKONKOMA	11779
1202352	RONKONKOMA TRAIN STATION	WEST END PARKING LOT	RONKONKOMA	11779
1105071	RONKONKOMA SUBSTATION G36	RAILROAD AVE	RONKONKOMA	11779
0910647	RONKONKOMA YARD	RAILROAD AVENUE	RONKONKOMA	11779
0905873	LIRR RONKONKOMA YARD	RAILROAD AVENUE	RONKONKOMA	11779
0904524	UNKNOWN	LIE EASTBUND WEST OF EXIT 61	RONKONKOMA	11779
0507645	UNKNOWN	LIE BETWEEN 58 & 59 EAST BOUND	RONKONKOMA	UNKNOWN
0125321	UNKNOWN	STREETS OF SUFFOLK COUNTY	TOWNS OF SUFFOLK COUNTY	UNKNOWN

Petroleum Bulk Storage Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
6-11907				UNKNOWN
NYSF13940	GO TO REF NO. 04189			UNKNOWN
NYSF15282	GO TO REF.NO 07541			UNKNOWN
2-0224	LILCO-HOLTSVILLE GENERATING ST	MORRIS AVE	HOLTSVILLE	UNKNOWN

NYSF04488	NATIONAL GRID HOLTSVILLE GT SITE	180A MORRIS AVE	HOLTSVILLE	UNKNOWN
NYSF04988	MICA WAVE	914-33 MORRIS AVE	HOLTSVILLE	11742
NYSF05105	SOLMINS OIL CORP	UNION AVE	HOLTSVILLE	11742
NYSF11596	NORTHVILLE INDUSTRIES	UNION BLVD	HOLTSVILLE	11742
NYSF16151	LIPA SUBS TEMP HOLTSVILLE CUMMINS	MORRIS AVE	HOLTSVILLE	UNKNOWN

Hazardous Waste Generation or Transport Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NYD980536890	GOLDISC RECORDINGS INC	1 GOLDISC RD	HOLBROOK	11741
NYP000862667	NYSDEC	HOLBROOK FD	HOLBROOK	UNKNOWN
NY0000990903	GRUMMAN DATA SYSTEMS (INFO-CONVERSIONS)	ONE GDS PLAZA	HOLTSVILLE	11742
NYD980648174	LONG ISLAND LIGHTING CO	MORRIS AVE	HOLTSVILLE	UNKNOWN
NYP003631140	NYSDEC DIVIION OF SPILL MANAGEMENT	UNION AVENUE	HOLTSVILLE	11742
NYP003631264	NYSDEC	SPILLS ?	LIC	UNKNOWN
NYP000300186	NYSDEC	ROSEDALE AVENUE	MEDFORD	UNKNOWN
NYP003631512	NYSDEC BUREAU OF SPILLS	EXIT 27A GARDEN STATE PKWY	N/S	UNKNOWN
NYN100052239	PARRINELLI'S CESSPOOL SERVICE INC.	P. O. BOX 26	RONKONKOMA	UNKNOWN
NYP000300277	NYSDEC	RAILROAD AVE	RONKONKOMA	UNKNOWN
NYP003630035	NYSDEC	N/S	SAYVILLE	UNKNOWN
NYX720000000	TRANSPORTER X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	UNKNOWN

Chemical Bulk Storage Facilities

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
1-000143	HOLTSVILLE GAS TURBINE SITE	180 MORRIS AVENUE	HOLTSVILLE	UNKNOWN

Hazardous Substance Waste Sites

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NY0002	MANDERVILLE PLANT		MANDERVILLE, NY ?	UNKNOWN
NY0003	PINE'S SWITCH PLANT		PINE'S SWITCH	UNKNOWN

Toxic Releases

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
11742HLTSV180AM	KEYSPAN ENERGY HOLTSVILLE IC FACILITY	180-A MORRIS AVE.	HOLTSVILLE	UNKNOWN

Wastewater Discharges

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NY0199621	METROPOLITAN LIFE INSURANCE CO			UNKNOWN
NY0210595	SELDEN CHANNEL LAUNDROMAT			UNKNOWN
NY0220841	WASHINGTON AVENUE CONDOMINIUMS			UNKNOWN
NY0221350	PIZZA HUT #606176			UNKNOWN
NY0227226	SUNRISE @ HOLBROOK	771 E LANCASTER AVE 2ND FLR	VILLANOVA	11741

Air Releases

FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
3610300060	HOLBROOK GENERATING STATION (LILCO)	W SIDE MORRIS AVE	HOLBROOK	UNKNOWN
36103E0394	FLYNN (HOLTSVILLE) COMBINED CYCLE UNIT	180A MORRIS AVENUE	HOLTSVILLE	UNKNOWN

**Hazardous waste codes presented in individual Toxic Information Profiles are defined below.**

- B002 Petroleum oil or other liquid containing 50 ppm or greater of PCBs but less than 500 ppm PCBs. This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit breakers, reclosers and cable.
- B003 Petroleum oil or other liquid containing 500 ppm or greater of PCBs.
- D001 Solid waste that exhibits the characteristic of ignitability, but is not listed under any other hazardous waste code.
- D002 Solid waste that exhibits the characteristic of corrosivity, but is not listed under any other hazardous waste code.
- D004 Arsenic
- D005 Barium
- D007 Chromium
- D008 Lead
- D009 Mercury
- D018 BENZENE
- D039 Tetrachloroethylene
- F001 The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)
- K052 Tank bottoms (leaded) from the petroleum refining industry. (T)

Source: U. S. Environmental Protection Agency

# How Toxic Site Locations Are Mapped

Toxics Targeting maps toxic site locations on a digital version of the U. S. Census map or those used by local authorities using addresses and map coordinates provided by site owners/operators or government agencies. In order to allow site locations to be verified independently, the information used to map each site is presented in the first section of each Toxic Site Profile, along with a description of the mapping technique used and any address corrections that were made in order to locate toxic sites with incomplete or inadequate site location information. The mapping process is explained below.

Map Identification Number: 12

Site Name: Acme World Manufacturing, Inc.

Site Address: 55 Main Street

Anytown, NY 11797

## MAP LOCATION INFORMATION

## ADDRESS CHANGE INFORMATION

Site location mapped by:

Address Matching

1) Most toxic sites are mapped by matching addresses provided by site owners/operators or government agencies with locations on a digital version of the street or parcel map. These site locations are identified with the method used to map them.

Revised Street: NO CHANGE

Revised zip code: NO CHANGE

Note: Some sites have an address match location and a map coordinate location. Both locations are mapped because they can be equally correct.

or Map Coordinate


2) Some toxic sites are located using map coordinates provided by site owners/operators or government agencies. These site locations are identified "map coordinate." Map coordinates for Toxic Wastewater Discharges, Toxic Release Inventory sites and Major Oil Storage Facilities should be considered suspect.

4) Site addresses are sometimes corrected to eliminate obvious errors that prevent sites from being mapped. All address corrections are noted here.

or Manual Mapping

or Site Visit

3) Incomplete addresses or map coordinates require some site locations to be determined by commercial street maps (manual mapping), site visits, map coordinates from other databases and address location services. Application of any of these methods is identified accordingly.



# Information Source Guide

*Toxics Targeting's Environmental Reports* contain government and other information compiled on 18 categories of reported known or potential toxic sites. Each toxic site database is described below with information detailing a) the source of the information, b) the date when each database is covered to and c) when *Toxics Targeting* obtained the information..

1) **National Priority List for Federal Superfund Cleanup:** Toxic sites nominated for cleanup under the Federal Superfund program. Annual compilation of special two-page detailed profiles of NPL sites. Also includes delisted NPL sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
Data attributes updated from: 9/9/2015. Data obtained by Toxics Targeting: 9/9/2015.  
New Facilities updated through: 9/9/2015. Data obtained by Toxics Targeting: 9/9/2015.

2) **Inactive Hazardous Waste Disposal Site Registry:** New York State database that maintains information and aids decision making regarding the investigation and cleanup of toxic sites. The Registry's data includes two-page profiles noting site name, ID number, description, classification, cleanup status, types of cleanup, owner information, types and quantities of contaminants, and assessment of health and environmental problems. Also included are sites that qualify for possible inclusion on the Registry. These Registry Qualifying sites may or may not be on the Site Registry. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 7/26/2015. Data obtained by Toxics Targeting: 7/26/2015.  
New Facilities updated to: 7/26/2015. Data obtained by Toxics Targeting: 7/26/2015.

3) **Corrective Action Activity (CORRACTS):** New York State and Federal databases of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA). ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency<sup>1</sup>  
Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 8/13/2015. Data obtained by Toxics Targeting: 8/13/2015.  
New facilities updated through: 8/13/2015. Data obtained by Toxics Targeting: 8/13/2015.

4) **CERCLIS:** Toxic sites listed in the Federal Comprehensive Environmental Response, Compensation and Liability Information System. Includes Active and No Further Remedial Action Planned (NFRAP) sites. ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency.<sup>1</sup>  
Data attributes updated through: 10/25/2013. Data obtained by Toxics Targeting: 1/7/2014.  
New Facilities updated through: 10/25/2013. Data obtained by Toxics Targeting: 1/7/2014.

5) **Brownfield Programs:** NYS programs for sites that are abandoned, idled or under-used industrial and/or commercial sites where expansion or redevelopment is complicated by real or perceived environmental contamination. ASTM required.\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data attributes updated through: 7/26/2015. Data obtained by Toxics Targeting: 7/26/2015.  
New Facilities updated to: 7/26/2015. Data obtained by Toxics Targeting: 7/26/2015.

- (a) **Brownfield Cleanup Program (BCP)**
- (b) **Voluntary Cleanup Program (VCP)**
- (c) **Environmental Restoration Program (ERP)**

6) **Solid Waste Facilities:** NYS Solid Waste Registry, including, but not limited to, landfills, incinerators, transfer stations, recycling centers. ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>  
Data updated to: 4/1/2013. Data obtained by Toxics Targeting: 4/1/2013.

7) **RCRA Hazardous Waste Treatment, Storage or Disposal Facility Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the DEC's Division of Environmental Remediation pursuant to NYS Law and the Resource Conservation and Recovery Act (RCRA). ASTM required.\* Fannie Mae required.\*\* Source: New York State Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 8/3/2015. New facilities obtained by Toxics Targeting: 8/14/2015.  
Manifest transactions data updated to: 8/3/2015. Manifest transactions data obtained by Toxics Targeting: 8/14/2015.

(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA). ASTM required.\* Fannie Mae required.\*\* Source: U. S. Environmental Protection Agency<sup>1</sup>  
New facilities updated through: 8/13/2015. Data obtained by Toxics Targeting: 8/13/2015.  
Data attributes updated through: 8/13/2015. Data obtained by Toxics Targeting: 8/13/2015.



8) **Spills Information Database:** Spills reported to the DEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from Petroleum Bulk Storage Regulations) or 6 NYCRR Section 595.2 (from Chemical Bulk Storage Regulations). This database includes both *active* and *closed* spills.  
ASTM required.\* Fannie Mae.\*\* Source: NYS Department of Environmental Conservation.<sup>2</sup>

New spills through: 7/30/2015  
Spill attribute data through: 7/30/2015

New spills data obtained by Toxics Targeting: 7/30/2015  
Spill attribute data obtained by Toxics Targeting: 7/30/2015

Active spills: paperwork not completed.

Closed spills: paperwork completed.

Both active and closed spills may or may not have been cleaned up (see Date Cleanup Ceased in spill profiles).

9) **Major Oil Storage Facilities:** NYS database of facilities licensed pursuant to Article 12 of the Navigation Law, 6 NYCRR Parts 610 and 17 NYCRR Part 30, such as onshore facilities or vessels, with petroleum storage capacities equal to or greater than 400,000 gallons.

**Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\*

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated through: 8/3/2015.

Data obtained by Toxics Targeting: 8/3/2015.

10) **Petroleum Bulk Storage Facilities:** County or State databases of aboveground and underground petroleum storage facilities.

ASTM required.\* Fannie Mae required.\*\*

All New York Counties except Cortland, Nassau, Rockland, Suffolk:

**NYS Petroleum Bulk Storage Database.** This includes all New York State counties except

Cortland, Nassau, Rockland, Suffolk, and Westchester.

ASTM required.\* Fannie Mae required.\*\*

Source: NYS Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 8/3/2015.

Data obtained by Toxics Targeting: 8/3/2015.

Tank data updated through: 8/3/2015.

Data obtained by Toxics Targeting: 8/3/2015.

Westchester County: Data updated through 10/1/1998

Cortland County: **Cortland County Health Dept. Tank database.**

Source: Cortland County Health Department<sup>7</sup>

Data updated through: 7/15/2004

Data obtained by Toxics Targeting: 7/23/2004

Nassau County: a compilation of the following 2 databases:

**Heat producing products and other products:**

Source: Nassau County Department of Health.<sup>3</sup>

NOTE: This data is being withheld by the Nassau County DOH

Data updated through: 4/1/2001.

Data obtained by Toxics Targeting: 1/2/2002

**Generally non-heat producing products:**

Source: Nassau County Fire Marshal.<sup>4</sup>

Data updated through: 8/6/2009.

Data obtained by Toxics Targeting: 9/22/2009

Rockland County: **Rockland County Dept. of Health Tank database.**

Source: Rockland County Department of Health.<sup>5</sup>

Data updated through: 4/13/2004.

Data obtained by Toxics Targeting: 4/16/2004.

Suffolk County: **Suffolk County Dept. of Health Article 12 database**

Source: Suffolk County Department of Health Services.<sup>6</sup>

Data updated through: 1/30/2014.

Data obtained by Toxics Targeting: 7/22/2014.

11) **RCRA Hazardous Waste Generators and/or Transporters Databases:**

(a) **Manifest Information:** New York State database of hazardous waste facilities and shipments regulated by the NYS Department of Environmental Conservation's Division of Environmental Remediation pursuant to New York State Law.

ASTM required.\* Fannie Mae required.\*\*

Source: New York State Department of Environmental Conservation.<sup>2</sup>

New facilities updated through: 8/3/2015.

New facilities obtained by Toxics Targeting: 8/14/2015.

Manifest transactions data updated to: 8/3/2015.

Manifest transactions data obtained by Toxics Targeting: 8/14/2015.

(b) **RCRA Notifier & Violations Information:** U. S. Environmental Protection Agency database of hazardous facilities regulated pursuant to the Resource Conservation and Recovery Act (RCRA).

ASTM required.\* Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency<sup>1</sup>

New facilities updated through: 8/13/2015.

Data obtained by Toxics Targeting: 8/13/2015.

Data attributes updated through: 8/13/2015.

Data obtained by Toxics Targeting: 8/13/2015.

12) **Chemical Bulk Storage Facilities:** New York State database of facilities compiled pursuant to 6NYCRR Part 596 that store regulated substances listed in 6NYCRR Part 597 in aboveground tanks with capacities greater than 185 gallons and /or in underground tanks of any size.

**Tank and other data withheld by NYSDEC as of 4/1/2002.**

ASTM required.\* Fannie Mae required.\*\*

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated through: 8/3/2015.

Data obtained by Toxics Targeting: 8/3/2015.

13) **Hazardous Substance Waste Disposal Site Study:** NYS database of waste disposal sites that may pose threats to public health or the environment, but could not be remediated using monies from the Hazardous Waste Remedial Fund.

Source: New York State Department of Environmental Conservation.<sup>2</sup>

Data updated to: 5/16/2000.

Data obtained by Toxics Targeting: 5/16/2000.

14) **Toxic Release Inventory (TRI):** Federal database of manufacturing facilities required under Section 313 of the Federal Emergency Planning and Community Right-to-Know Act to report releases to the air, water and land of any specifically listed toxic chemical. See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup> / NYS Department of Environmental Conservation<sup>2</sup>

Data updated through: 3/8/2004.

Data obtained by Toxics Targeting: 3/25/2004

15) **Toxic Wastewater Discharges (Permit Compliance System):** Federal database of discharges of wastewater to surface waters and groundwaters. See Fannie Mae requirement\*\* below. Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 6/17/2004.

Data obtained by Toxics Targeting: 7/19/2004.

16) **Air Discharge Facilities:** EPA AIRS database containing address information on each air emission facility and the type of air pollutant emission it is. Compliance information is also provided on each pollutant as well as the facility itself.

See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency<sup>1</sup>

Data updated through: 11/24/1999.

Data obtained by Toxics Targeting: 1/6/2000

17) **Civil Enforcement & Administrative Docket:** This database is the U. S. EPA's system for tracking administrative and civil judiciary cases filed on behalf of the agency by the Department of Justice. Fannie Mae required.\*\*

Source: U. S. Environmental Protection Agency.<sup>1</sup>

New Sites through: 10/14/1999.

Data updated through: 10/14/1999.

Data obtained by Toxics Targeting: 11/18/1999.

18) **Emergency Response Notification System (ERNS):** Federal database of spills compiled by the Emergency Response Notification System. On-site searches only.

ASTM required.\* See Fannie Mae requirement\*\* below.

Source: U. S. Environmental Protection Agency.<sup>1</sup>

Data updated through: 1/31/2000.

Data obtained by Toxics Targeting: 2/15/2000

\* American Society of Testing Materials: Standard Practice on Environmental Site Assessments: Phase I Environmental Site Assessment Process (E1527-05).

\*\* Fannie Mae's Part X Environmental Hazards Management Procedures specify 1.0 mile searches for "any state or Federal list of hazardous waste sites (e.g. CERCLIS, HWDMS etc.)." Searches for the property and adjacent properties are specified for "chemical manufacturing plants," "obvious high risk neighbors engaging in storing or transporting hazardous waste, chemicals or substances" and "...any documented or visible evidence of dangerous waste handling... (e.g. stressed vegetation, stained soil, open or leaking containers, foul fumes or smells, oily ponds, etc." Searches for property and adjacent properties can include sites up to a quarter mile away (W. Hayward, Director, Multi-Family Business Planning and Control, Fannie Mae, personal communication, 5/94).

<sup>1</sup>U. S. Environmental Protection Agency, 290 Broadway, NY, NY 10007-1866.

<sup>2</sup>NYS Department of Environmental Conservation, 625 Broadway, Albany, NY 12233.

<sup>3</sup>Nassau County Department of Health, Bureau of Land Resources Management, 240 Old Country Road, Mineola, NY 11501.

<sup>4</sup>Nassau County Fire Commission, Office of the Fire Marshal, 899 Jerusalem Avenue, P. O. Box 128, Uniondale, NY 11553.

<sup>5</sup>Rockland County Department of Health, The Dr. Robert Yeager Health Center, Building D, Sanitorium Road, Pomona, NY 10970.

<sup>6</sup>Suffolk County Department of Health, Hazardous Materials Management, 15 Horseblock Place, Farmingville, NY 11738-1220.

<sup>7</sup>Cortland County Department of Health, 60 Central Avenue, Cortland, NY 13045-2746